



Notes on Early Land Plants Today. 27. Transfer of some taxa from *Stenolejeunea* (Lejeuneaceae, Marchantiophyta)

MATT A. M. RENNER^{1,5}, TAMÁS PÓCS², LARS SÖDERSTRÖM³, ANDERS HAGBORG⁴
& MATT VON KONRAT⁴

¹Botanic Gardens and Domain Trust, Royal Botanic Gardens Sydney, Mrs Macquaries Road, Sydney NSW2000, Australia; matt.renner@rbgsyd.nsw.gov.au

²Department of Botany, Eszterházy College, pf. 43, H-3301 Eger, Hungary; colura@chello.hu

³Department of Biology, Norwegian University of Science and Technology, N-7491 Trondheim, Norway; lars.soderstrom@bio.ntnu.no

⁴Department of Botany, The Field Museum, 1400 South Lake Shore Drive, Chicago, IL 60605–2496, USA; hagborg@pobox.com, mvonkonrat@fieldmuseum.org

⁵Author for correspondence

Stenolejeunea Schuster (1963: 144), a small genus of Lejeuneaceae subf. Lejeuneoideae containing seven described species, was recently synonymised with *Lejeunea* Libert (1820: 373) by Gradstein (in Söderström *et al.* 2010) and the three taxa occurring on Java (including the type of the genus) were transferred. A fourth New Zealand taxon was transferred by Renner & de Lange (2011). However, three taxa remain to be transferred, two of which need new names in *Lejeunea*.

Formal treatment

The format of this note follows what is outlined in Söderström *et al.* (2012).

***Lejeunea stenodentata* M.A.M. Renner et Pócs, nom. nov. pro *Drepanolejeunea dentata* Steph., *Hedwigia* 35: 82, 1896 (Stephani 1896).**

Type:—INDONESIA. Amboina: Wawani Hila, Dr. G. Karsten (holotype G-60858 [=G-14853]¹).

Blocking name:—*Lejeunea dentata* Mitt., *Hooker, Bot. Antarct. Voy. II (Fl. Nov.-Zel. 2)*: 159, 1854 (Mitten 1854).

≡ *Stenolejeunea dentata* (Steph.) Pócs, *Ann. Bot. Fennici* 32: 263, 1995 (Pócs *et al.* 1995).

= *Crossotolejeunea borneensis* Herzog, *Trans. Brit. Bryol. Soc.* 1: 321, 1950 (Herzog 1950), syn. fide Mizutani (1972).

Note:—The epithet “*borneensis*” is not available in *Lejeunea*.

Additional specimen examined:—AUSTRALIA. Queensland: Cook District, Wooroonooran National Park, Bellenden Ker Range, Russell River catchment, track to Choorichillum from end of Gourka Road, between NW summit and Choorichillum, 17°23'44.9"S 145°48'56.3"E, 1460 m, 30 March 2012, M.A.M. Renner 6429, E.A. Brown & V.C. Linis (NSW896968, duplicate in BRI).

Note:—*Lejeunea stenodentata* is known to be widespread in western Melanesia and known from Philippines, Borneo, Moluccas, New Guinea and the Solomon Islands (Pócs *et al.* 1995, Schuster 2000). We report this species new for Australia on the basis of material collected recently in tropical montane forest close to the summit of Bartle Frere, the highest mountain in Queensland. The occurrence here is not unexpected given the occurrence of the species in Papua New Guinea.

1. Citation of specimens in G should preferably use the barcode (M. Price, pers. comm.) but for comparability the numbers printed on the specimen, which have often been cited by previous authors, are also given here in square brackets.

***Lejeunea estrellamontana* M.A.M.Renner et Pócs, nom. nov. pro *Stenolejeunea fissistipula* R.M.Schust., *J. Hattori Bot. Lab.* 89: 167, 2000 (Schuster 2000).**

Type:—PAPUA NEW GUINEA. West Sepik Distr.: Star Mts., ca 5°S, 141°0.5'E., ca 2350 m, Fologomon, upper montane forest, *Touw 17817E* (holotype L).

Blocking name:—*Lejeunea fissistipula* (Steph.) Steph., *Sp. Hepat. (Stephani)* 5: 775, 1915 (Stephani 1915).

***Lejeunea morobensis* (Grolle) M.A.M.Renner et Pócs, comb. nov.**

Basionym:—*Stenolejeunea morobensis* Grolle, *J. Hattori Bot. Lab.* 29:76, 1966 (Grolle 1966).

Type:—PAPUA NEW GUINEA. Prov. Morobe: Yunzaing, forest trail, 1500 m, 19 April 1905, *Clemens 3808/H-a* (holotype B, isotypes JE, L, NICH-272067, NY, BM, P).

Acknowledgement

The Early Land Plants Today project (ELPT) has been generously supported in part by the Global Biological Information Facility (GBIF) Seed Money Award No.2007-41, activities facilitated in part by funding from the Biodiversity Synthesis Center of the Encyclopedia of Life (BioSynC), partial funding from the National Science Foundation (Award No's 0749762, 1115002), the Warwick Foundation, and the Negaunee Foundation.

References

- Grolle, R. (1966) Lebermoose aus Neuguinea. 3. *Stenolejeunea*. *Journal of the Hattori Botanical Laboratory* 29: 75–78.
- Herzog, T. (1950) Hepaticae borneenses (Oxford University expeditions to Sarawak, 1932). *Transactions of the British Bryological Society* 1: 275–326.
- Libert, M.-L. (1820) Sur un genre nouveau d'hépatiques, *Lejeunia*. *Annales générales des sciences physiques* 6: 372–374.
- Mitten, W. (1854) Hepaticae. In: Hooker, J.D. (Ed), *The Botany of the Antarctic Voyage of H. M. discovery ships Erebus and Terror in the years 1839–43. II. Flora Novae Zealandiae* 2. Reeve, London, pp. 125–160.
- Mizutani, M. (1972) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 7. Some little known species of the subfamily Lejeuneoideae of the Lejeuneaceae. *Journal of the Hattori Botanical Laboratory* 35: 399–411.
- Pócs, T., Piippo, S.R. & Mizutani, M. (1995) Bryophyte flora of the Huon Peninsula, Papua New Guinea. LVI. Preliminary contributions on Lejeuneaceae (Hepaticae) 2. *Annales Botanici Fennici* 32: 259–268.
- Renner, M.A.M. & de Lange, P.J. (2011) Additions to the Lejeuneaceae flora of New Zealand: new species from the Kermadec Islands and range extensions of New Zealand species into the South Pacific. *New Zealand Journal of Botany* 49: 421–433. <http://dx.doi.org/10.1080/0028825X.2011.580765>
- Schuster, R.M. (1963) An annotated synopsis of the genera and subgenera of Lejeuneaceae. I. Introduction; annotated keys to subfamilies and genera. *Beihefte zur Nova Hedwigia* 9: 1–203.
- Schuster, R.M. (2000) Studies on Lejeuneaceae, III. Revisionary studies on *Stenolejeunea* Schust. *Journal of the Hattori Botanical Laboratory* 89: 151–170.
- Söderström, L., Gradstein, S.R. & Hagborg, A. (2010) Checklist of hornworts and liverworts for Java. *Phytotaxa* 9: 53–149.
- Söderström, L., Hagborg, A. & von Konrat, M. (2012) Notes on Early Land Plants Today. *Phytotaxa* 65: 41–42.
- Stephani, F. (1896) Hepaticarum species novae IX. *Hedwigia* 35: 73–140.
- Stephani, F. (1915) *Species Hepaticarum* 5. George & Cie, Genève & Bale, pp. 705–848.