

Checklist of the hornworts and liverworts of Java

LARS SÖDERSTRÖM^{1,4}, S. ROBBERT GRADSTEIN² & ANDERS HAGBORG³

¹Department of Biology, Norwegian University of Science and Technology, N-7491 Trondheim, Norway; lars.soderstrom@bio.ntnu.no

²Albrecht von Haller Institute of Plant Sciences, Department of Systematic Botany, Untere Karspüle 2, 37073 Göttingen, Germany; sgradst@uni-goettingen.de; After 1 September 2010: Dept. Systematique et Evolution, Museum National d'Histoire Naturelle, UMS 602, C.P. 39, 57 rue Cuvier, 75231 Paris Cedex 05, France

³Department of Botany, The Field Museum, 1400 South Lake Shore Drive, Chicago, IL 60605–2496; hagborg@pobox.com

⁴Corresponding author

Abstract

In this checklist all hornworts and liverworts reports for Java are listed. The horn- and liverwort flora of the island consists of 568 known and accepted species (plus 39 invalid or illegitimate names). In addition 12 recorded species are considered dubious and another 111 species are excluded from the flora of Java. Most of the species are reported from West Java. The genus *Stenolejeunea* is synonymized with *Lejeunea* and we make the new combination *Lejeunea thallophora* (Eifrig) Gradst. and the new name *Lejeunea propagulifera* Gradst. (nom. nov. pro *Trachylejeunea schiffneri* Herzog; non *Lejeunea schiffneri* Steph. ex Schiffn.). A new synonym of *Lejeunea papilionacea* (*Cardiolejeunea cardiantha* R.M.Schust. et Kachroo syn. nov.) is proposed.

Key words: *Stenolejeunea*, *Cardiolejeunea cardiantha*, Java, checklist, liverworts, hornworts

Introduction

Checklists are important tools in taxonomy, systematics and conservation (Söderström *et al.* 2007, 2008). In spite of that, several important areas lack recent checklists, including a number of islands in the Malesian archipelago.

Java is one of the larger Indonesian islands with an area of 132,000 km² and with mountains up to 3,676 m a.s.l. The western part of the island includes two ecoregions (Olson *et al.* 2001), Western Java Rainforest in the lowlands and Western Java montane rain forest at higher altitudes. The latter belongs to the 200 most threatened ecoregions of the world (Olson & Dinerstein 2002). The corresponding ecoregions in the east are Eastern Java-Bali rain forest and Eastern Java-Bali montane rain forests. The western part of the island is very wet with an annual rainfall of 4500 mm while the eastern part is considerably drier. This can also be seen in the number of liverwort and hornwort species reported from the island. Of the reported 607 species (including doubtful and invalid/illegitimate species) from Java 488 species have been reported from West Java (Jawa Barat) while there are only 84 from Central Java (Jawa Tengah) and 61 from East Java (Jawa Timur). The higher species richness of West Java is also influenced by the location of the main centers of botanical exploration, Herbarium Bogoriense and Bogor Botanical Garden, in this part of the island.

Knowledge of the hornworts and liverworts of Java

Liverworts and hornworts from Java were first reported by Reinwardt *et al.* (1824a) and Nees (1830). Important later authors publishing on liverworts and hornworts of Java are van der Sande Lacoste (e.g., 1857,

1864), Goebel (1888), Schiffner (1893b, 1898a, 1900a, 1900b, 1900c), Verdoorn (1929b, 1930, 1932b, 1933c, 1934b) and Meijer (e.g., 1954c, 1957, 1958a, 1959a, 1959b, 1960). A series of reports on bryological fieldtrips in West and Central Java was published by Meijer (1953, 1954a, 1954b, 1955, 1958b). An unfinished Liverwort Flora of Java by Schiffner (1900a) appeared in the series “Flora de Buitenzorg”, with descriptions (but no illustrations) and keys to the thalloid liverworts and some families of the leafy liverworts (Adelanthaceae, Gymnomitriaceae, Jungermanniaceae, Lophocoleaceae, Plagiochilaceae, Scapaniaceae p.p.). Many of the names used in this Flora, as well as in the other papers cited here, are currently not in use.

After 1960, very little floristic work has been carried out on the liverworts and hornworts of Java, until very recently (e.g., Hasan & Ariyanti 2004, Damayanti 2006, Iskander 2008, Gradstein *et al.* 2010, Haerida *et al.* 2010). However, a large number of taxonomic papers of Southeast Asia have appeared since 1960, and many of these contain descriptions of species from Java.

In this checklist we report 607 species (and an additional 12 species which occurrences are questioned) and several infraspecific taxa. Of these, 479 are accepted species as currently understood based on revision and monographs; the remaining species are little known or of doubtful status (see below, Methods) or invalid/illegitimate names (39 species) that we are unable to place. We also give a list of 111 species that are reported from Java but which are excluded from the Javanese flora either in earlier works or by us here. Many of the species (38) are invalid or illegitimate (and many more of the infraspecific taxa) but as we do not know where to refer them, we report them separately.

Many taxa are described from Javanese material (some only as syntypes). We have found 957 taxa with original material from the island but 151 of them (16 %) have names that are invalid or illegitimate. Of the 633 originally described species, 72 (11 %) are invalid. Among the valid taxa 229 are still recognized, 164 species and 65 infraspecific taxa.

Nomenclatural novelties

Stenolejeunea Schuster (1963) is here reduced to synonymy under *Lejeunea* Lib. *in* Hampe (1836) because there is no single morphological character separating the two genera. The thalloid, ribbon-like gemmae considered diagnostic of *Stenolejeunea* have recently also been observed in several genuine species of *Lejeunea*, e.g. *L. exilis* (Reinwardt *et al.* 1824a) Grolle (1979a), *L. cocoes* Mitten (1860), *L. infestans* (Stephani 1896) Mizutani (1964) (Zhu & So 2001). In addition they have been found in the genera *Cyclolejeunea* Evans (1904), *Pictolejeunea* Grolle (1977b) and *Prionolejeunea* (Spruce 1885) Schiffner (1893a). Other characters suggested being characteristic of *Stenolejeunea* such as the apiculate-acuminate leaf apex and dentate perianth keels are also not uncommon in *Lejeunea* species (see Reiner-Drehwald & Goda 2000). The correct names for the species from Java assigned to *Stenolejeunea* are:

Lejeunea apiculata Sande Lacoste (1854) = *Stenolejeunea apiculata* (Sande Lac.) Schuster (2000)

***Lejeunea thallophora* (Eifrig 1937) Gradst. comb. nov.**

Basionym: *Taxilejeunea thallophora* Eifrig (1937: 99) ≡ *Stenolejeunea thallophora* (Eifrig) Schuster (1957: 130).

***Lejeunea propagulifera* Gradst. nom. nov.**

Basionym: *Trachylejeunea schiffneri* Herzog (1948: 239) ≡ *Stenolejeunea schiffneri* (Herzog) Pócs *in* Pócs *et al.* (1995: 267).

The new name is necessary because the name “*Lejeunea schiffneri*” has already been used for *Lejeunea schiffneri* Steph. ex Schiffn. *in* Schiffner (1893b) (= *Leptolejeunea schiffneri* (Steph. ex Schiffn.) Stephani 1897). Note that the new name *Lejeunea schiffneri* Steph. ex Schiffn. was proposed twice by Schiffner (1893b) in the same publication, for a species in the subgenus *Leptolejeunea* Spruce (1885) and for one in the subgenus *Pycnolejeunea* Spruce (1885)! Since only one of the two *Lejeunea schiffneri* can be valid, the one in subgenus *Leptolejeunea* is accepted as Stephani (1896) was the first to (indirectly) choose this to be

legitimate, and the one in subgenus *Pycnolejeunea* rejected. In the genus *Pycnolejeunea* the latter species is therefore cited as *Pycnolejeunea schiffneri* Steph. ex Schiffn. in Schiffner (1898), without reference to the rejected basionym in *Lejeunea* from 1893.

Several further species have been assigned to the genus *Stenolejeunea*. As we are unfamiliar with these species, we refrain from transferring these formally to *Lejeunea*.

We also propose a new synonym:

Lejeunea papilionacea Stephani (1892) = *Cardiolejeunea cardiantha* R.M.Schust. et Kachroo in Schuster (1963), *syn. nov.*

By the characteristic, large, rounded auricles of the perianth and the oblong leaves, *Cardiolejeunea cardiantha* R.M.Schust. et Kachroo (described from Cibodas) is identical to *Lejeunea papilionacea* (Steph.) E.W. Jones from Africa. We see no differences between the two species and consider them as conspecific. *Lejeunea papilionacea* is widespread in Africa and had not yet been reported from Asia.

Methods

In this checklist the taxa are arranged in alphabetic order. Invalid and illegitimate names that we are unable to place in any synonymy are included, but no attempts have been made to validate these names. The list is in two parts, accepted reports and doubtful/excluded reports. The latter includes reported taxa not currently in synonymy of anything but for which the occurrence on Java is considered erroneous or very doubtful.

The list has the following format:

*** *A. fertilis* (Reinw., Blume et Nees) Schiffn. JAV: **LECTOTYPE** of *Acrolejeunea wichurae*, Reinwardt *et al.* 1824a as *Jungermannia fertilis*, Sande Lacoste 1857, 1864 both as *Phragmicoma fertilis*, Bonner 1962 also as *Acrolejeunea wichurae*, Bapna & Kachroo 2000b, Gradstein *et al.* 2002. BA: Van Leeuwen 1936 as *Ptychocoleus fertilis*. JA: **Gradstein 1975**.

Each accepted taxon is qualified using a four level ranking system that indicates our level of confidence about a taxon's value. The coding convention is outlined in detail by von Konrat *et al.* (2010). Briefly, ? = problem with the taxon name; * = serious doubts about the value of the taxon; ** = probably a good taxon; *** = accepted, a good taxon as currently understood. We have made numerous notes explaining the scoring for individual taxa, especially for taxa that are denoted *. Taxa that are invalid or illegitimate are always classified ? but not always followed by a note.

We distinguish between first hand reports ("A report citing a specimen or an observation of material either in the field 'and then locality fairly exact' or among collected specimens") using bold and second hand reports ("Merely citing a locality that is not exact enough to be searched for the species, and not apparently based on a specimen that can be found") using normal font (cf. von Konrat *et al.* 2010). This includes all types coming from Java. We try to distinguish between holotypes, lectotypes and syntypes, but we have not made any effort to check all types. We therefore use the word "type" where we are not sure if it is a holotype or not. In order to condense the list a bit we use the words "both as" or "all as" to denote that the author used this name(s) in both/all publications. The word "also" as means that the author(s) used the current accepted name in addition to another name.

Java is separated into four main provinces, Banten (BA), West Java (WJ; Jawa Barat), Central Java (CJ; Java Tengah) and East Java (EJ; Java Timur) in addition to two special areas Jakarta (JA) and Yogyakarta (YY). We make an attempt separate the reports by these provinces. The underscored abbreviations corresponds to the ones given here. The abbreviation JAV is used for reports that are not specific enough to be placed in a province or where we have been unable to identify the locality.

The synonyms include all names used in reports from Java.

Anthocerotophyta

Anthoceros

- * ¹*A. argillaceus* (Steph.) Verd. JAV: **Stephani 1916** as *Aspiromitus argillaceus* and *Aspiromitus buitenzorgius*, Verdoorn 1932a, **Meijer 1954c**, Bharadwaj 1972 as *Folioceros buitenzorgius*. WJ: **TYPE** of *Aspiromitus argillaceus* and *Aspiromitus buitenzorgius*, **Bonner 1962** as *Aspiromitus argillaceus* and *Aspiromitus buitenzorgius*.
- ? *A. commutatis* Steph. ex Bonner nom. inval. JAV: **Bonner 1962**.
- ? ²*A. glandulosus* Lehm. et Lindenb. var. *vesiculosovenosus* Schiffn. nom. inval. WJ: **Schiffner 1900c**.
- * ³*A. javanicoides* H.A.Mill. JAV: **Stephani 1916** as *Anthoceros javanicus*, Miller et al. 1983 also as *Anthoceros javanicus*. CJ: **TYPE** of *Anthoceros javanicus*, **Bonner 1962** as *Anthoceros javanicus*, **Miller 1981**.
- * ⁴*A. kajumas* (K.I.Goebel) Prosk. JAV: Bonner 1962. EJ: **TYPE** of *Aspiromitus kajumas*, **Goebel 1928** as *Aspiromitus kajumas*, **Bonner 1977** as *Aspiromitus kajumas*.
- * ⁵*A. megasporus* Meijer JAV: **TYPE, Bonner 1962**. CJ: **Meijer 1957**. WJ: **Meijer 1957**.
- *** ⁶*A. punctatus* L. JAV: Hasegawa 1984, Guo & Zhang 1999. CJ: Meijer 1955, **1957** both as *Anthoceros crispulus*. WJ: **Meijer 1957** as *Anthoceros crispulus*.
- *** *A. telaganus* Steph. JAV: **Stephani 1916**, **Hasegawa 1998**. CJ: Meijer 1955, **1957**. EJ: **Meijer 1957**. WJ: **TYPE, Meijer 1957, Bonner 1962**. YY: **Meijer 1957**.

***Aspiromitus*⁷**

- ? *A. asper* Schiffn. CJ: **TYPE, Schiffner 1955**.
- ? *A. bullosus* Schiffn. JAV: **Bonner 1977**. CJ: **SYNTYPE, Schiffner 1955**.
- ? *A. lobatus* Schiffn. WJ: **TYPE** and **TYPE** of *Aspiromitus lobatus* f. *thermalis*, **Schiffner 1955** also as *Aspiromitus lobatus* f. *thermalis*, **Bonner 1977** also as *Aspiromitus lobatus* f. *thermalis*.

Dendroceros

- *** *D. acutilobus* Steph. JAV: Hasegawa 1982, 1986b, Piippo 1993b. WJ: **Hasegawa 1980a**.
- *** *D. cavernosus* J.Haseg. JAV: Hasegawa 1982, 1986a, 1986b.
- * ⁸*D. crassicostatus* Steph. JAV: **TYPE, Stephani 1917a, Bonner 1965**.
- *** *D. difficilis* Steph. JAV: **Stephani 1917a**, Hasegawa 1980a, **Piippo 1993b**, Pócs & Streimann 1999. WJ: **TYPE, Bonner 1965**.
- * ⁹*D. gracilis* Steph. JAV: **TYPE, Stephani 1917a, Bonner 1965**.
- *** *D. javanicus* (Nees) Nees JAV: **TYPE** of *Anthoceros javanicus* and *Dendroceros elegans*, Nees **1830** as *Anthoceros javanicus*, **Gottschke et al. 1846**, Campbell 1908, **Stephani 1923** as *Dendroceros elegans*, **Bonner 1962** as *Anthoceros javanicus*, **1965** as *Dendroceros elegans*, **Hasegawa 1980a, 1980b**, 1982, 1986a, 1986b, 1993, Miller et al. 1983 also as *Dendroceros elegans*, **Piippo 1993b**. BA: Van Leeuwen 1936. WJ: Sande Lacoste **1857**, Schiffner **1898a**, Renner **1932**. ? — var. *clathratus* Schiffn. nom. inval. WJ: **Schiffner 1900c**.
- * ¹⁰*D. rarus* Steph. JAV: **TYPE, Stephani 1917a, Bonner 1965**.
- * ¹¹*D. reticulus* Herzog WJ: **TYPE, Herzog 1951a, Bonner 1965**.
- *** *D. subplanus* Steph. JAV: **TYPE** and **TYPE** of *Dendroceros angustus*, Stephani 1909c, **Stephani 1917a** also as *Dendroceros angustus* and *Dendroceros integerrimus*, **Bonner 1965**, **Hasegawa 1980a**, 1982, 1986a, **Piippo 1993b**. BA: Van Leeuwen **1936** also as *Dendroceros angustus*. WJ: **LECTOTYPE** of *Dendroceros integerrimus*, **Bonner 1965** as *Dendroceros integerrimus*.

Folioceros

- *** *F. amboinensis* (Schiffn.) Piippo JAV: **Meijer 1954c** as *Anthoceros amboinensis*, Bharadwaj 1973 as *Folioceros spinisporus*, Hasegawa 1986a as *Folioceros spinisporus*, 1993 as *Anthoceros amboinensis*, Asthana & Srivastava 1991 as *Folioceros spinisporus*, Piippo 1993b, Bapna & Kachroo 2000a as *Folioceros spinisporus*. CJ: Meijer 1955, **1957** both as *Anthoceros amboinensis*. WJ: Meijer 1953 as *Anthoceros spinisporus*, **1957** as *Anthoceros amboinensis*. YY: **Meijer 1957** as *Anthoceros amboinensis*.

-
1. *Anthoceros argillaceus* is a doubtful taxon since nobody has critically looked at it since Stephani and studied its relationship with *A. punctatus* s. lat.
 2. *Anthoceros glandulosus* is now *Folioceros glandulosus*, but we do not know if this variety also belong there.
 3. *Anthoceros javanicoides* is a doubtful taxon since nobody has critically looked at it since Stephani and studied its relationship with *A. punctatus*.
 4. *Anthoceros kajumas* was not dealt with by Hasegawa in any of his papers on *Anthoceros*, nor did Meijer deal with it for Indonesia. Proskauer made the new combination, but no other notes (D. C. Cargill, pers. comm.).
 5. *Anthoceros megasporus* was not mentioned by Hasegawa and it has not been looked at since Meijer's original description (D. C. Cargill, pers. comm.).
 6. *Anthoceros punctatus* is a species complex in need of a modern revision (J. C. Villarreal & D. C. Cargill, pers. comm.).
 7. *Aspiromitus* is a synonym of *Anthoceros*, but the following taxa are not transferred and their taxonomic value is doubtful.
 8. *Dendroceros crassicostatus* was not studied by Hasegawa and its status is doubtful.
 9. *Dendroceros gracilis* was not studied by Hasegawa and its status is doubtful.
 10. *Dendroceros rarus* was not studied by Hasegawa and its status is doubtful.
 11. *Dendroceros reticulus* was mentioned by Hasegawa (1980), but he does not synonymize it under *D. javanicus*, he just states that Herzog thought it similar to *D. elegans*, which is a synonym of *D. javanicus* (D. C. Cargill, pers. comm.).

- *** *F. fuciformis* (Mont.) D.C.Bharadwaj JAV: **TYPE** of *Anthoceros falsinervius* and its β *lyratus*, **Meissner 1848** as *Anthoceros falsinervius*, **Gott sche 1853** as *Anthoceros falsinervius* and its β *lyratus*, **Sande Lacoste 1857** as *Anthoceros falsinervius* and its β *lyratus*, Stephani 1916 as *Aspiromitus falsinervius* and *Aspiromitus vesiculosus*, Schiffner 1955 as *Aspiromitus vesiculosus*, **Meijer 1954c** as *Anthoceros falsinervius*, **Bonner 1962** as *Anthoceros falsinervius*, *Anthoceros vesiculosus*, *Aspiromitus vesiculosus* and *Aspiromitus falsinervius*, Miller et al. 1983 as *Anthoceros vesiculosus*, **Hasegawa 1984**, Piippo 1993b, Koponen et al. 2000. CJ: **Schiffner 1898a** as *Anthoceros falsinervius*, Meijer 1955 as *Anthoceros falsinervius*. WJ: **Schiffner 1898a** as *Anthoceros falsinervius* and its var. β *lyratus*, Meijer 1953, Meijer 1954a, 1958b all as *Anthoceros falsinervius*.
- *** *F. glandulosus* (Lehm. et Lindenb.) D.C.Bharadwaj JAV: **Sande Lacoste 1857** as *Anthoceros glandulosus*, **Schiffner 1893b, 1898a both** as *Anthoceros glandulosus*, **Stephani 1916** as *Aspiromitus striatus*, Bharadwaj 1972, Miller et al. 1983 as *Anthoceros appendiculatus* and *Anthoceros glandulosus*, Hasegawa 1986a, 1986b both as *Folioceros appendiculatus*, Asthana & Srivastava 1991 as *Folioceros appendiculatus*, **Piippo 1993b**, Bapna & Kachroo 2000a also as *Folioceros appendiculatus*. CJ: **Gott sche et al. 1846** as *Anthoceros glandulosus*, Meijer 1955 as *Anthoceros glandulosus*, **1957** as *Anthoceros appendiculatus* and *Anthoceros glandulosus*. EJ: **Schiffner 1955** as *Aspiromitus glandulosus*. WJ: **TYPE** of *Anthoceros doposchegianus*, *Anthoceros polyander* and *Aspiromitus striatus*, **Schiffner 1900c** as *Anthoceros glandulosus* var. *glandulosus*, Meijer 1953, 1954a both as *Anthoceros glandulosus*, **1957** as *Anthoceros appendiculatus* and *Anthoceros glandulosus*, **Bonner 1962** as *Anthoceros doposchegianus*, *Anthoceros polyander* and *Aspiromitus striatus*.

Megaceros

- *** *M. flagellaris* (Mitt.) Steph. JAV: Land 1908 as *Megaceros salakensis*, Stephani 1916 as *Megaceros salakensis* and *Megaceros stahlii*, Geissler & Bischler 1985 as *Megaceros stahlii*, **Asthana & Srivastava 1991** as *Megaceros stahlii*, Piippo 1993b, Koponen et al. 2000. CJ: **Schiffner 1955** as *Megaceros salakensis*. WJ: **TYPE** of *Anthoceros stahlii* and *Megaceros salakensis*, **Schiffner 1898a, 1900c** both as *Anthoceros stahlii*, **Campbell 1907** as *Megaceros salakensis*, Meijer 1954a as *Megaceros grandis*, **Schiffner 1955** as *Megaceros salakensis*, **Bonner 1962** as *Anthoceros stahlii*, **Geissler & Bischler 1985** as *Megaceros salakensis*.

* ¹²*M. tjbodensis* Campb. JAV: Stephani 1916, Miller et al. 1983, Srivastava 1998, Bapna & Kachroo 2000a. WJ: **LECTOTYPE**, **Campbell 1907**, **Geissler & Bischler 1985**, **Asthana & Srivastava 1991**.

Notothylas

- *** *N. javanica* (Sande Lac.) Gott sche JAV: **TYPE** of *Blasia javanica*, **Sande Lacoste 1857** as *Blasia javanica*, **Schiffner 1898a**, Land 1908, Stephani 1917a, **Bonner 1963a** as *Blasia javanica*, Geissler & Bischler 1989, Schuster 1992b, Hasegawa 1993, Bapna & Kachroo 2000a, Piippo et al. 2002. CJ: Meijer 1955. WJ: **Campbell 1908**, Meijer 1953.

Paraphymatoceros

- *** *P. hirticalyx* (Steph.) Stotler JAV: **TYPE** of *Anthoceros polyandrus*, **Stephani 1916** as *Anthoceros polyandrus*, **Meijer 1954c** as *Anthoceros tjbodensis*, Bonner 1962 as *Anthoceros polyandrus* and *Anthoceros tjbodensis*, Hasegawa 1986b as *Phaeoceros polyandrus*. WJ: Meijer 1957 as *Anthoceros hirticalyx*.

Phaeoceros

- *** *P. carolinianus* (Michx.) Prosk. JAV: **Stephani 1916** as *Anthoceros silvaticus*, *Anthoceros validus* and *Aspiromitus preangeranus*, Miller et al. 1983 as *Anthoceros validus* and *Phaeoceros laevis* subsp. *carolinianus*, **Schuster 1992b** as *Anthoceros laevis* subsp. *carolinianus*, Piippo 1993b as *Phaeoceros laevis* subsp. *carolinianus*, Damsholt 2002 as *Phaeoceros laevis* subsp. *carolinianus*. BA: **Van Leeuwen 1936** as *Aspiromitus fontinalis*. CJ: **Meijer 1957**. WJ: **TYPE** of *Anthoceros silvaticus*, *Anthoceros validus*, *Aspiromitus fontinalis* and *Aspiromitus preangeranus*, **Stephani 1916** as *Aspiromitus fontinalis*, **Meijer 1957** as *Anthoceros laevis*, **Bonner 1962** as *Anthoceros silvaticus*, *Anthoceros validus*, *Aspiromitus fontinalis* and *Aspiromitus preangeranus*.

Marchantiophyta

Acanthocoleus

- *** *A. javanicus* (Steph.) Kruijt JAV: Verdoorn 1933b as *Dicranolejeunea javanica*, Hattori 1966a as *Dicranolejeunea javanica*, **Kruijt 1988**, Zhu & Grolle 2001. WJ: **TYPE** of *Cyclolejeunea fleischeri* and *Dicranolejeunea javanica*, **Stephani 1912b** as *Dicranolejeunea javanica*, **1913** as *Cyclolejeunea fleischeri*, **Verdoorn 1933** as *Dicranolejeunea javanica*, **Bonner 1963b** as *Cyclolejeunea fleischeri*, **1965** as *Dicranolejeunea javanica*, **Mizutani 1980b** as *Dicranolejeunea javanica*.

Acrolejeunea

- *** *A. arcuata* (Nees) Grolle et Gradst. JAV: **TYPE** of *Jungermannia arcuata* and *Ptychocoleus hians*, **Nees 1830** as *Jungermannia arcuata*, **Gott sche et al. 1845a** as *Phragmicomia arcuata*, **Sande Lacoste 1857** as *Phragmicomia arcuata*, **Stephani 1890a** as *Phragmicomia arcuata*, **1912b** as *Ptychocoleus arcuatus* and *Ptychocoleus hians*, Schiffner 1894 as *Mastigolejeunea arcuata*, Geissler & Bischler 1985 as *Marchesinia arcuata* and *Mastigolejeunea arcuata*, **1987** as *Jungermannia arcuata* and *Lejeunea arcuata*, **1989** as *Phragmicomia arcuata*, *Ptychocoleus arcuatus* and *Ptychocoleus hians*, **Gradstein et al. 2002**. WJ: **Sande Lacoste 1864** as *Phragmicomia arcuata*, **Schiffner 1898a** as *Mastigolejeunea arcuata*, **Verdoorn 1933** as *Ptychocoleus arcuatus*, Meijer 1954a as *Ptychocoleus arcuatus*, **Gradstein 1975, Gradstein et al. 2010, Haerida et al. 2010**.
- *** *A. fertilis* (Reinw., Blume et Nees) Schiffn. JAV: **LECTOTYPE** of *Acrolejeunea wichurae*, **Reinwardt et al. 1824a** as *Jungermannia fertilis*, **Sande Lacoste 1857, 1864** both as *Phragmicomia fertilis*, **Stephani 1890a** as *Phragmicomia fertilis*,

12. *Megaceros tjbodensis* was synonymized with *M. flagellaris* by Hasegawa (1983) and a syntype belongs to that species. However, the lectotype belongs to another species that may be conspecific with *M. leptohymenius* (D. C. Cargill, pers. comm.).

Verdoorn 1933b as *Ptychocoleus wichurae*, 1934a as *Ptychocoleus fertilis*, **Bonner 1962** also as *Acrolejeunea wichurae*, Miller et al. 1983 also as *Lejeunea fertilis*, *Phragmicomia fertilis* and *Ptychocoleus fertilis*, Geissler & Bischler 1985 as *Marchesinia fertilis*, 1989 as *Phragmicomia fertilis*, *Ptychocoleus fertilis* and *Ptychocoleus wichurae*, Bapna & Kachroo 2000b, **Gradstein et al. 2002**. BA: **Van Leeuwen 1936** as *Ptychocoleus fertilis*, **Haerida et al. 2010**. JA: **Gradstein 1975**. WJ: TYPE of *Jungermannia fertilis*, Nees 1830 as *Jungermannia fertilis*, **Gott sche et al. 1845a** as *Phragmicomia fertilis*, **Schiffner 1894** as *Acrolejeunea wichurae*, **1898a**, Stephani 1912b as *Ptychocoleus wichurae*, **Verdoorn 1933** as *Ptychocoleus fertilis* and *Ptychocoleus wichurae*, **Gradstein 1975**, **Geissler & Bischler 1987** as *Jungermannia fertilis*, **Haerida et al. 2010**.

*** A. *pycnoclada* (Taylor) Schiffn. JAV: Schiffner 1894, **1898a**, Verdoorn 1933b, 1934a both as *Ptychocoleus pycnocladus*, Mizutani 1977, 1978a, Miller et al. 1983 also as *Ptychocoleus pycnocladus*, Bapna & Kachroo 2000b. WJ: TYPE of *Acrolejeunea pycnoclada* var. *rostrata*, **Schiffner 1898a** as *Acrolejeunea pycnoclada* var. *rostrata*, **1900c**, **Verdoorn 1933** as *Ptychocoleus pycnocladus*, **Haerida et al. 2010**.

*** — subsp. *pycnoclada* JAV: TYPE of *Phragmicomia cucullata* and *Ptychocoleus cucullatus*, **Stephani 1890a** as *Phragmicomia cucullata*, Bischler et al. 1962 as *Ptychocoleus cucullatus*, Miller et al. 1983 as *Acrolejeunea cucullata* and *Ptychocoleus cucullatus*, **Geissler & Bischler 1989** as *Phragmicomia cucullata* and *Ptychocoleus cucullatus*, Gradstein et al. 2002. EJ: **Gradstein 1975**. WJ: **Gradstein 1975**.

*** A. *tjibodensis* (Verd.) Grolle et Gradst. JAV: Gradstein 1974, Bonner 1977. CJ: **Verdoorn 1933** as *Ptychocoleus tjibodensis*, **Gradstein 1975**. EJ: **Gradstein 1975**. WJ: HOLOTYPE of *Ptychocoleus tjibodensis*, **Verdoorn 1933** as *Ptychocoleus tjibodensis*, **Gradstein 1975**, Geissler & Bischler 1989 as *Ptychocoleus tjibodensis*, **Gradstein et al. 2002**.

Acromastigum

*** A. *divaricatum* (Nees) A.Evans JAV: TYPE of *Jungermannia divaricata*, Nees 1830 as *Jungermannia divaricata*, **Gott sche et al. 1845a** as *Mastigobryum divaricatum*, **Sande Lacoste 1857** as *Mastigobryum divaricatum*, Schiffner 1898a as *Bazzania divaricata*, **Stephani 1909a** as *Mastigobryum divaricatum*, Bonner 1963a as *Bazzania divaricata*, **Grolle 1978**, Miller et al. 1983, Geissler & Bischler 1985 as *Mastigobryum divaricatum*, **Gao 2003**. WJ: **Sande Lacoste 1864** as *Mastigobryum divaricatum*, **Evans 1934**.

*** A. *inaequilaterum* (Lehm. et Lindenb.) A.Evans JAV: Sharma & Srivastava 1993. WJ: **Evans 1934**.

Acroscyphella

*** A. *tjiwideiensis* (Sande Lac.) N.Kitag. et Grolle JAV: **Sande Lacoste 1854**, **1855a**, **1856b** all as *Chiloscyphus tjiwideiensis*, Schiffner 1900a as *Conoscyphus tjiwideiensis*, Bonner 1962 as *Anthoscyphus tjiwideiensis*, Bonner 1963b as *Clasmatocolea tjiwideiensis*, 1963b as *Conoscyphus tjiwideiensis*, Piippo 1985b as *Clasmatocolea tjiwideiensis*, **Grolle 1987a**. WJ: TYPE of *Chiloscyphus tjiwideiensis*, **Sande Lacoste 1857**, **1864** both as *Chiloscyphus tjiwideiensis*, Schiffner 1898a as *Conoscyphus tjiwideiensis*, Stephani 1907 as *Conoscyphus tjiwideiensis*, Herzog 1932 as *Conoscyphus tjiwideiensis*, Bonner 1963b as *Chiloscyphus tjiwideiensis*, Engel 1980 as *Clasmatocolea tjiwideiensis*, Grolle 1984 as *Clasmatocolea tjiwideiensis*.

Anastrophyllum

*** A. *bidens* (Reinw., Blume et Nees) Steph. JAV: TYPE of *Jungermannia bidens* and *Jungermannia piligera* γ *tenerrima*, Reinwardt et al. 1824a as *Jungermannia bidens*, Nees 1830 as *Jungermannia piligera* γ *tenerrima*, Gottsche et al. 1844 as *Jungermannia piligera* γ *tenerrima*, **Sande Lacoste 1857**, **1864** both as *Jungermannia piligera* γ *tenerrima*, Schiffner 1898a as *Anastrophyllum piligerum* var. γ *tenerrimum*, Stephani 1901, Bonner 1962, Kitagawa 1966, Schuster 1969, Hattori 1971a, 1975c, Váňa 1975b, Miller et al. 1983, Geissler & Bischler 1987 as *Jungermannia piligera* γ *tenerrima*, Long & Grolle 1990, Bapna & Kachroo 2000b, Schill & Long 2003, Eggers 2006. WJ: Meijer 1954a.
** — var. *aristatum* Herzog ex N.Kitag. JAV: **Váňa 1975b**, 1991b, Váňa & Piippo 1989b.
** — var. *bidens* JAV: Schiffner 1900a as *Anastrophyllum cephalozoides*, Bonner 1962 as *Anastrophyllum cephalozoides*, 1977 as *Andrewsianthus cephalozoides*, Kitagawa 1970, Váňa 1974b as *Andrewsianthus cephalozoides*, **Váňa 1991b**, Váňa & Piippo 1989b. WJ: TYPE of *Anastrophyllum cephalozoides*, Schiffner 1898b as *Anastrophyllum cephalozoides*.

*** A. *karstenii* Schiffn. JAV: **Stephani 1901**, Hattori 1966b.

*** A. *piligerum* (Nees) Steph. JAV: TYPE of *Jungermannia piligera* and its α *major*, Reinwardt et al. 1824b as *Jungermannia piligera*, Nees 1830 as *Jungermannia piligera* α *major*, Gottsche et al. 1844 as *Jungermannia piligera*, **Sande Lacoste 1857**, **1864** both as *Jungermannia piligera* α *major* and β *minor*, Schiffner 1898a as *Anastrophyllum piligerum* var. β *minor* and *Anastrophyllum imbricatum*, **1900a** also as *Anastrophyllum piligerum* f. *tenerior*, Stephani 1901, Verdoorn 1931b, Bonner 1962 also as *Anastrophyllum imbricatum*, *Anastrophyllum incumbens* and *Anastrophyllum piligerum* f. *tenerior*, Arnell 1965, Hattori 1966a, Miller et al. 1983, Geissler & Bischler 1987 as *Jungermannia piligera* α *major*, Váňa & Piippo 1989b, **Váňa 1991b**, Schill & Long 2003. WJ: SYNTYPE of *Anastrophyllum piligerum* f. *tenerior*, **Sande Lacoste 1864** as *Jungermannia piligera*, Schiffner 1898a, 1898b also as *Anastrophyllum piligerum* f. *tenerior*, Meijer 1954a.

*** A. *revolutum* Steph. JAV: Schiffner 1900a as *Anastrophyllum vernicosum*, Bonner 1962 as *Anastrophyllum vernicosum*, Váňa 1975b, Miller et al. 1983, Hürlimann 1989, Váňa & Piippo 1989b, Váňa 1991b, Schuster 2002. WJ: SYNTYPE of *Anastrophyllum vernicosum*, Schiffner 1898b as *Anastrophyllum vernicosum*, Kitagawa 1970.

*** A. *squarrosum* Herzog JAV: **Bonner 1962**, Váňa & Piippo 1989b, **Váňa 1991b**. WJ: TYPE, Herzog 1932, Kitagawa 1970.

Andrewsianthus

*** A. *bidens* (Mitt. ex Steph.) R.M.Schust. JAV: TYPE of *Lophozia bidens*, Geissler & Bischler 1985 as *Lophozia bidens*, Váňa & Piippo 1989b, Schuster 2002. WJ: **Stephani 1902** as *Lophozia bidens*, **Váňa 1974b**.

- *** *A. puniceus* (Nees) R.M.Schust. ex Grolle JAV: **TYPE** of *Jungermannia punicea*, Nees **1830** as *Jungermannia punicea*, **Gottzsche et al. 1844** as *Jungermannia punicea*, **Sande Lacoste 1857** as *Jungermannia punicea*, **Schiffner 1900a** as *Anastrophyllo punicum*, **Stephani 1901** as *Lophozia punicea*, Bonner 1962 as *Anastrophyllo punicum*, 1965 as *Gamoscyphus puniceus*, Grolle 1967, Kitagawa 1970, **1973a**, Váňa **1974b**, Miller et al. 1983 also as *Anastrophyllo punicum*, *Jungermannia punicea*, *Lophozia gedena* and *Lophozia punicea*, Geissler & Bischler 1985 as *Lophozia punicea*, **1987** as *Jungermannia punicea*, Váňa & Pippo 1989b, Váňa **1991b**, Schuster 2002. WJ: **TYPE** of *Lophozia gedena*, **Sande Lacoste 1864** as *Jungermannia punicea*, **Schiffner 1898a**, **1898b**, all as *Anastrophyllo punicum*, **Stephani 1902** as *Lophozia gedena*, **Geissler & Bischler 1985** as *Lophozia gedena*.
- *** *A. recurvifolius* (Nees) R.M.Schust. JAV: **TYPE** of *Jungermannia recurvifolia*, Nees **1830** as *Jungermannia recurvifolia*, **Gottzsche et al. 1844** as *Jungermannia recurvifolia*, Sande Lacoste 1857 as *Jungermannia recurvifolia*, **Schiffner 1898a**, **1900a** both as *Anastrophyllo recurvifolium*, **Stephani 1902** as *Lophozia recurvifolia*, Bonner 1962 as *Anastrophyllo recurvifolium*, **Váňa 1974b**, Bonner 1977, Geissler & Bischler 1985 as *Lophozia recurvifolia*, **1987** as *Jungermannia recurvifolia*, **Váňa 1991b**.
- *** *A. sundaicus* (Schiffn.) R.M.Schust. JAV: **Schiffner 1900a** as *Anastrophyllo sundaicum*, Bonner 1977. WJ: **TYPE** of *Anastrophyllo sundaicum*, **Schiffner 1898b** as *Anastrophyllo sundaicum*, **Bonner 1962** as *Anastrophyllo sundaicum*, **Váňa 1974b**.

Aneura

- * ¹³*A. densa* Steph. WJ: **TYPE**, **Stephani 1917b**, **Bonner 1962**.
- *** *A. maxima* (Schiffn.) Steph. JAV: **Stephani 1899**, **Schiffner 1900a** as *Riccardia maxima*, Verdoorn 1932a as *Riccardia maxima*, Bonner 1962, Miller et al. 1983 also as *Riccardia maxima*, Schuster 1992a, Andriessen et al. 1995, **Damsholt 2002**, Buczkowska & Bączkiewicz 2006, Furuki 2006. WJ: **SYNTYPE** of *Riccardia maxima*, **Schiffner 1898b**, **1900c** both as *Riccardia maxima*, Meijer 1953, **1960b** both as *Riccardia maxima*, **Geissler & Bischler 1990** as *Riccardia maxima*, **Furuki 1991**.
- * ¹⁴*A. nymanii* Steph. WJ: **TYPE**, **Stephani 1917b**, **Bonner 1962**.
- *** ¹⁵*A. pinguis* (L.) Dumort. JAV: **Sande Lacoste 1857**, **Schiffner 1898a** as *Riccardia pinguis* var. A α 2 *tenuis*, **Stephani 1899**, **Stephani 1899** as *Aneura viridissima*, **Schiffner 1900a** as *Riccardia viridissima*, Bonner 1962 as *Aneura viridissima*, Miller et al. 1983, Miller et al. 1983 as *Aneura viridissima*, Schuster 1992a, Bapna & Kachroo 2000b, Damsholt 2002. WJ: **TYPE** of *Riccardia viridissima*, **Schiffner 1898b** as *Riccardia viridissima*, **Schiffner 1900c** as *Riccardia viridissima*, Meijer 1953 as *Riccardia viridissima*, Meijer **1959b** as *Riccardia pinguis*, **Geissler & Bischler 1990** as *Riccardia viridissima*, **Furuki 1991**.

Archilejeunea

- *** *A. planiuscula* (Mitt.) Steph. JAV: *Archilejeunea owahuensis*, Verdoorn 1933b as *Archilejeunea falcata*, Bonner 1962 as *Archilejeunea owahuensis*, Miller et al. 1983 as *Archilejeunea caramuensis*, *Archilejeunea owahuensis* and *Spruceanthus marianus*. EJ: **Verdoorn 1933** as *Archilejeunea caramuensis*. WJ: **Verdoorn 1933** as *Archilejeunea caramuensis*, **Haerida et al. 2010**.

? *A. treubiana* Schiffn. nom. inval. WJ: **Schiffner 1900c**.

Asterella

- *** *A. blumeana* (Nees) Kachroo JAV: **TYPE** of *Fimbraria blumeana*, **Gottzsche et al. 1846** as *Fimbriaria blumeana*, **Sande Lacoste 1856a** as *Fimbriaria blumeana*, **Schiffner 1893b** as *Fimbraria blumeana*, **1900a** as *Hyperantron blumeanum*, **Stephani 1899** as *Fimbriaria blumeana*, Bonner 1962, 1966 as *Hyperantron blumeanum*, Hattori 1975c, Bapna & Kachroo 2000b, **Long 2006**. EJ: **Sande Lacoste 1857** as *Fimbriaria blumeana*, **Schiffner 1898a** as *Hyperantron blumeanum*. WJ: **Schiffner 1898a** as *Hyperantron blumeanum*.
- *** *A. khasyana* (Griff.) Pand, K.P.Srivast. et Sultan Khan JAV: **TYPE** of *Fimbraria zollingeri*, **Stephani 1899** as *Fimbriaria zollingeri*, **Schiffner 1900a** as *Hyperantron zollingeri*, Verdoorn 1938 as *Asterella zollingeri*, Bonner 1962 as *Asterella zollingeri*, **1965** as *Fimbraria zollingeri*, **Long 2006**. WJ: **Schiffner 1900c** as *Hyperantron zollingeri* f. *purpurascens*, **1900c** as *Hyperantron zollingeri* f. *typica*, Seifriz **1924** as *Fimbriaria zollingeri*, Meijer 1954b as *Fimbriaria zollingeriana*.
- *** *A. leptophylla* (Mont.) Pand et al. ex Grolle JAV: **Long 2006**.
- *** *A. limbata* D.G.Long et Grolle JAV: **Long 1999, 2006**.
- *** *A. vulcanica* (Schiffn.) Pand et al. ex Kachroo et Bapna JAV: **Schiffner 1900a** as *Hyperantron vulcanicum*, Bonner 1962 as *Asterella vulcanica*, 1965 as *Fimbraria vulcanica*, Miller et al. 1983, Bapna & Kachroo 2000b, **Long 2006**. WJ: **TYPE** of *Hyperantron vulcanicum*, **Schiffner 1898b** as *Hyperantron vulcanicum*, Stephani 1899 as *Fimbraria vulcanica*, **Bonner 1966** as *Hyperantron vulcanicum*.
- *** *A. wallichiana* (Lehm. et Lindenb.) Pand et al. ex Grolle JAV: **TYPE** of *Hyperantron javanicum*, **Schiffner 1900a** as *Hyperantron javanicum*, **Long 2006**.

Barbilophozia

- *** ¹⁶*B. lycopodioides* (Wallr.) Loeske JAV: **Schiffner 1893b** as *Jungermannia lycopodioides*, **1898a** as *Lophozia lycopodioides*, (Schiffner 1900a as *Lophozia lycopodioides* rejecting earlier reports).

13. *Aneura densa* is taxonomically doubtful and most likely a synonym of something.

14. *Aneura nymanii* is taxonomically doubtful and most likely a synonym of something.

15. *Aneura pinguis* is a complex species that contains several distinct entities in Europe (D. G. Long, pers. comm.), including several cryptic species (Wachowiak et al. 2007). It is doubtful that the 'true' *A. pinguis* occurs in SE Asia.

Bazzania

- ** *B. angustisedens* (Steph.) N.Kitag. JAV: Bonner 1977. WJ: TYPE of *Mastigobryum angustisedens*, **Stephani 1908** as *Mastigobryum angustisedens*, **Kitagawa 1973a**, **Geissler & Bischler 1985** as *Mastigobryum angustisedens*.
- *** *B. calcarata* (Sande Lac.) Schiffn. JAV: SYNTYPE of *Mastigobryum calcaratum*, **Sande Lacoste 1864** as *Mastigobryum calcaratum*, **Schiffner 1898a**, **Stephani 1908** as *Mastigobryum calcaratum*, **Meijer 1960**, Bonner 1963a, 1977, Kitagawa 1979, **Geissler & Bischler 1985** as *Mastigobryum calcaratum*.
- ** *B. commutata* (Lindenb. et Gottsche) Schiffn. JAV: TYPE of *Mastigobryum commutatum*, Lindenbergs & Gottsche 1851 as *Mastigobryum commutatum*, Sande Lacoste 1857 as *Mastigobryum commutatum*, **Schiffner 1898a** as *Bazzania miqueliana*, **Stephani 1908** as *Mastigobryum commutatum* and *Mastigobryum miquelianum*, **Meijer 1960**, Bonner 1963a as *Bazzania miqueliana*, 1977, Kitagawa 1979, **Geissler & Bischler 1985** as *Mastigobryum commutatum*. WJ: **Sande Lacoste 1864** as *Mastigobryum commutatum*, **Schiffner 1898a**.
- ** *B. conophylla* (Sande Lac.) Schiffn. JAV: **Stephani 1908** as *Mastigobryum conophyllum*.
- ** *B. densa* (Sande Lac.) Schiffn. JAV: **Sande Lacoste 1854, 1855a, 1856b, 1857, 1864** all as *Mastigobryum densum*, **Schiffner 1898a**, **Stephani 1908** as *Mastigobryum densum*, **Meijer 1960**, Bonner 1963a, **Kitagawa 1973b**, Miller et al. 1983 also as *Mastigobryum densum*. BA: **Van Leeuwen 1936**.
- ** — var. β *connata* (Sande Lac.) Schiffn. JAV: SYNTYPE of *Mastigobryum densum* β *connatum*, **Sande Lacoste 1864** as *Mastigobryum densum* β *connatum*, **Schiffner 1898a**, Bonner 1963a, **Geissler & Bischler 1985** as *Mastigobryum densum* β *connatum*.
- ** *B. desciscens* (Steph.) Meijer JAV: TYPE of *Mastigobryum desciscens*, **Sande Lacoste 1857, 1864** both as *Mastigobryum erosum* γ , **Schiffner 1898a** as *Bazzania erosa* var. γ , **Stephani 1908** as *Mastigobryum desciscens*, **Meijer 1960**, **Geissler & Bischler 1985** as *Mastigobryum desciscens*. WJ: **Gottscche et al. 1845a** as *Mastigobryum erosum* γ , **Sande Lacoste 1856a** as *Mastigobryum erosum* γ .
- * ¹⁷*B. distans* (Nees) Trevis. JAV: TYPE of *Jungermannia distans*, **Nees 1830** as *Jungermannia distans*, **Gottscche et al. 1845a** as *Mastigobryum distans*, **Sande Lacoste 1857** as *Mastigobryum distans*, **Stephani 1908** as *Mastigobryum distans*, **Meijer 1960**, Bonner 1963a also as *Calypogeia distans*, Kitagawa 1980, Miller et al. 1983, **Geissler & Bischler 1987** as *Jungermannia distans*. WJ: **Sande Lacoste 1864** as *Mastigobryum distans*, **Schiffner 1898a**.
- *** *B. erosa* (Reinw., Blume et Nees) Trevis. JAV: **Reinwardt et al. 1824a** as *Jungermannia erosa*, **Sande Lacoste 1864** as *Mastigobryum erosum* α , Evans 1932, **Meijer 1960**, Bonner 1963a, 1966 as *Herpetium erosum*, Miller et al. 1983 also as *Herpetium erosum*, *Jungermannia erosa* and *Mastigobryum erosum*, Geissler & Bischler 1985 as *Mastigobryum erosum*, 1989 as *Pleuroschisma erosum*. WJ: TYPE of *Jungermannia erosa*, **Nees 1830** as *Jungermannia erosa* α , **Gottscche et al. 1845a** as *Mastigobryum erosum*, **Sande Lacoste 1856a** as *Mastigobryum erosum*, **1857** as *Mastigobryum erosum* α , **Schiffner 1898a**, **Geissler & Bischler 1987** as *Jungermannia erosa*.
- *** *B. fallax* (Sande Lac.) Schiffn. JAV: **Sande Lacoste 1864** as *Mastigobryum fallax*, **Schiffner 1898a**, **Meijer 1960**, Bonner 1963a, Meagher 2010.
- ** *B. fleischeri* (Steph.) Abeyw. JAV: SYNTYPE of *Mastigobryum fleischeri*, **Stephani 1908** as *Mastigobryum fleischeri*, **Geissler & Bischler 1985** as *Mastigobryum fleischeri*, Bapna & Kachroo 2000a.
- *** *B. gedeana* (Steph.) Meijer JAV: **Sande Lacoste 1857** as *Mastigobryum uncigerum* β , **Meijer 1960**. WJ: TYPE of *Mastigobryum fleischeri*, **Sande Lacoste 1864** as *Mastigobryum uncigerum* β , **Stephani 1908** as *Mastigobryum fleischeri*, **Geissler & Bischler 1985** as *Mastigobryum fleischeri*.
- ** *B. grandiretis* (Steph.) Herzog JAV: **Stephani 1908** as *Mastigobryum grandirete*, Bonner 1963a.
- ** *B. halconiensis* (Steph.) N.Kitag. WJ: SYNTYPE of *Mastigobryum schadenbergii*, **Stephani 1908** as *Mastigobryum schadenbergii*, **Geissler & Bischler 1985** as *Mastigobryum schadenbergii*.
- ** *B. horridula* Schiffn. JAV: **Stephani 1908** as *Mastigobryum horridulum*, Kitagawa 1967.
- ** *B. indica* (Gottscche et Lindenb.) Trevis. JAV: **Sande Lacoste 1857, 1864** both as *Mastigobryum indicum*, **Schiffner 1898a**, **Meijer 1960**, Kitagawa 1967, Bapna & Kachroo 2000a.
- ** *B. intermedia* (Gottscche ex Lindenb.) Trevis. JAV: **Stephani 1908** as *Mastigobryum intermedium*, Evans 1932, **Meijer 1960**, Bonner 1963a, Pócs et al. 1967, Pócs 1968a, Miller et al. 1983 as *Mastigobryum intermedium*, Bapna & Kachroo 2000a. WJ: TYPE of *Mastigobryum intermedium*, Lindenbergs & Gottscche 1851 as *Mastigobryum intermedium*, **Sande Lacoste 1857, 1864** both as *Mastigobryum intermedium*, **Schiffner 1898a**, Mizutani 1967a, **Geissler & Bischler 1985** as *Mastigobryum intermedium*, Grolle 1987b, Gradstein et al. 2010.
- ** *B. japonica* (Sande Lac.) Lindb. JAV: Geissler & Bischler 1985 as *Mastigobryum connatum*.
- ** *B. javanica* (Sande Lac.) Schiffn. JAV: TYPE of *Mastigobryum javanicum*, **Sande Lacoste 1854, 1855a, 1856b, 1857** all as *Mastigobryum javanicum*, **Stephani 1908** as *Mastigobryum javanicum*, **Meijer 1960**, Bonner 1963a, Kitagawa 1967, Miller et al. 1983, **Geissler & Bischler 1985** as *Mastigobryum javanicum*. WJ: **Sande Lacoste 1864** as *Mastigobryum javanicum*, **Schiffner 1898a**.
- ** *B. linguiformis* (Sande Lac.) Schiffn. JAV: **Sande Lacoste 1855a, 1857, 1864** all as *Mastigobryum linguiforme*, **Schiffner 1898a**, **1908** as *Mastigobryum linguiforme*, **Meijer 1960**, Bonner 1963a.

16. There exists a correctly identified specimen of *Barbilophozia lycopodioides* from Java in FH-Schiffner (J. Váňa, pers. comm.) and the additional taxa with which it is mixed indicate that the geographic origin is correct. However, this boreal taxon is not reported from anywhere near Java and Schiffner (1900a) rejects it but later confirms the identity. The habitat, epiphytic among *Frullania*, is also unusual.

17. *Bazzania distans* is probably a small and poorly developed form of *B. loricata* (Meijer 1960).

- *** *B. longicaulis* (Sande Lac.) Schiffn. JAV: TYPE of *Mastigobryum longicaule*, Stephani 1908 as *Mastigobryum longicaule*, Meijer 1960, Bonner 1963a, Geissler & Bischler 1985 as *Mastigobryum longicaule*. WJ: SYNTYPE of *Mastigobryum longicaule*, Sande Lacoste 1864 as *Mastigobryum longicaule*, Schiffner 1898a, Geissler & Bischler 1985 as *Mastigobryum longicaule*.
- *** *B. loricata* (Reinw., Blume et Nees) Trevis. JAV: TYPE of *Jungermannia loricata*, Reinwardt et al. 1824a as *Jungermannia loricata*, Nees 1830 as *Jungermannia loricata*, Gottsche et al. 1845a as *Mastigobryum loricatum*, Sande Lacoste 1856a, 1857 both as *Mastigobryum loricatum*, Stephani 1908 as *Mastigobryum loricatum*, Evans 1932, Meijer 1960, Bonner 1963a, Kitagawa 1967, 1980, Miller et al. 1983, Geissler & Bischler 1985 as *Mastigobryum loricatum*, 1987 as *Jungermannia loricata*. WJ: Sande Lacoste 1864 as *Mastigobryum loricatum*, Schiffner 1898a.
- ** *B. manillana* (Gottsche ex Steph.) S.Hatt. JAV: Stephani 1908 as *Mastigobryum manillanum*, Bonner 1963a, Miller et al. 1983.
- ? *B. massartii* Schiffn. nom. inval. WJ: TYPE, Schiffner 1900c, Bonner 1963a.
- ** *B. paradoxa* (Sande Lac.) Steph. JAV: TYPE of *Mastigobryum paradoxum*, Sande Lacoste 1854, 1855a, 1856b, 1857 all as *Mastigobryum paradoxum*, Stephani 1908 as *Mastigobryum paradoxum*, Evans 1932, Meijer 1960, Bonner 1963a, Miller et al. 1983 also as *Mastigobryum paradoxum*, Geissler & Bischler 1985 as *Mastigobryum paradoxum*. WJ: Sande Lacoste 1864 as *Mastigobryum paradoxum*, Schiffner 1898a.
- *** *B. pectinata* (Lindenb. et Gottsche) Schiffn. JAV: SYNTYPE of *Mastigobryum pectinatum*, Nees 1830 as *Jungermannia tridens* β, Gottsche et al. 1845a as *Mastigobryum tridens* β, Meissner 1848 as *Mastigobryum tridens* β, Lindenbergs & Gottsche 1851 as *Mastigobryum pectinatum*, Sande Lacoste 1857 as *Mastigobryum pectinatum*, Stephani 1908 as *Mastigobryum pectinatum*, Evans 1932, Meijer 1960, Bonner 1963a, 1977, Geissler & Bischler 1985 as *Mastigobryum pectinatum*. WJ: Sande Lacoste 1864 as *Mastigobryum pectinatum*, Schiffner 1898a, 1900c.
- *** *B. praerupta* (Reinw., Blume et Nees) Trevis. JAV: TYPE of *Jungermannia praerupta*, Reinwardt et al. 1824a as *Jungermannia praerupta*, Nees 1830 as *Jungermannia praerupta*, Gottsche et al. 1845a as *Mastigobryum praeruptum*, Meissner 1848 as *Mastigobryum praeruptum*, Stephani 1908 as *Mastigobryum praeruptum*, Meijer 1960, Bonner 1963a, Kitagawa 1967, Mizutani 1967a, Pócs 1969b, Hattori 1975c, Miller et al. 1983 also as *Jungermannia praerupta* and *Mastigobryum praeruptum*, Geissler & Bischler 1985 as *Mastigobryum praeruptum*, 1987 as *Jungermannia praerupta*, Sharma & Srivastava 1993, Grolle 1995, Bapna & Kachroo 2000a. CJ: Sande Lacoste 1864 as *Mastigobryum praeruptum*. WJ: Sande Lacoste 1864 as *Mastigobryum praeruptum*, Schiffner 1898a.
- * — var. β obliquata (Nees) Schiffn. JAV: TYPE of *Jungermannia obliquata*, Nees 1830 as *Jungermannia obliquata*, Gottsche et al. 1845a as *Mastigobryum praeruptum* β obliquatum, Sande Lacoste 1857 as *Mastigobryum praeruptum* β obliquatum, Schiffner 1898a, Bonner 1966 as *Herpetium obliquatum*, Geissler & Bischler 1987 as *Jungermannia obliquata*.
- ** — var. *thermalis* Schiffn. WJ: TYPE, Schiffner 1955, Bonner 1963a.
- * ¹⁸*B. serpentina* (Nees) Trevis. JAV: Sande Lacoste 1857 as *Mastigobryum serpentinum*, Stephani 1908 as *Mastigobryum serpentinum*, Meijer 1960, Bonner 1963a, Kitagawa 1980, Miller et al. 1983, Geissler & Bischler 1985 as *Mastigobryum serpentinum*, 1989 as *Pleuroschisma serpentinum*. WJ: TYPE of *Jungermannia serpentina*, Gottsche et al. 1845a as *Mastigobryum serpentinum*, Sande Lacoste 1864 as *Mastigobryum serpentinum*, Schiffner 1898a, Geissler & Bischler 1987 as *Jungermannia serpentina*.
- ** *B. spiralis* (Reinw., Blume et Nees) Meijer JAV: Reinwardt et al. 1824a as *Jungermannia spiralis*, Sande Lacoste 1857, 1864 both as *Mastigobryum erosum* β, Stephani 1908 as *Mastigobryum spirale*, Meijer 1960, Kitagawa 1967, Miller et al. 1983, Geissler & Bischler 1985 as *Mastigobryum spirale*, Gao 2003. WJ: TYPE of *Jungermannia spiralis*, Nees 1830 as *Jungermannia erosa* β, Gottsche et al. 1845a as *Mastigobryum erosum* β, Sande Lacoste 1856a as *Mastigobryum erosum* β, Schiffner 1898a as *Bazzania erosa* var. β, Geissler & Bischler 1987 as *Jungermannia spiralis*.
- *** *B. subtilis* (Sande Lac.) Trevis. JAV: Schiffner 1898a, Stephani 1908 as *Mastigobryum subtile*, Meijer 1960, Bonner 1963a, Kitagawa 1979, Miller et al. 1983 as *Mastigobryum subtile*, Meagher 2010. WJ: Sande Lacoste 1864 as *Mastigobryum subtile*, Geissler & Bischler 1985 as *Mastigobryum subtile*.
- * ¹⁹*B. sumbavensis* (Gottsche ex Steph.) Steph. JAV: Meijer 1960, Sharma & Srivastava 1993, Bapna & Kachroo 2000a.
- *** *B. tridens* (Reinw., Blume et Nees) Trevis. JAV: TYPE of *Jungermannia tridens*, Reinwardt et al. 1824a as *Jungermannia tridens*, Nees 1830 as *Jungermannia tridens* α, Gottsche et al. 1845a as *Mastigobryum tridens* α, Sande Lacoste 1857 as *Mastigobryum tridens*, Stephani 1908 as *Mastigobryum tridens*, 1908 as *Mastigobryum australe*, Evans 1932, Meijer 1960, Bonner 1963a, Kitagawa 1967, Hattori 1968, Miller et al. 1983 also as *Bazzania australis* and *Herpetium australe*, Geissler & Bischler 1985 as *Mastigobryum tridens*, 1987 as *Jungermannia tridens*, Bapna & Kachroo 2000a, Zhu & So 2001, Gao 2003. WJ: Sande Lacoste 1864 as *Mastigobryum tridens*, Schiffner 1898a, Kitagawa 1973a as *Bazzania australis*, Gradstein et al. 2010.
- *** — var. *tridens* JAV: TYPE of *Mastigobryum typicum*, Schiffner 1893b as *Bazzania oblonga*, Stephani 1924 as *Mastigobryum typicum*, Bonner 1963a as *Bazzania oblonga*, Pócs 1969b, Miller et al. 1983 as *Bazzania intermedia*, Sharma & Srivastava 1993. EJ: Mizutani 1967a. WJ: TYPE of *Mastigobryum olivaceum* and *Mastigobryum tjiburrum*, Schiffner 1898a as *Bazzania oblonga*, Stephani 1908 as *Mastigobryum olivaceum* and *Mastigobryum tjiburrum*, Mizutani 1967a, Geissler & Bischler 1985 as *Mastigobryum olivaceum*.
- *** *B. uncigera* (Reinw., Blume et Nees) Trevis. JAV: TYPE of *Jungermannia uncigera*, Reinwardt et al. 1824a as *Jungermannia uncigera*, Nees 1830 as *Jungermannia uncigera*, Gottsche et al. 1845a as *Mastigobryum uncigerum*,

18. *Bazzania serpentina* is possibly conspecific with *B. bidens* (Nees) Trevis. (Frahm et al. 1990).

19. *Bazzania sumbavensis* is possibly conspecific with *B. japonica*.

Bonner 1963a, Hattori 1975c, Miller *et al.* 1983 also as *Mastigobryum uncigerum*, Geissler & Bischler 1985 as *Mastigobryum uncigerum*, 1987 as *Jungermannia uncigera*, Bapna & Kachroo 2000a. WJ: **Sande Lacoste 1857** as *Mastigobryum uncigerum*, **Schiffner 1898a**.

** — var. *gibba* (Sande Lac.) Meijer JAV: TYPE and TYPE of *Mastigobryum gibbum*, **Sande Lacoste 1855a, 1857** both as *Mastigobryum gibbum*, **Stephani 1908** as *Mastigobryum gibbum*, **Meijer 1960**, Bonner 1963a as *Bazzania gibba*, **Geissler & Bischler 1985** as *Mastigobryum gibbum*. WJ: **Sande Lacoste 1864** as *Mastigobryum gibbum*, **Schiffner 1898a** as *Bazzania gibba*.

** — var. *uncigera* JAV: **Meijer 1960**.

*** *B. vittata* (Gottsch.) Trevis. JAV: TYPE of *Mastigobryum vittatum*, **Gottzsche et al. 1845a** as *Mastigobryum vittatum*, Gottsch. 1853 as *Mastigobryum vittatum*, Stephani 1909a as *Mastigobryum vittatum*, Evans 1932, Verdoorn 1935, **Meijer 1960**, Bonner 1963a, Kitagawa 1967, Miller *et al.* 1983 also as *Mastigobryum vittatum*, **Geissler & Bischler 1985** as *Mastigobryum vittatum*. WJ: **Sande Lacoste 1857, 1864** both as *Mastigobryum vittatum*, **Schiffner 1898a, 1900c**.

** *B. zollingeri* (Lindenb.) Trevis. JAV: TYPE of *Mastigobryum zollingeri*, **Meissner 1848** as *Mastigobryum zollingeri*, **Gottzsche 1853** as *Mastigobryum zollingeri*, **Stephani 1908** as *Mastigobryum zollingeri*, **Meijer 1960**, Bonner 1963a, **Geissler & Bischler 1985** as *Mastigobryum zollingeri*. WJ: **Sande Lacoste 1857, 1864** both as *Mastigobryum zollingeri*, **Schiffner 1898a**.

Blepharostoma

*** *B. trichophyllum* (L.) Dumort. JAV: Grolle 1968a, Schuster 1968, Bizot & Pócs 1974, Miller *et al.* 1983, Schuster 1984, Gradstein & Váňa 1987, Fulford & Sharp 1990, Long & Grolle 1990, Piippo *et al.* 1997, Srivastava 1998, Bapna & Kachroo 2000a. WJ: Meijer 1954b, **Grolle 1966b**.

Calypogeia

** *C. apiculata* (Steph.) Steph. JAV: TYPE of *Kantius apiculatus*, **Stephani 1895a** as *Kantius apiculatus*, **Schiffner 1898a** as *Kantia apiculata*, **Stephani 1908**, Bonner 1963a, **Geissler & Bischler 1987** as *Kantius apiculatus*.

*** *C. arguta* Nees et Mont. JAV: TYPE of *Calypogeia furcata*, **Stephani 1908** as *Calypogeia furcata*, **Bonner 1963a** also as *Calypogeia furcata*, **Kitagawa 1973b**, **Grolle 1977c**, Miller *et al.* 1983, Sharma & Srivastava 1993, Bapna & Kachroo 2000a.

** *C. goebelii* (Schiffn.) Steph. JAV: TYPE of *Kantius goebelii*, **Schiffner 1893b, 1898a** both as *Kantia goebelii*, **Stephani 1908**, Verdoorn 1931b, Bonner 1963a, Grolle 1969, **1977c**, Miller *et al.* 1983 also as *Kantius goebelii*, **Geissler & Bischler 1987** as *Kantius goebelii*. WJ: TYPE of *Kantius goebelii* f. *thermarum*, **Schiffner 1955** as *Kantius goebelii* f. *thermarum*, **Geissler & Bischler 1987** as *Kantius goebelii* f. *thermarum*, Gradstein *et al.* 2010.

Caudalejeunea

*** *C. recurvistipula* (Gottsch.) Schiffn. JAV: TYPE of *Phragmicomma reniloba*, **Gottzsche et al. 1845a** as *Phragmicomma reniloba*, **Sande Lacoste 1857** as *Lejeunea recurvistipula* and *Phragmicomma reniloba*, **Schiffner 1898a** as *Thysananthus renilobus*, Verdoorn 1934a also as *Caudalejeunea circinata*, Bonner 1963a as *Caudalejeunea reniloba*, Mizutani 1977, 1978a both as *Caudalejeunea circinata* and *Caudalejeunea reniloba*, Miller *et al.* 1983 as *Caudalejeunea circinata*, *Caudalejeunea reniloba*, *Caudalejeunea renistipula*, *Lejeunea reniloba*, *Phragmicomma reniloba* and *Thysananthus renilobus*, Geissler & Bischler 1985 as *Marchesinia reniloba*, 1987 as *Lejeunea reniloba*, **1989** as *Phragmicomma reniloba* and *Ptychocoleus renilobus*, 1990 as *Thysananthus renilobus*, Thiers & Gradstein 1989 as *Caudalejeunea reniloba*, Zhu & So 2001. BA: **Van Leeuwen 1936** as *Caudalejeunea reniloba*, Gradstein *et al.* 2002 as *Caudalejeunea reniloba*. WJ: **Sande Lacoste 1864** as *Lejeunea recurvistipula*, **Schiffner 1898a, 1900c**, Verdoorn 1933 as *Caudalejeunea circinnata*, *Caudalejeunea reniloba* and *Caudalejeunea serrata*.

Cephalozia

*** *C. hamatiloba* Steph. JAV: Müller & Schäfer-Verwimp 1999, Long 2005. WJ: **Schiffner 1900c** as *Cephalozia bicuspidata* var. *blepharostoma*, **Gradstein et al. 2010**.

* ²⁰*C. neesiana* Steph. JAV: TYPE, **Stephani 1908**, **Bonner 1963a**, Váňa 1988.

? *C. parvitexta* Steph. ex Bonner nom. inval. JAV: **Bonner 1963b**.

* ²¹*C. tricuspidata* (Nees) Trevis. JAV: TYPE of *Jungermannia tricuspidata*, Nees 1830 as *Jungermannia tricuspidata*, **Gottzsche et al. 1844** as *Jungermannia tricuspidata*, Sande Lacoste 1857 as *Jungermannia tricuspidata*, Schiffner 1898a as *Jungermannia tricuspidata*, Bonner 1963b, **Geissler & Bischler 1987** as *Jungermannia tricuspidata*.

Cephaloziella

*** *C. capillaris* (Steph.) Douin JAV: Douin 1920, Bonner 1963a also as *Cephalozia capillaris*, Grolle 1968a, Miller *et al.* 1983, Long & Grolle 1990, Bapna & Kachroo 2000a, Long 2005. WJ: TYPE of *Cephalozia capillaris*, **Stephani 1908** as *Cephalozia capillaris*, **Kitagawa 1969**.

** *C. intricata* Schiffn. ex Douin JAV: TYPE, **Douin 1920**, Bonner 1963a.

*** *C. kiaeri* (Austin) Douin JAV: TYPE of *Cephaloziella pentagona* var. *serratiflora*, **Douin 1920** as *Cephaloziella pentagona* var. *serratiflora*, Bonner 1963a as *Cephaloziella pentagona* var. *serratiflora*, 1977 as *Cephaloziella willisiana*, Miller *et al.* 1983, Udar & Kumar 1985, Váňa & Piippo 1989b, Long & Grolle 1990, Piippo & Tan 1992, Váňa 1992, Bapna & Kachroo 2000a also as *Cephaloziella willisiana*, Piippo *et al.* 2002, Easa 2003. WJ: **Schiffner 1900c** as *Cephaloziella pentagona*, **Kitagawa 1969** as *Cephaloziella willisiana*.

20. *Cephalozia neesiana* may be a synonym of *C. hamatiloba* (Váňa 1988)

21. *Cephalozia tricuspidata* is a species of *Lepidozia*, not *Cephalozia* (Schiffner 1898), but the type in the Nees herbarium must be studied in order to determine the identity of this old name. Its transfer to *Lepidozia* would require a new species name because of the existence of *Lepidozia tricuspidata* Steph.

*** *C. stephani* Schiffn. ex Douin JAV: **TYPE, Douin 1920.** WJ: **Kitagawa 1969.**

Ceratolejeunea

*** *C. belangeriana* (Gottsche) Steph. JAV: **Sande Lacoste 1857** as *Lejeunea belangeriana*, Stephani 1913, Bonner 1963b, Arnell 1965, Miller et al. 1983 also as *Ceratolejeunea oceanica*, Zhu et al. 2005. BA: **Van Leeuwen 1936** as *Ceratolejeunea renistipula*. WJ: **Mizutani 1981** as *Ceratolejeunea oceanica*.

** *C. inflata* Mizut. WJ: **TYPE, Mizutani 1981, Crosby & Engel 2006.**

* ²²*C. karstenii* Steph. WJ: **TYPE, Stephani 1913, Bonner 1963b.**

Cheilolejeunea

** *C. ceylanica* (Gottsche) R.M.Schust. et Kachroo JAV: Verdoorn 1938 as *Pycnolejeunea ceylanica*, Mizutani 1982, Miller et al. 1983, Bapna & Kachroo 2000b. CJ: **Hoffman 1935** as *Pycnolejeunea ceylanica*, **Thiers 1992.** EJ: **TYPE** of *Pycnolejeunea verdoornii*, **Hoffman 1935** as *Pycnolejeunea ceylanica* and *Pycnolejeunea verdoornii*, **Mizutani 1980a**, **Geissler & Bischler 1989** as *Pycnolejeunea verdoornii*, **Thiers 1992.** WJ: **Schiffner 1900c** as *Pycnolejeunea ceylanica*, **Hoffman 1935** as *Pycnolejeunea ceylanica*, **Mizutani 1980a**, **Thiers 1986, 1992.**

*** *C. decursiva* (Sande Lac.) R.M.Schust. JAV: **TYPE** of *Lejeunea decursiva*, **Sande Lacoste 1855a, 1855b, 1857, 1864** all as *Lejeunea decursiva*, **Schiffner 1898a** as *Eulejeunea decursiva*, Stephani 1915 as *Lejeunea decursiva*, Bonner 1977, **Grolle 1977a**, **Geissler & Bischler 1987** as *Lejeunea decursiva*, 1990 as *Strepsolejeunea decursiva*, Zhu & Lai 2005. WJ: **Schiffner 1900c** as *Eulejeunea decursiva*.

*** *C. falsinervis* (Sande Lac.) Kachroo et R.M.Schust. JAV: **TYPE** of *Lejeunea falsinervis*, **Sande Lacoste 1854, 1855a, 1856b, 1857** all as *Lejeunea falsinervis*, **Schiffner 1898a** as *Pycnolejeunea falsinervis*, Stephani 1914 as *Pycnolejeunea falsinervis*, Grolle 1965a, Mizutani 1978b, 1982, Miller et al. 1983 also as *Pycnolejeunea falsinervis*, **Geissler & Bischler 1987** as *Lejeunea falsinervis*, 1989 as *Pycnolejeunea falsinervis*, **Thiers 1992**, Yang & Lin 2008. WJ: **Hoffman 1935** as *Pycnolejeunea falsinervis*.

** *C. gardneri* (Mitt.) Mizut. EJ: **Hoffman 1935** as *Pycnolejeunea gardneri*.

*** *C. incisa* (Gottsche) R.M.Schust. et Kachroo JAV: **TYPE** of *Lejeunea incisa* and *Pycnolejeunea excisula*, **Gottsche et al. 1845b** as *Lejeunea incisa*, **Sande Lacoste 1864** as *Lejeunea incisa*, **Stephani 1890b** as *Lejeunea incisa*, **1914** as *Pycnolejeunea excisula*, **Schiffner 1898a** as *Pycnolejeunea incisa*, **Mizutani 1967b** as *Cheilolejeunea excisula*, Bonner 1977 also as *Cheilolejeunea excisula*, Mizutani 1977, 1978a both as *Cheilolejeunea excisula*, **Geissler & Bischler 1987** as *Lejeunea incisa*, **1989** as *Pycnolejeunea excisula*, *Pycnolejeunea excisa* and *Pycnolejeunea incisa*, Grolle & Piippo 1990 as *Cheilolejeunea excisula*, **Thiers 1992**, Bapna & Kachroo 2000b. WJ: **Hoffman 1935** as *Pycnolejeunea excisula* and *Pycnolejeunea incisa*, Meijer 1954a as *Pycnolejeunea excisula*, **Thiers 1986** also as *Cheilolejeunea excisula*.

*** *C. intertexta* (Lindenb.) Steph. JAV: Mizutani 1967b, Hattori 1968, Mizutani 1972, 1975, 1977, 1978a, Miller et al. 1983, Asthana et al. 1996, Bapna & Kachroo 2000b, Piippo et al. 2002. WJ: **Thiers 1986.**

*** *C. krakakammae* (Lindenb.) R.M.Schust. JAV: **Zhu 2006a.**

*** *C. lindenbergii* (Gottsche) Mizut. JAV: **TYPE** of *Euosmolejeunea luerssenii*, **Sande Lacoste 1857** as *Lejeunea lindenbergii*, **Stephani 1896, 1898a both** as *Euosmolejeunea luerssenii*, Stephani 1914 as *Euosmolejeunea luerssenii* and *Hygrolejeunea lindenbergii*, Bonner 1965 as *Euosmolejeunea lindenbergii* and *Euosmolejeunea luerssenii*, 1966 as *Hygrolejeunea lindenbergii*, Grolle 1966c as *Hygrolejeunea lindenbergii*, **Mizutani 1967b** as *Cheilolejeunea luerssenii*, 1972, 1973b, Bonner 1977 also as *Cheilolejeunea luerssenii*, Miller et al. 1983 as *Hygrolejeunea lindenbergii*, Pócs et al. 1994, Szab 1997, Bapna & Kachroo 2000b. WJ: **Sande Lacoste 1864** as *Lejeunea lindenbergii*, **Schiffner 1898a** as *Euosmolejeunea lindenbergii*.

** *C. longidens* (Steph.) R.M.Schust. et Kachroo CJ: **Hoffman 1935** as *Pycnolejeunea micholitzii*.

** *C. meyeniana* (Nees, Lindenb. et Gottsche) R.M.Schust. et Kachroo JAV: **Mizutani 1980a**, Miller et al. 1983, Thiers 1992, Pócs et al. 1994. EJ: **Hoffman 1935** as *Pycnolejeunea meyeniana*. WJ: **Hoffman 1935** as *Pycnolejeunea meyeniana*.

** *C. serpentina* (Mitt.) Mizut. JAV: Miller et al. 1983, Asthana et al. 1996, Easa 2003, **Zhu 2006b**. WJ: **Grolle 1979b.**

* ²³*C. suborbicularis* (Herzog) H.A.Mill. et al. JAV: Miller et al. 1983 also as *Microlejeunea suborbicularis*. WJ: **TYPE** of *Microlejeunea suborbicularis*, **Herzog 1951a** as *Microlejeunea suborbicularis*, **Geissler & Bischler 1985** as *Microlejeunea suborbicularis*.

*** *C. trapezia* (Nees) R.M.Schust. et Kachroo JAV: **TYPE** of *Jungermannia thymifolia* α *imbricata* and *Jungermannia trapezia*, Nees 1830 as *Jungermannia thymifolia* α *imbricata*, Nees 1830 as *Jungermannia trapezia*, **Gottsche et al. 1845b** as *Lejeunea imbricata* and *Lejeunea trapezia*, **Sande Lacoste 1857** as *Lejeunea imbricata* and *Lejeunea trapezia* β *minor*, **1864** as *Lejeunea trapezia*, **Stephani 1890b** as *Lejeunea imbricata* and *Lejeunea trapezia*, **1893b** as *Lejeunea imbricata*, Verdoorn 1938 as *Pycnolejeunea imbricata*, Mizutani 1961, 1978b, 1982 all as *Cheilolejeunea imbricata*, Bonner 1977, **Grolle 1979b**, Miller et al. 1983 also as *Cheilolejeunea imbricata*, Jungermannia trapezia, *Lejeunea imbricata* and *Lejeunea trapezia*, 1989 as *Pycnolejeunea imbricata*, *Pycnolejeunea imbricata*, *Pycnolejeunea trapezia*, *Pycnolejeunea trapezia* var. β *minor* and *Pycnolejeunea trapezia*, **Thiers 1992** as *Cheilolejeunea imbricata*, Asthana et al. 1996 as *Cheilolejeunea imbricata*, Bapna & Kachroo 2000b as *Cheilolejeunea imbricata*, **Zhu & So 2001** as *Cheilolejeunea imbricata* and *Cheilolejeunea longiloba*, Piippo et al. 2002 as *Cheilolejeunea longiloba*, Easa 2003 as *Cheilolejeunea imbricata*. BA: **Hoffman 1935** as *Pycnolejeunea longiloba*, **Van Leeuwen 1936** as *Pycnolejeunea imbricata*. CJ: **Schiffner 1898a** as *Pycnolejeunea trapezia* var. β *minor*, **Mizutani 1980a** as *Cheilolejeunea longiloba*. EJ: **TYPE** of *Lejeunea trapezia* β *minor*, **Gottsche et al. 1845b** as *Lejeunea trapezia* β *minor*, **Hoffman 1935** as

22. *Ceratolejeunea karstenii* has not been critically revised and may be a synonym of something.

23. *Cheilolejeunea suborbicularis* is taxonomically doubtful and most likely a synonym of something.

Pycnolejeunea imbricata and *Pycnolejeunea trapezia*, **Geissler & Bischler 1987** as *Lejeunea trapezia* β minor. WJ: **Sande Lacoste 1857, 1864** both as *Lejeunea imbricata*, **Schiffner 1898a** as *Pycnolejeunea imbricata* and *Pycnolejeunea trapezia*, as *Pycnolejeunea imbricata*, **Hoffman 1935** as *Pycnolejeunea imbricata*, *Pycnolejeunea longiloba* and *Pycnolejeunea trapezia*, Meijer 1954a as *Pycnolejeunea imbricata*, **Mizutani 1980a** as *Cheilolejeunea imbricata* and *Cheilolejeunea longiloba*.

- *** *C. trifaria* (Reinw., Blume et Nees) Mizut. JAV: TYPE of *Jungermannia trifaria* and *Lejeunea teretiuscula*, **Reinwardt et al. 1824a** as *Jungermannia trifaria*, **Nees 1830** as *Jungermannia trifaria*, Gottsche et al. 1845a as *Lejeunea teretiuscula*, 1845b as *Lejeunea teretiuscula* and *Lejeunea trifaria*, **Sande Lacoste 1857** as *Lejeunea heterophylla*, *Lejeunea teretiuscula* and *Lejeunea trifaria*, 1864 as *Lejeunea teretiuscula*, **Stephani 1890b** as *Lejeunea trifaria*, **Schiffner 1893b** as *Lejeunea trifaria*, 1898a as *Euosmolejeunea teretiuscula* and *Euosmolejeunea trifaria*, Bonner 1965 as *Euosmolejeunea heterophylla*, *Euosmolejeunea trifaria* and *Lejeunea teretiuscula*, Hattori 1968, Mizutani 1972, 1977, 1978a, 1982, Miller et al. 1983 also as *Euosmolejeunea trifaria*, *Euosmolejeunea trifaria*, *Jungermannia trifaria* and *Lejeunea teretiuscula*, **Geissler & Bischler 1987** as *Jungermannia trifaria*, *Lejeunea teretiuscula* and *Lejeunea trifaria*, 1989 as *Ptychanthus trifarius*, Fulford & Sharp 1990, **Reiner-Drehwald 1998**, Bapna & Kachroo 2000b, **Zhu & So 2001**, **Yano 2004**. WJ: **Sande Lacoste 1864** as *Lejeunea heterophylla*, **Schiffner 1898a** as *Euosmolejeunea heterophylla*, 1900c as *Euosmolejeunea trifaria*, **Gradstein et al. 2010**.

- *** *C. vittata* (Steph. ex G.Hoffm.) R.M.Schust. et Kachroo JAV: Verdoorn 1938 as *Pycnolejeunea vittata*, Mizutani 1977, 1978a. WJ: **Hoffman 1935** as *Pycnolejeunea vittata*, **Mizutani 1980a**, **Thiers 1986, 1992**.

Chiastocaulon

- *** *C. dendroides* (Nees) Carl JAV: TYPE of *Jungermannia dendroides*, **Nees 1830** as *Jungermannia dendroides*, Gottsche et al. 1844 as *Plagiochila dendroides*, **Gottscbe 1853** as *Plagiochila dendroides*, **Schiffner 1900a** as *Plagiochila dendroides* and its var. *subtridentata*, **Stephani 1903** as *Plagiochila dendroides*, **Dugas 1929** as *Plagiochila dendroides*, Inoue 1958a, 1967a both as *Plagiochila dendroides*, Bonner 1963b, Grolle 1965a, Miller et al. 1983 also as *Jungermannia dendroides* and *Plagiochila dendroides*, **Geissler & Bischler 1987** as *Jungermannia dendroides*, 1989 as *Plagiochila dendroides*, Piippo 1989a as *Plagiochila dendroides*, **So 2001a** as *Plagiochila dendroides*. WJ: TYPE of *Plagiochila dendroides* var. *subtridentata* and *Plagiochila zollingeri*, **Sande Lacoste 1857, 1864** both as *Plagiochila dendroides*, **Schiffner 1898a** as *Plagiochila dendroides*, 1900b as *Plagiochila dendroides* and its var. *subtridentata*, **Inoue 1967b, 1984** as *Plagiochila dendroides*, **Geissler & Bischler 1989** as *Plagiochila dendroides* var. *subtridentata* and *Plagiochila zollingeri*, **So & Grolle 2000c** as *Plagiochila dendroides*.

Chiloscyphus

- ²⁴*C. argutus* (Reinw., Blume et Nees) Nees
- ? —var. *excisus* Schiffn. JAV: **Schiffner 1900a**, **Bonner 1963b**. WJ: TYPE, **Schiffner 1900b**.
 - ? —var. *minor* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, **Schiffner 1900b**, **Bonner 1963b**.
 - ? —var. *paucidentatus* Schiffn. JAV: **Schiffner 1900a**, **Bonner 1963b**. WJ: TYPE, **Schiffner 1900b**.
 - ? —var. *subquadratus* Schiffn. JAV: **Schiffner 1900a**, **Bonner 1963b**. WJ: SYNTYPE, **Schiffner 1900b**.
- ²⁵*C. aselliformis* (Reinw., Blume et Nees) Nees
- ? —var. *diversidens* Schiffn. JAV: **Schiffner 1900a**, **Bonner 1963b**. WJ: TYPE, **Schiffner 1900b**.
 - ? —var. *multiciliatus* Schiffn. JAV: **Schiffner 1900a**, **1900b**, **Bonner 1963b**. WJ: SYNTYPE, **Schiffner 1900b**.
- * ²⁶*C. bifidus* Schiffn. JAV: **Schiffner 1900a**, Bonner 1966 as *Heteroscyphus bifidus*. WJ: TYPE, **Schiffner 1900b**, **Stephani 1907, Bonner 1963b**.
- ** *C. boulyanus* (Steph.) J.J.Engel et R.M.Schust. JAV: TYPE of *Lophocolea boulyana*, **Stephani 1922** as *Lophocolea boulyana*, **Geissler & Bischler 1985** as *Lophocolea boulyana*.
- * ²⁷*C. ciliolatoides* J.J.Engel et R.M.Schust. JAV: **Schiffner 1900a** as *Lophocolea stephanii*, **Stephani 1906** as *Lophocolea stephanii*. WJ: TYPE of *Lophocolea stephanii*, **Schiffner 1900b** as *Lophocolea stephanii*, **Geissler & Bischler 1985** as *Lophocolea stephanii*.
- *** *C. ciliolatus* (Nees) J.J.Engel et R.M.Schust. JAV: TYPE of *Jungermannia ciliolata*, **Nees 1830** as *Jungermannia ciliolata*, **Gottscbe et al. 1844** as *Plagiochila ciliolata*, **Schiffner 1900a** as *Lophocolea ciliolata* and its var. *spinulosa*, **Stephani 1906** as *Lophocolea ciliolata*, Geissler & Bischler 1985 as *Lophocolea ciliolata*, **1987** as *Jungermannia ciliolata*, 1989 as *Plagiochila ciliolata*, **Piippo 1985b** as *Lophocolea ciliolata*, 1989b. WJ: SYNTYPE of *Lophocolea ciliolata* f. *angustifolia* and TYPE of *Lophocolea ciliolata* var. *spinulosa*, **Sande Lacoste 1857** as *Plagiochila ciliolata*, 1864 as *Lophocolea ciliolata*, **Schiffner 1898a** as *Lophocolea ciliolata*, **1900b** as *Lophocolea ciliolata* and its var. *spinulosa* and f. *angustifolia*, **1900c** as *Lophocolea ciliolata*, **Geissler & Bischler 1985** as *Lophocolea ciliolata* var. *spinulosa*.
- *** *C. coadunatus* (Sw.) J.J.Engel et R.M.Schust. JAV: Nees 1830 as *Jungermannia bidentata*, Gottsche et al. 1845a as *Lophocolea bidentata*, **Gottscbe 1853** as *Lophocolea bidentata*, **Sande Lacoste 1857** as *Lophocolea bidentata*, 1864 as *Lophocolea bidentata* var. β minor, **Schiffner 1898a** as *Lophocolea bidentata* var. β minor, **Schiffner 1900a** as

-
24. *Chiloscyphus argutus* is now *Heteroscyphus argutus*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
 25. *Chiloscyphus aselliformis* is now *Heteroscyphus aselliformis*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
 26. *Chiloscyphus bifidus* is possibly a small form of *Heteroscyphus aselliformis* (Schiffner 1900).
 27. *Chiloscyphus ciliolatoides* is doubtfully distinct from *C. ciliolatus*.

- Lophocolea bidentata*, Hattori 1966a as *Lophocolea bidentata*. WJ: **Schiffner 1898a, 1900b** both as *Lophocolea bidentata*.
- ** — var. *rivularis* (Raddi) Frsvoll, Elvebakk, Flatberg et Økland JAV: **TYPE** of *Lophocolea lateralis*, Frye & Clark 1944 as *Lophocolea bidentata* var. *bidentata*, Geissler & Bischler 1985 as *Lophocolea lateralis*.
- ²⁸*C. coalitus* (Hook.) Nees
? —var. *angustus* Schiffn. JAV: **Schiffner 1900a, Bonner 1963b**. WJ: **TYPE**, Schiffner 1900b.
? —var. *grandiretis* Schiffn. JAV: **Schiffner 1900a**, WJ: **TYPE**, Schiffner 1900b, **Bonner 1963b**.
? —var. *γ tener* (Nees) Schiffn. JAV: **TYPE** of *Chiloscyphus coalitus* *γ tener* and *Jungermannia coalita* *γ tenera*, Nees 1830 as *Jungermannia coalita* *γ tenera*, Bonner 1963b as *Chiloscyphus coalitus* *γ tener*, Geissler & Bischler 1987 as *Jungermannia coalita* *γ tenera*. WJ: **Sande Lacoste 1857** as *Chiloscyphus coalitus* *γ tener*, Schiffner 1898a.
- * ²⁹*C. costatoides* J.J.Engel et R.M.Schust. JAV: **Schiffner 1900a** as *Lophocolea massalongoana*, **Stephani 1906** as *Lophocolea massalongoana*, Verdoorn 1933b as *Lophocolea massalongoana*. WJ: **SYNTYPE** of *Lophocolea massalongoana*, Schiffner 1900b, 1900c both as *Lophocolea massalongoana*, Herzog 1932 as *Lophocolea massalongoana*, Geissler & Bischler 1985 as *Lophocolea massalongoana*.
- *** *C. costatus* (Nees) J.J.Engel et R.M.Schust. JAV: **TYPE** of *Jungermannia costata*, Nees 1830 as *Jungermannia costata*, Gottsche et al. 1844 as *Plagiochila costata*, Sande Lacoste 1857 as *Plagiochila costata*, Schiffner 1900a as *Lophocolea costata*, Stephani 1906 as *Lophocolea costata*, Kitagawa 1973b as *Lophocolea costata*, Geissler & Bischler 1985 as *Lophocolea costata*, 1987 as *Jungermannia costata*, Piippo 1985b as *Lophocolea costata*, 1989b. WJ: **Sande Lacoste 1864** as *Lophocolea costata*, Schiffner 1898a, 1900b both as *Lophocolea costata*.
- * ³⁰*C. crenulifolius* (Steph.) J.J.Engel et R.M.Schust. JAV: **TYPE** of *Lophocolea crenulifolia*, Stephani 1922 as *Lophocolea crenulifolia*, Geissler & Bischler 1985 as *Lophocolea crenulifolia*.
- ³¹*C. decurrens* (Reinw., Blume et Nees) Nees
? —var. *bilobus* Schiffn. JAV: **Schiffner 1900a**, Bonner 1963b, 1977. WJ: **SYNTYPES**, Schiffner 1900b.
? —var. *latifolius* Schiffn. JAV: **Schiffner 1900a, Bonner 1963b**, 1977. WJ: **TYPE**, Schiffner 1900b.
? —var. *speciosus* Schiffn. JAV: **Schiffner 1900a**, Verdoorn 1935, Bonner 1963b, 1977. WJ: **SYNTYPES**, Schiffner 1900b, 1900c.
- ** *C. haskarlianus* (Gottsche) J.J.Engel et R.M.Schust. JAV: **TYPE** of *Lophocolea haskarliana*, Gottsche et al. 1845a as *Lophocolea haskarliana*, Schiffner 1898a as *Lophocolea hasskarliana*, Stephani 1906 as *Lophocolea haskarliana*, Geissler & Bischler 1985 as *Lophocolea haskarliana*. WJ: **Sande Lacoste 1857** as *Lophocolea haskarliana*.
- ** *C. integrerrimus* Schiffn. JAV: Schiffner 1900a, Stephani 1907, Bonner 1963b, 1966 as *Heteroscyphus integrerrimus*. WJ: **TYPE**, Schiffner 1900b.
- ** *C. kurzii* (Sande Lac.) J.J.Engel et R.M.Schust. JAV: Schiffner 1900a as *Lophocolea kurzii*, Stephani 1906 as *Lophocolea kurzii*, Miller et al. 1983 as *Lophocolea kurzii*, Piippo 1989b, Streimann 1991 as *Lophocolea kurzii*, Bapna & Kachroo 2000b. WJ: **TYPE** of *Lophocolea kurzii*, Sande Lacoste 1864 as *Lophocolea kurzii*, Schiffner 1898a, 1900b both as *Lophocolea kurzii*, Kitagawa 1973b as *Lophocolea kurzii*, Geissler & Bischler 1985 as *Lophocolea kurzii*.
- * ³²*C. laxissimus* (Herzog) J.J.Engel et R.M.Schust. WJ: **TYPE** of *Lophocolea laxissima*, Herzog 1932 as *Lophocolea laxissima*, Geissler & Bischler 1985 as *Lophocolea laxissima*.
- * ³³*C. mollis* (Nees) J.J.Engel et R.M.Schust. JAV: **TYPE** of *Jungermannia mollis*, Nees 1830 as *Jungermannia mollis*, Gottsche et al. 1845a as *Lophocolea mollis*, Sande Lacoste 1857 as *Lophocolea mollis*, Schiffner 1898a, 1900a both as *Lophocolea mollis*, Stephani 1906 as *Lophocolea mollis*, Geissler & Bischler 1987 as *Jungermannia mollis*, Bapna & Kachroo 2000b. WJ: Schiffner 1900b, 1955 both as *Lophocolea mollis*.
- *** *C. muricatus* (Lehm.) J.J.Engel et R.M.Schust. JAV: **TYPE** of *Lophocolea horridula*, Sande Lacoste 1854, 1855a, 1856b all as *Lophocolea horridula*, Schiffner 1900a as *Lophocolea muricata*, Stephani 1906 as *Lophocolea muricata*, Frye & Clark 1944 as *Lophocolea muricata*, Arnell 1956 as *Lophocolea muricata*, Schuster 1980 as *Lophocolea muricata*, Miller et al. 1983 as *Lophocolea muricata*, Geissler & Bischler 1985 as *Lophocolea horridula*. WJ: **Sande Lacoste 1857** as *Lophocolea horridula*, Schiffner 1898a, 1900b, 1900c all as *Lophocolea muricata*, Meijer 1954a as *Lophocolea muricata*, Gradstein et al. 2010.
- * ³⁴*C. paroicus* J.J.Engel et R.M.Schust. JAV: Schiffner 1900a as *Lophocolea levieri*, Stephani 1906 as *Lophocolea levieri*, Piippo 1985b as *Lophocolea levieri*, Piippo 1989b. WJ: **TYPE** of *Lophocolea levieri*, Schiffner 1900b as *Lophocolea levieri*, Geissler & Bischler 1985 as *Lophocolea levieri*.
- ** *C. propagulifer* Schiffn. JAV: Schiffner 1900a, Stephani 1907, Bonner 1966 as *Heteroscyphus propagulifer*. WJ: **TYPE**, Schiffner 1900b, Bonner 1963b.

-
28. *Chiloscyphus coalitus* is now *Heteroscyphus coalitus*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
29. *Chiloscyphus costatoides* may be a delicate form of *C. costatus* (Piippo 1985b).
30. *Chiloscyphus crenulifolius* is taxonomically doubtful and most likely a synonym of something.
31. *Chiloscyphus decurrens* belongs to *Heteroscyphus splendens*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
32. *Chiloscyphus laxissimus* is taxonomically doubtful and most likely a synonym of something.
33. *Chiloscyphus mollis* is close to or maybe conspecific with *C. difformis* (Grolle 1995).
34. *Chiloscyphus paroicus* is doubtfully distinct from *C. ciliolatus*.

- ** *C. salacensis* (Steph.) J.J.Engel et R.M.Schust. JAV: Miller *et al.* 1983 as *Lophocolea salacensis*. WJ: TYPE of *Lophocolea salacensis*, Stephani 1906 as *Lophocolea salacensis*, Geissler & Bischler 1985 as *Lophocolea salacensis*.
- ? ³⁵*C. schiffneri* J.J.Engel et R.M.Schust. nom. illeg. JAV: Schiffner 1900a as *Lophocolea javanica*, Stephani 1906 as *Lophocolea javanica*, Piippo 1985b as *Lophocolea javanica*. WJ: TYPE of *Lophocolea javanica*, Schiffner 1900b as *Lophocolea javanica*, Geissler & Bischler 1985 as *Lophocolea javanica*.
- ³⁶*C. succulentus* Gottsche
? — β *gaudichaudii* Gottsche JAV: Bonner 1963b.
? —var. *integrifolius* Schiffn. WJ: TYPE, Schiffner 1893b, 1898a, Bonner 1963b.
- * ³⁷*C. thermarum* (Schiffn.) J.J.Engel et R.M.Schust. JAV: Schiffner 1900a as *Lophocolea thermarum*. WJ: TYPE of *Lophocolea thermarum*, Schiffner 1900b as *Lophocolea thermarum*, Geissler & Bischler 1985 as *Lophocolea thermarum*.
- ³⁸*C. zollingeri* Gottsche
? —var. *fissistipulus* Schiffn. JAV: Schiffner 1900a, Bonner 1963b. WJ: TYPE, Schiffner 1900b.
? —var. *pluridentatus* Schiffn. JAV: Schiffner 1900a. WJ: TYPE, Schiffner 1900b, Bonner 1963b.
? —var. *rotundifolius* Schiffn. JAV: Schiffner 1900a, Bonner 1963b. WJ: TYPE, Schiffner 1900b.
? —var. *subintegerrimus* Schiffn. JAV: Schiffner 1900a, Bonner 1963b. WJ: TYPE, Schiffner 1900b.

Cololejeunea

- ** *C. aequabilis* (Sande Lac.) Schiffn. JAV: SYNTYPE of *Leptocolea yulensis*, Stephani 1916 as *Leptocolea yulensis*, Stephani 1916 as *Physocolea aequabilis*, Bonner 1963b also as *Cololejeunea yulensis*, Mizutani 1975 as *Cololejeunea yulensis*, Miller *et al.* 1983 as *Cololejeunea yulensis*, Geissler & Bischler 1985 as *Leptocolea yulensis*, 1989 as *Physocolea aequabilis*, Zhu 2005. CJ: Benedix 1953 as *Cololejeunea yulensis*. EJ: Benedix 1953 as *Cololejeunea yulensis*. WJ: TYPE of *Lejeunea aequabilis*, Sande Lacoste 1864 as *Lejeunea aequabilis*, Schiffner 1898a, Benedix 1953 as *Cololejeunea yulensis*, Geissler & Bischler 1987 as *Lejeunea aequabilis*.
- * ³⁹*C. amoena* Benedix JAV: Pócs *et al.* 1967, Mizutani 1975, Zhu & So 2001. EJ: Benedix 1953. WJ: TYPE, Benedix 1953, Bonner 1963b.
- ** *C. angustiflora* (Steph.) Mizut. JAV: TYPE of *Physocolea javanica*, Stephani 1916 as *Physocolea javanica*, Mizutani 1965, 1975 both as *Cololejeunea javanica*, Bonner 1977 as *Cololejeunea javanica*, Tixer 1985 as *Cololejeunea javanica* [incl. *C. flavicans*], Geissler & Bischler 1989 as *Physocolea javanica*, Zhu & So 2002.
- *** *C. appressa* (A.Evans) Benedix JAV: Kodama 1955 as *Taeniolejeunea appressa*, Mizutani 1961, 1975, 1977, 1978a, 1978b, 1984a, Bonner 1963b, Miller *et al.* 1983, Zhu 1995, Bapna & Kachroo 2000b. EJ: Benedix 1953. WJ: Benedix 1953.
- ? *C. cardiocalyx* Schiffn. nom. inval. WJ: Geissler & Bischler 1987 as *Lejeunea cardiocalyx*.
- * ⁴⁰*C. cordiflora* Steph. JAV: TYPE of *Leptocolea karstenii*, Stephani 1916 as *Leptocolea karstenii*, Benedix 1953 as *Cololejeunea karstenii*, Bonner 1963b as *Cololejeunea karstenii*, Geissler & Bischler 1985 as *Leptocolea karstenii*, Tixer 1985 [incl. *C. yulensis*]. WJ: Renner 1932 as *Leptocolea karstenii*.
- ? *C. deflexilobula* Schiffn. nom. inval. WJ: Schiffner 1900c, Bonner 1963b.
- *** *C. dozyana* (Sande Lac.) Schiffn. JAV: TYPE of *Lejeunea dozyana*, Sande Lacoste 1855a, 1855b, 1857, 1864 all as *Lejeunea dozyana*, Schiffner 1898a, Stephani 1916 as *Physocolea dozyana*, Bonner 1963b, Mizutani 1977, 1978a, Tixer 1985, Geissler & Bischler 1987 as *Lejeunea dozyana*, 1989 as *Physocolea dozyana*, Zhu & So 1999b, 2001. CJ: Benedix 1953. WJ: Schiffner 1900c, Benedix 1953.
- ** *C. falcata* (Horik.) Benedix JAV: Bonner 1963b as *Cololejeunea falcatoides*, Mizutani 1975, 1977, 1978a all as *Cololejeunea falcatoides*, Miller *et al.* 1983. EJ: Benedix 1953 as *Cololejeunea falcatoides*. WJ: Benedix 1953 as *Cololejeunea falcatoides*.
- ** *C. filidens* Benedix JAV: Tixer 1985, Zhu & So 2001. WJ: TYPE and TYPE of *Cololejeunea papilligera* and *Cololejeunea unguilata*, Schiffner 1900c as *Cololejeunea papilligera*, 1900c as *Cololejeunea unguilata*, Benedix 1953, Bonner 1963b also as *Cololejeunea papilligera* and *Cololejeunea unguilata*.
- *** *C. floccosa* (Lehm. et Lindenb.) Schiffn. JAV: Gottsche *et al.* 1845b as *Lejeunea floccosa*, Sande Lacoste 1857 as *Lejeunea floccosa*, Evans 1912 as *Leptocolea floccosa*, Stephani 1916 as *Leptocolea floccosa*, Kodama 1955 as *Taeniolejeunea floccosa*, Mizutani 1961, 1975, 1978b, Bonner 1963b, Miller *et al.* 1983 also as *Leptocolea floccosa* and *Taeniolejeunea floccosa*, Zhu 1995, Asthana & Srivastava 2003. EJ: Mizutani 1984a. WJ: Sande Lacoste 1864 as *Lejeunea floccosa*, Schiffner 1898a, Schiffner 1900c.
** — var. *aurita* Benedix JAV: Bonner 1963b. WJ: Benedix 1953.
** — var. *connivens* Benedix WJ: TYPE, Benedix 1953, Bonner 1963b.
** — var. *floccosa* JAV: Szab 1997. EJ: Benedix 1953. WJ: Benedix 1953.

-
35. *Chiloscyphus schiffneri* J.J.Engel et R.M.Schust. 1985 is a younger homonym of *C. schiffneri* S.W.Arnell 1964 and needs a new name if it should be recognized.
36. *Chiloscyphus succulentus* is now *Heteroscyphus succulentus*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
37. *Chiloscyphus thermarum* is doubtfully distinct from *C. ciliolatus*.
38. *Chiloscyphus zollingeri* is now *Heteroscyphus zollingeri*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
39. *Cololejeunea amoena* is doubtfully distinct from *C. floccosa*.
40. *Cololejeunea cordiflora* is doubtfully distinct from *C. trichomanis* (T. Pócs, pers. comm.).

- * — var. *plicata* Tixier WJ: **TYPE**, Tixier 1981, Crosby & Engel 2006.
- ** *C. fusca* (Steph.) Mizut. JAV: **TYPE** of *Physocolea fusca*, Stephani 1916 as *Physocolea fusca*.
- ⁴¹*C. goebelii* (Gottsche ex Schiffn.) Schiffn.
? —var. β *cardiocalyx* (Schiffn.) Schiffn. JAV: Bonner 1963b. WJ: **TYPE** of *Lejeunea goebelii* var. β *cardiocalyx*, Schiffner 1893b as *Lejeunea goebelii* var. β *cardiocalyx*, 1898a, Geissler & Bischler 1987 as *Lejeunea goebelii* var. β *cardiocalyx*.
? —var. *rotundifolia* Schiffn. nom. inval. WJ: Schiffner 1900c, Bonner 1963b.
- ** *C. gynophthalma* Benedix JAV: Mizutani 1975, 1977, 1978a, Tixier 1979, Miller et al. 1983 as *Cololejeunea gynophthalma* f. *gynophthalma*, Szab 1997. EJ: **Benedix 1953**. WJ: **TYPE**, Benedix 1953, Bonner 1963b.
- *** *C. haskarliana* (Lehm. et Lindenb.) Schiffn. JAV: **TYPE** of *Lejeunea haskarliana*, Lehmann 1844 as *Lejeunea haskarliana*, Gottsche et al. 1845b as *Lejeunea haskarliana*, Sande Lacoste 1857 as *Lejeunea haskarliana*, Stephani 1890b as *Lejeunea hasskarliana*, 1913 as *Drepanolejeunea haskarliana*, Schiffner 1898a, Bonner 1963b as *Cololejeunea haskarliana*, 1965 as *Drepanolejeunea haskarliana*, Mizutani 1975, 1977, 1978a, 1978b, Miller et al. 1983 also as *Lejeunea haskarliana*, Tixier 1985, Geissler & Bischler 1987 as *Lejeunea haskarliana*, Long & Grolle 1990, Zhu 1995, Szab 1997, Bapna & Kachroo 2000b, Zhu & So 2001, Piippo et al. 2002, Asthana & Srivastava 2003. CJ: **Benedix 1953**. WJ: **Benedix 1953**, Mizutani 1986, Gradstein et al. 2010.
** —var. *haskarliana* JAV: **TYPE** of *Cololejeunea baueriana* and *Lejeunea venusta*, Sande Lacoste 1854, 1855a, 1856b, 1857 all as *Lejeunea venusta*, Stephani 1916 as *Physocolea venusta*, Bonner 1963b as *Cololejeunea baueriana*, Tixier 1985 as *Cololejeunea hispidissima*, Geissler & Bischler 1987 as *Lejeunea venusta*. EJ: Sande Lacoste 1864 as *Lejeunea venusta*. WJ: Schiffner 1898a as *Cololejeunea venusta*, 1900c as *Cololejeunea baueriana*, Renner 1932 as *Physocolea venusta*.
- ** *C. hirta* Steph. JAV: **Tixier 1985**.
- *** *C. hyalina* G.Asthana et S.C.Srivast. WJ: **Eggers 2006**.
- *** *C. inflata* Steph. JAV: Mizutani 1961, 1975, 1978b, 1984a all as *Cololejeunea oshimensis*, Tixier 1962 as *Cololejeunea oshimensis*, Bonner 1963b as *Cololejeunea oshimensis*, Miller et al. 1983, Zhu 1995. WJ: **Benedix 1953** as *Cololejeunea oshimensis*.
- *** *C. inflectens* (Mitt.) Benedix JAV: Schiffner 1893b as *Lejeunea ciliatilobula*, Bonner 1963a as *Campylolejeunea ciliatilobula*, 1963b as *Cololejeunea peculiaris*, Mizutani 1975 as *Campylolejeunea inflectens*, 1977, 1978a, 1978b all as *Campylolejeunea peculiaris*, Miller et al. 1983 also as *Campylolejeunea peculiaris* and *Cololejeunea peculiaris*, Geissler & Bischler 1989 as *Physocolea ciliatilobula*, Zhu 1995 also as *Cololejeunea peculiaris*, Bapna & Kachroo 2000b as *Campylolejeunea inflectens*, Zhu & So 2001, Piippo et al. 2002. WJ: **TYPE** of *Lejeunea ciliatilobula*, Schiffner 1898a, 1900c both as *Cololejeunea ciliatilobula*, Benedix 1953 as *Cololejeunea ciliatilobula* and *Cololejeunea peculiaris*, Geissler & Bischler 1987 as *Lejeunea ciliatilobula*.
- * ⁴²*C. lanciloba* Steph. JAV: **Tixier 1985** as *Cololejeunea bolombensis*, Bapna & Kachroo 2000b, Asthana & Srivastava 2003. WJ: Renner 1932 as *Leptocolea lanciloba*, Mizutani 1984b.
? *C. longifolia* Schiffn. nom. inval. WJ: Schiffner 1900c, Bonner 1963b.
- *** *C. madothecoides* (Steph.) Benedix JAV: Bonner 1963b, Tixier 1985, Long & Grolle 1990, Bapna & Kachroo 2000b, Asthana & Srivastava 2003. WJ: **TYPE** of *Physocolea madothecoides*, Stephani 1916 as *Physocolea madothecoides*, Benedix 1953, Mizutani 1976a, Geissler & Bischler 1989 as *Physocolea madothecoides*.
- * ⁴³*C. maritima* Tixier JAV: Tixier 1979, 1985.
- *** *C. metzgeriopsis* (K.I.Goebel) Gradst., R.Wilson, Ilk.-Borg. et Heinrichs JAV: Stephani 1916 as *Metzgeriopsis pusilla*, Verdoorn 1931a as *Metzgeriopsis pusilla*, Mizutani 1975 as *Metzgeriopsis pusilla*, Miller et al. 1983 as *Metzgeriopsis pusilla* and *Thallo-Lejeunea pusilla*, Geissler & Bischler 1987 as *Lejeunea pusilla*. WJ: **TYPE** of *Metzgeriopsis pusilla*, Goebel 1888 as *Metzgeriopsis pusilla*, Schiffner 1898a, 1900c both as *Metzgeriopsis pusilla*, Renner 1932 as *Metzgeriopsis pusilla*, Meijer 1954a as *Metzgeriopsis pusilla*, Geissler & Bischler 1985 as *Metzgeriopsis pusilla*.
- ? *C. modesta* Schiffn. nom. inval. WJ: Schiffner 1900c, Bonner 1963b.
- ** *C. mutabilis* Benedix JAV: Bonner 1963b as *Cololejeunea mutabilis* f. *javanica*, Mizutani 1975, Tixier 1979 as *Cololejeunea mutabilis* f. *javanica*, Miller et al. 1983 as *Cololejeunea mutabilis* f. *javanica*. WJ: **TYPE**, **TYPE** of *Cololejeunea mutabilis* f. *javanica*, Benedix 1953, Benedix 1953 as *Cololejeunea mutabilis* f. *javanica*, Bonner 1963b.
- *** *C. obliqua* (Nees et Mont.) Schiffn. JAV: **TYPE** of *Cololejeunea scabrifolia* and *Physocolea scabrifolia*, Stephani 1916 as *Physocolea scabrifolia*, Tixier 1962 as *Cololejeunea nymanii*, Bonner 1963b as *Cololejeunea campanulata*, *Cololejeunea goebelii* var. γ *acotremae*, *Cololejeunea nymanii* and *Cololejeunea scabrifolia*, Mizutani 1975 as *Cololejeunea nymanii*, Miller et al. 1983 as *Cololejeunea campanulata*, *Cololejeunea mariana* and *Cololejeunea nymanii*, Tixier 1985 as *Cololejeunea scabriflora*, Geissler & Bischler 1989 as *Physocolea scabrifolia*, Zhu & So 2001. CJ: **Benedix 1953** as *Cololejeunea nymanii*. EJ: **Benedix 1953** as *Cololejeunea nymanii*. WJ: **TYPE** of *Cololejeunea androgyna*, Schiffner 1900c as *Cololejeunea scabrifolia*, Benedix 1953 as *Cololejeunea androgyna*, *Cololejeunea campanulata* var. *campanulata* and *Cololejeunea nymanii*, Bonner 1963b as *Cololejeunea androgyna*.
- ** *C. ocelloides* (Horik.) Mizut. JAV: Tixier 1962 as *Cololejeunea leonidens* var. *saccata*, Bonner 1963b as *Cololejeunea leonidens*, Pócs et al. 1967 as *Cololejeunea leonidens* var. *saccata*, Mizutani 1975, 1977, 1978a all as *Cololejeunea*

41. *Cololejeunea goebelii* belongs to *C. trichomanis*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
 42. *Cololejeunea lanciloba* is doubtfully distinct from *C. planissima*.
 43. *Cololejeunea maritima* is taxonomically doubtful and most likely a synonym of something.

- leonidens*, 1984a, Zhu 1995 as *Cololejeunea ocelloides*. CJ: **Benedix 1953** as *Cololejeunea leonidens* var. *leonidens*. WJ: **Benedix 1953** as *Cololejeunea leonidens* var. *leonidens*.
- * ⁴⁴*C. paucimarginata* Tixier WJ: **TYPE, Tixer 1985, Crosby & Engel 2006.**
 - ** *C. peponiformis* Mizut. WJ: **TYPE** of *Cololejeunea simulans*, **Schiffner 1900c** as *Cololejeunea simulans*, **Bonner 1963b** as *Cololejeunea simulans*.
 - ** *C. peraffinis* (Schiffn.) Schiffn. JAV: **TYPE** of *Physocolea peraffinis*, **Schiffner 1893b** as *Lejeunea peraffinis*, Stephani 1916 as *Physocolea peraffinis*, Kodama 1955 as *Taeniolejeunea peraffinis*, Mizutani 1961, 1975, 1978b, Bonner 1963b, Pócs 1968a, Geissler & Bischler 1985 as *Leptocolea floccosa* var. *peraffinis* and *Leptocolea peraffinis*, **1989** as *Physocolea peraffinis*, 1990 as *Taeniolejeunea peraffinis*, **Pócs et al. 1994**, Bapna & Kachroo 2000b, **Zhu & So 2001**. WJ: **TYPE** of *Lejeunea peraffinis*, **Schiffner 1898a**, **Schiffner 1900c**, **Mizutani 1966**, **Mizutani 1984a**, **Geissler & Bischler 1987** as *Lejeunea peraffinis*, **Zhu 1995**.
 - ** — var. *elegans* Benedix JAV: Tixer 1979, Miller *et al.* 1983. EJ: **TYPE, Benedix 1953, Bonner 1963b**. WJ: **Benedix 1953**.
 - ** — var. *peraffinis* JAV: Miller *et al.* 1983. CJ: **Benedix 1953**. EJ: **Benedix 1953**. WJ: **Benedix 1953**.
 - ** — var. *serrulata* Schiffn. ex Benedix WJ: **TYPE, Schiffner 1900c, Benedix 1953, Bonner 1963b**.
 - ** *C. plagiophylla* Benedix JAV: Pócs *et al.* 1967, **Tixer 1985**. WJ: **TYPE, Benedix 1953, Bonner 1963b**.
 - ** *C. planiflora* Benedix JAV: Pócs 1968a, **Tixer 1985**. EJ: **Benedix 1953**. WJ: **TYPE, Benedix 1953, Bonner 1963b**.
 - *** *C. planissima* (Mitt.) Abeyw. JAV: Bapna & Kachroo 2000b, Asthana & Srivastava 2003. BA: **Van Leeuwen 1936** as *Physocolea planissima*.
 - * *C. pretiosa* Benedix JAV: Bonner 1963b. WJ: **Benedix 1953**.
 - ** *C. pseudofloccosa* (Horik.) Benedix JAV: Kodama 1955 as *Taeniolejeunea pseudofloccosa*, Mizutani 1961, 1975, 1977, 1978a, 1984a, Bonner 1963b, Hattori 1966a, Pócs *et al.* 1994, Zhu 1995, Pócs & Streimann 1999, Bapna & Kachroo 2000b, Asthana & Srivastava 2003. EJ: **Benedix 1953**. WJ: **Benedix 1953**.
 - ? *C. quadrangularis* Schiffn. nom. inval. WJ: **Schiffner 1900c, Bonner 1963b**.
 - ** *C. raduliloba* Steph. JAV: **TYPE** of *Physocolea estipulata*, **Stephani 1916** as *Physocolea estipulata*, Mizutani 1961, 1978b, Miller *et al.* 1983, **Tixer 1985** as *Cololejeunea estipulata*, **Geissler & Bischler 1989** as *Physocolea estipulata*.
 - * ⁴⁵*C. reineckeana* Steph. JAV: **Tixer 1985**.
 - ** *C. schmidii* Steph. JAV: Tixer 1962, **1985** as *Cololejeunea benedixii*, Mizutani 1975, Pócs *et al.* 1994. WJ: **Benedix 1953**.
 - ** *C. serrata* (Steph.) Benedix JAV: Bonner 1963b, Onraedt 1981, **Tixer 1985**. EJ: **Benedix 1953**. WJ: **Benedix 1953**.
 - ? *C. serrulata* Schiffn. nom. inval. WJ: **Schiffner 1900c, Bonner 1963b**.
 - *** *C. sigmoidea* Ast et Tixer JAV: **TYPE** of *Cololejeunea subaloba*, **Bonner 1963b** as *Cololejeunea subaloba*, **Zhu & So 2001** also as *Cololejeunea imperfecta*, Asthana & Srivastava 2003. WJ: **Schiffner 1900c** as *Cololejeunea subaloba*.
 - ** — var. *sigmoidea* JAV: Tixer 1985.
 - ** *C. stephanii* Schiffn. ex Benedix JAV: Eggers *et al.* 1998, **Zhu & So 2001**. WJ: **TYPE, Schiffner 1900c** as *Cololejeunea stephanii*, **Benedix 1953, Bonner 1963b, Zhu 1995**.
 - ** *C. tenella* Benedix JAV: Tixer 1985, **Zhu & So 1999a, 2001**. BA: **Benedix 1953**. WJ: **TYPE, Benedix 1953, Bonner 1963b, Zhu 1995**.
 - * ⁴⁶*C. thailandensis* Tixer JAV: **Tixer 1985**.
 - ** *C. triapiculata* (Herzog) Tixer JAV: **Bonner 1963b** as *Cololejeunea pseudopellucida*, 1977, Miller *et al.* 1983, **Tixer 1985**, Eggers *et al.* 1998. WJ: **TYPE** of *Cololejeunea pseudopellucida*, **Schiffner 1900c** as *Cololejeunea pseudopellucida*.
 - ** *C. trichomanis* (Gottsch.) Steph. JAV: **TYPE** of *Lejeunea goebelii*, Goebel 1888 as *Lejeunea goebelii*, **Schiffner 1893b** as *Lejeunea goebelii*, Stephani 1916 as *Leptocolea goebelii*, Mizutani 1961, 1975, 1978b all as *Cololejeunea goebelii*, Bonner 1963b as *Cololejeunea goebelii*, Miller *et al.* 1983 as *Cololejeunea goebelii* and *Leptocolea goebelii*, Geissler & Bischler 1985 as *Leptocolea goebelii*, **1987** as *Lejeunea goebelii*, Tixer 1985 as *Cololejeunea goebelii*, Bapna & Kachroo 2000b as *Cololejeunea goebelii*, **Zhu & So 2000, 2001** both as *Cololejeunea goebelii*, Piippo *et al.* 2002 as *Cololejeunea goebelii*, Asthana & Srivastava 2003. WJ: **TYPE** of *Lejeunea goebelii*, *Lejeunea goebelii* f. *normalis* and *Cololejeunea goebelii* f. *brevifolia*, **Schiffner 1893b** as *Lejeunea goebelii* f. *normalis*, **1898a, 1900c** both as *Cololejeunea goebelii* and its f. *brevifolia*, **Bonner 1963b** as *Cololejeunea goebelii* f. *brevifolia*, **Geissler & Bischler 1987** as *Lejeunea goebelii* f. *normalis*.
 - ** *C. verrucosa* Steph. JAV: **TYPE, Stephani 1895b, Schiffner 1898a**, Stephani 1916 as *Physocolea verrucosa*, Tixer 1962, **1985, Bonner 1963b, Mizutani 1976a**, 1984a, Miller *et al.* 1983, Geissler & Bischler 1990 as *Taeniolejeunea verrucosa*, **Zhu 1995, Zhu & So 2001**. WJ: **Schiffner 1900c**.
 - * — var. *verrucosa* JAV: **Benedix 1953**.
 - *** *C. zangii* R.L.Zhu et M.L.So JAV: **Zhu & So 2001**. WJ: **TYPE** of *Cololejeunea marginata* var. *alimbia*, **Schiffner 1900c** as *Cololejeunea marginata* var. *alimbia*, **Bonner 1963b** as *Cololejeunea marginata* var. *alimbia*.

Colura

- *** *C. acroloba* (Mont. ex Steph.) Ast JAV: **Schiffner 1893b** as *Lejeunea acroloba*, Stephani 1916 as *Colura corynephora*, Bonner 1963b also as *Colura corynephora*, Pócs *et al.* 1967, Mizutani 1975, Miller *et al.* 1983, Szab 1997, Eggers *et al.* 1998, Bapna & Kachroo 2000b. WJ: **Schiffner 1898a, 1900c** as *Colurolejeunea acroloba* and its var. *acuta*, **Jovet-Ast 1954a, 1954b**.

44. *Cololejeunea paucimarginata* may be a form of *C. raduliloba* (R.-L. Zhu, pers. comm.).

45. *Cololejeunea reineckeana* is taxonomically doubtful and most likely a synonym of something.

46. *Cololejeunea thailandensis* is taxonomically doubtful and most likely a synonym of something.

- *** *C. ari* (Steph.) Steph. JAV: **TYPE** of *Colura javanica*, **Stephani 1916** as *Colura javanica*, **Bonner 1963b** also as *Colura javanica*, Grolle 1965a, Miller *et al.* 1983 also as *Colura javanica*, Bapna & Kachroo 2000b, **Zhu & So 2001**. WJ: **Jovet-Ast 1954a, 1954b**.
- *** *C. conica* (Sande Lac.) K.I.Goebel JAV: Stephani 1916 as *Diplasiolejeunea conica*, Bonner 1965 as *Diplasiolejeunea conica*, Pócs *et al.* 1967, Mizutani 1975, Miller *et al.* 1983, Szab 1997. WJ: **SYNTYPE** of *Lejeunea conica*, **Sande Lacoste 1864** as *Lejeunea conica*, **Schiffner 1898a** as *Colurolejeunea conica*, **Geissler & Bischler 1987** as *Lejeunea conica*.
- *** *C. corynophora* (Nees, Lindenb. et Gottsche) Trevis. JAV: **Sande Lacoste 1864** as *Lejeunea corynophora*, Miller *et al.* 1983, Zhu & So 1999b.
- ** ⁴⁷*C. denticulata* Ast JAV: Miller *et al.* 1983. WJ: **TYPE, Jovet-Ast 1954b, Bonner 1963b**.
- *** *C. hemisphaerica* Ast JAV: Bonner 1963b. WJ: **Jovet-Ast 1954a**.
- *** *C. herzogii* Ast JAV: Miller *et al.* 1983. WJ: **TYPE, Jovet-Ast 1954a, 1954b, Bonner 1963b**.
- ** ⁴⁸*C. imperfecta* Steph. JAV: Bonner 1963b, Grolle 1966d, Miller *et al.* 1983. WJ: **Jovet-Ast 1954a, 1954b**.
- ** *C. junghuhniana* (Steph.) Steph. JAV: **TYPE** of *Lejeunea junghuhniana*, **Stephani 1890b** as *Lejeunea junghuhniana*, **1896** as *Colurolejeunea junghuhniana*, **1916**, **Schiffner 1898a** as *Colurolejeunea junghuhniana*, **Jovet-Ast 1954a, Bonner 1963b** also as *Colurolejeunea junghuhniana*, Grolle 1969, **Geissler & Bischler 1987** as *Lejeunea junghuhniana*. BA: **Van Leeuwen 1936**.
- *** *C. leratii* (Steph.) Steph. JAV: Stephani 1916 as *Colura apiculata*, Bonner 1963b also as *Colura apiculata* and *Colurolejeunea leratii*, **Jovet-Ast 1954a** as *Colura apiculata*, Miller *et al.* 1983 also as *Colurolejeunea leratii*, Eggers *et al.* 1998. WJ: **Schiffner 1900c** as *Colurolejeunea apiculata*.
- *** *C. meijeri* Ast JAV: Mizutani 1961, Pócs *et al.* 1994, Szab 1997, Eggers 2006. WJ: **TYPE, Jovet-Ast 1954a, Bonner 1963b**.
- *** *C. mosenii* Steph. JAV: **TYPE, Stephani 1916, Jovet-Ast 1954a, Bonner 1963b**, Miller *et al.* 1983.
- *** *C. ornata* K.I.Goebel JAV: **TYPE**, Goebel 1891, **Schiffner 1893b** as *Lejeunea ornata*, Stephani 1916, Verdoorn 1932a, **Jovet-Ast 1951, Bonner 1963b**, Mizutani 1975, Onraedt 1981, Pócs *et al.* 1994, Bapna & Kachroo 2000b. WJ: **Schiffner 1898a, 1900c** both as *Colurolejeunea ornata*, **Jovet-Ast 1954a**.
- *** *C. superba* (Mont.) Steph. JAV: **SYNTYPE** of *Lejeunea superba* var. β *latifolia*, Miller *et al.* 1983 as *Lejeunea superba* var. β *latifolia*, **Geissler & Bischler 1987** as *Lejeunea superba* var. β *latifolia*. WJ: **Jovet-Ast 1954a, 1954b**.
- *** *C. tenuicornis* (A.Evans) Steph. JAV: Mizutani 1961, Hattori 1975c, Miller *et al.* 1983, Bapna & Kachroo 2000b.

*Colurolejeunea*⁴⁹

- ? *C. falcifolia* Schiffn. *nom. inval.* WJ: **Schiffner 1900c**.
- ? *C. scabrilobula* Schiffn. *nom. inval.* WJ: **Schiffner 1900c**.

Conoscyphus

- *** *C. trapezioides* (Sande Lac.) Schiffn. JAV: **TYPE** of *Chiloscyphus trapezioides*, **Sande Lacoste 1854, 1855a, 1856b, 1857** all as *Chiloscyphus trapezioides*, **Schiffner 1900a**, Bonner 1962 as *Anthoscyphus trapezioides*, **1963b** as *Chiloscyphus trapezioides*, Miller *et al.* 1983 also as *Chiloscyphus trapezioides*. WJ: **Sande Lacoste 1864** as *Chiloscyphus trapezioides*, **Schiffner 1898a, Stephani 1907** as *Conoscyphus inflexifolius*, Meijer 1954a as *Conoscyphus inflexifolius*.

Cuspidatula

- *** *C. contracta* (Reinw., Blume et Nees) Steph. JAV: **TYPE** of *Jungermannia contracta* and *Jungermannia squamata* var. γ *apiculata*, **Reinwardt et al. 1824a** as *Jungermannia contracta*, Nees **1830** as *Jungermannia contracta*, Gottsche *et al.* 1844 as *Jungermannia contracta*, **Sande Lacoste 1857** as *Jungermannia contracta*, **1864** as *Jungermannia squamata* var. γ *apiculata*, **Schiffner 1900a** as *Anastrophyllum contractum* var. *virescens*, **1900a** as *Anastrophyllum contractum*, Stephani **1901**, Bonner 1962 as *Anastrophyllum contractum*, 1963b, Kitagawa 1970, **Grolle 1971**, Bizot & Pócs 1974, Miller *et al.* 1983 also as *Anastrophyllum contractum* and *Jungermannia contracta*, Geissler & Bischler **1987** as *Jungermannia squamata* var. γ *apiculata*, Váňa **1991b** as *Jamesoniella contracta*. WJ: **TYPE** of *Anastrophyllum contractum* var. *virescens*, **Sande Lacoste 1864** as *Jungermannia contracta*, **Schiffner 1898a** as *Anastrophyllum contractum*, **1898b** as *Anastrophyllum contractum* and its var. *virescens*, Meijer 1954a, **Bonner 1962** as *Anastrophyllum contractum* var. *virescens*.

Cyathodium

- *** *C. cavernarum* Kunze ex Lehm. JAV: Srivastava & Dixit 1996, Piippo *et al.* 1998, Bapna & Kachroo 2000b, Easa 2003, Zhang *et al.* 2004, Bischler-Causse *et al.* 2005, Chaudhary *et al.* 2006.
- *** *C. foetidissimum* Schiffn. JAV: Stephani 1898, **Schiffner 1900a**, Arnell 1963, Bonner 1963b, Grolle 1966d, Miller *et al.* 1983. CJ: **Srivastava & Dixit 1996**. WJ: **SYNTYPES, Schiffner 1898b, 1900c, 1939, Herzog 1932, Bonner 1963b, Srivastava & Dixit 1996, Bischler-Causse et al. 2005, Duckett & Ligrone 2006**.
- *** *C. smaragdinum* Schiffn. JAV: Srivastava & Dixit 1996, Bapna & Kachroo 2000b, Zhang *et al.* 2004. CJ: Meijer 1955. WJ: Meijer 1953.

Dactylophorella

- *** *D. muricata* (Gottsche) R.M.Schust. JAV: **TYPE** of *Lejeunea muricata*, **Gottsche et al. 1845b** as *Lejeunea muricata*, **Sande Lacoste 1857** as *Lejeunea muricata*, **Schiffner 1898a** as *Drepanolejeunea muricata*, Stephani 1913 as *Drepanolejeunea muricata*, **Bischler 1964** as *Drepanolejeunea muricata*, Bonner 1965 as *Drepanolejeunea muricata*, Mizutani 1977, 1978a both as *Drepanolejeunea muricata*, **Geissler & Bischler 1987** as *Lejeunea muricata*. CJ: **Herzog 1934** as

47. *Colura denticulata* is very close to *C. leratii*.

48. *Colura imperfecta* is very close to *C. leratii*.

49. *Colurolejeunea* is a synonym of *Colura*, but the following two taxa have never been transferred. We do not know if they are worth recognizing or where they belong.

Drepanolejeunea muricata. WJ: **Schiffner 1900c** as *Drepanolejeunea muricata*, **Herzog 1934** as *Drepanolejeunea muricata*.

Dendrolejeunea

- *** *D. fruticosa* (Lindenb. et Gottsche) Lacout. JAV: Sande Lacoste 1857, **1864** both as *Bryopteris fruticosa*, Schiffner 1894 as *Thysananthus fruticosus*, Verdoorn 1934a as *Thysananthus fruticosus*, Bonner 1963a as *Bryopteris filicina* γ *fruticosa*, Mizutani 1977, 1978a, **1987b** all as *Thysananthus fruticosus*, Miller et al. 1983 also as *Lejeunea fruticosa* and *Thysananthus fruticosus*, Geissler & Bischler 1987 as *Lejeunea fruticosa*, **Thiers & Gradstein 1989** as *Thysananthus fruticosus*, Fulford & Sharp 1990 as *Bryopteris fruticosa*, Geissler & Bischler 1990 as *Thysananthus fruticosus* and *Thysanolejeunea fruticosa*. WJ: **LECTOTYPE** of *Bryopteris fruticosa*, **Gottsche et al. 1845a** as *Bryopteris filicina* γ *fruticosa*, **1847** as *Bryopteris fruticosa*, **Stephani 1890a** as *Bryopteris fruticosa*, **Schiffner 1898a** as *Thysananthus fruticosus*, **Gradstein et al. 2002**.

Denotarisia

- *** *D. linguifolia* (De Not.) Grolle JAV: Schiffner 1898a as *Anastrophyllum graeffei*, **1898b** as *Jamesoniella affinis*, **1900a** as *Jamesoniella affinis*, *Jamesoniella ovifolia* var. *minor*, var. *latifolia* and f. *virescens*, **Stephani 1901** as *Jamesoniella ovifolia*, Verdoorn 1931b, 1933b both as *Jamesoniella ovifolia*, Bonner 1966 as *Jamesoniella ovifolia* and its f. *virescens* and var. *minor*, Grolle 1966d as *Jamesoniella ovifolia*, Miller et al. 1983 as *Jamesoniella ovifolia* and *Jungermannia affinis*, Váňa & Piippo 1989b, Váňa 1991b. WJ: **TYPE** of *Jamesoniella affinis*, *Jamesoniella ovifolia* var. *latifolia*, *Jamesoniella ovifolia* f. *virescens* and *Jamesoniella ovifolia* var. *minor*, **Schiffner 1898b** as *Jamesoniella ovifolia* f. *virescens*, var. *latifolia* and var. *minor*, Meijer 1954a as *Jamesoniella ovifolia*, 1954b as *Jamesoniella affinis*, **Bonner 1966** as *Jamesoniella affinis* and *Jamesoniella ovifolia* var. *latifolia*, **Grolle 1971**, **Gradstein et al. 2010**.

Diplasiolejeunea

- *** *D. cavifolia* Steph. JAV: **SYNTYPE** of *Diplasiolejeunea javanica*, **Stephani 1916** as *Diplasiolejeunea javanica*, Bonner 1965 as *Diplasiolejeunea javanica*, **Grolle 1966a**, 1968a both as *Diplasiolejeunea brachyclada*, Bizot & Pócs 1974, Mizutani 1977, 1978a, Miller et al. 1983, **Zhu & So 2001**, Schäfer-Verwimp 2006.

- ** *D. patelligera* Herzog JAV: **Grolle 1966a**, Schäfer-Verwimp 2006. WJ: **TYPE**, **Herzog 1948**, **Bonner 1965**.

Diplophyllum

- *** *D. nanum* Herzog JAV: Grolle 1968a, Schuster 1974, Onraedt 1981, Piippo 1985a, Long & Grolle 1990, **Srivastava et al. 1991**, Engel & Merrill 1998, Srivastava 1998, Müller & Schäfer-Verwimp 1999, Bapna & Kachroo 2000b, Schuster 2002, Srivastava & Alam 2005, Blockeel et al. 2006. WJ: **TYPE**, **Herzog 1951a**, **1951b**, **Bonner 1965**.

Drepanolejeunea

- ? *D. affinis* Schiffn. nom. inval. WJ: **Schiffner 1900c**.

- *** *D. angustifolia* (Mitt.) Grolle JAV: **TYPE** of *Jungermannia cucullata* γ *tenuis* and *Jungermannia tenuis*, **Reinwardt et al. 1824a** as *Jungermannia tenuis*, Nees 1830 as *Jungermannia cucullata* γ *tenuis*, **Gottsche et al. 1845b** as *Lejeunea tenuis*, Sande Lacoste 1857 as *Lejeunea tenuis*, Stephani 1890b as *Lejeunea tenuis*, Bischler et al. 1962 as *Drepanolejeunea tenuis*, Tixier 1962 as *Drepanolejeunea tenuis*, Bonner 1965 as *Drepanolejeunea tenuis*, Hattori 1966a, Pócs et al. 1967 as *Drepanolejeunea tenuis* var. *brevifolia*, Pócs 1968a as *Drepanolejeunea tenuis*, Udar & Awasthi 1982, Miller et al. 1983 also as *Jungermannia tenuis* and *Lejeunea tenuis*, **Thiers 1986**, Geissler & Bischler 1987 as *Jungermannia cucullata* γ *tenuis*, *Jungermannia tenuis* and *Lejeunea tenuis*, Long & Grolle 1990, Bapna & Kachroo 2000b, **Zhu & So 2001**, Dauphin 2005 as *Drepanolejeunea tenuis*. CJ: **Herzog 1939** as *Drepanolejeunea tenuis* var. *tenuis*. EJ: **Herzog 1939** as *Drepanolejeunea tenuis* var. *tenuis*. WJ: **Sande Lacoste 1864** as *Lejeunea tenuis*, **Schiffner 1898a** as *Drepanolejeunea tenuis*, **Herzog 1939** as *Drepanolejeunea tenuis* var. *tenuis*, Meijer 1954a as *Drepanolejeunea tenuis*.

- ** *D. blumei* Steph. ex Schiffn. JAV: **SYNTYPE**, **Stephani 1896** as *Drepanolejeunea blumei*, 1913, **Schiffner 1898a**, **Herzog 1930**, Bonner 1965, **Thiers 1986**. WJ: **Schiffner 1900c**.

- ** — var. *angustistipula* Herzog nom. inval. JAV: Bonner 1965. WJ: **SYNTYPE**, **Herzog 1937**.

- ** *D. cyclops* (Sande Lac.) Grolle et R.L.Zhu JAV: Stephani 1913 as *Leptolejeunea cyclops*, 1916 as *Diplasiolejeunea cyclops*, Herzog 1943 as *Rhaphidolejeunea cyclops* [sensu Herzog is *R. spicata* fide Grolle 1965a], Bonner 1965 as *Diplasiolejeunea cyclops*, Geissler & Bischler 1985 as *Leptolejeunea cyclops*, 1990 as *Rhaphidolejeunea cyclops*. WJ: **TYPE** of *Lejeunea cyclops*, **Sande Lacoste 1864** as *Lejeunea cyclops*, **Schiffner 1898a** as *Leptolejeunea cyclops*, **Grolle 1965a** as *Rhaphidolejeunea cyclops*, **Bischler 1968b** as *Rhaphidolejeunea cyclops*, **Geissler & Bischler 1987** as *Lejeunea cyclops*.

- *** *D. dactylophora* (Nees, Lindenb. et Gottsche) Schiffn. JAV: **Schiffner 1893ab** as *Lejeunea dactylophora*, **1898a**, Tixier 1962, Bonner 1965, Pócs et al. 1967, Mizutani 1975, 1977, 1978a, 1978b, Miller et al. 1983, Zhu & So 2001.

- ** *D. elegans* Herzog WJ: **TYPE**, **Herzog 1937**, **Bonner 1965**, **Bischler 1968b**.

- ? *D. exilis* Schiffn. nom. inval. WJ: **Schiffner 1900c**.

- ? — var. *grossidentata* Schiffn. nom. inval. WJ: **Schiffner 1900c**.

- ** *D. fissicornua* Steph. JAV: **TYPE**, **Stephani 1913**, **Herzog 1930**, **Bonner 1965**, Pócs et al. 1994, Szab 1997. WJ: **Herzog 1937**, Mizutani 1990.

- * ⁵⁰*D. hampeana* Steph. JAV: **TYPE**, **TYPE** of *Lejeunea hampeana*, **Stephani 1890b** as *Lejeunea hampeana*, **Schiffner 1898a**, Stephani 1913, **Bonner 1965**, Miller et al. 1983, Geissler & Bischler 1987 as *Lejeunea hampeana*. WJ: **Schiffner 1900c**, **Herzog 1937**.

- *** *D. intermedia* Zwickel JAV: Miller et al. 1983. WJ: **Grolle 1976**.

50. *Drepanolejeunea hampeana* is doubtfully distinct from *D. thwaitesiana*.

- ** *D. levicornua* Steph. JAV: **TYPE, Stephani 1913**, Herzog 1930, Bonner 1965, Mizutani 1990, Szab 1997, Eggers *et al.* 1998, Zhu & So 2001. BA: Van Leeuwen 1936. WJ: Herzog 1937.
- * ⁵¹*D. longicornua* (Herzog) Mizut. JAV: Pócs & Streimann 1999. WJ: **Mizutani 1990**.
- * ⁵²*D. nymanii* Steph. JAV: **TYPE, Stephani 1913, Bonner 1965**, Grolle 1965a. WJ: Herzog 1937, Mizutani 1990.
- * ⁵³*D. obliqua* Steph. JAV: Stephani 1913, Pócs *et al.* 1967. CJ: Herzog 1939. WJ: **TYPE, Stephani 1896, Schiffner 1898a, Herzog 1939**, Meijer 1954a, Bonner 1965, Thiers 1986.
- *** *D. pentadactyla* (Mont.) Steph. JAV: **SYNTYPE** of *Drepanolejeunea micholitzii* and **TYPE** of *Drepanolejeunea micholitzii f. verdoornii*, **Stephani 1913** as *Drepanolejeunea micholitzii*, Mizutani 1961 as *Drepanolejeunea tenuoides*, **Bonner 1965** as *Drepanolejeunea micholitzii* and its f. *contorta*, f. *acanthantha*, f. *verdoornii*, var. *dactylophoroides*, var. *genuina* and f. *lonchoceras*, Mizutani 1975 as *Drepanolejeunea micholitzii*, Kitagawa 1981 as *Drepanolejeunea micholitzii*, Miller *et al.* 1983 as *Drepanolejeunea micholitzii* and its var. *dactylophoroides*, Szab 1997 as *Drepanolejeunea micholitzii*, Zhu & So 1999b, 2001. CJ: **SYNTYPES** of *Drepanolejeunea micholitzii* var. *dactylophoroides*, f. *contorta* and var. *genuina*, Herzog 1934 as *Drepanolejeunea micholitzii* var. *dactylophoroides*, f. *contorta* and var. *genuina*. WJ: **SYNTYPES** of *Drepanolejeunea micholitzii* f. *acanthantha*, var. *dactylophoroides* and var. *genuina*, Herzog 1934 as *Drepanolejeunea micholitzii* f. *acanthantha*, var. *dactylophoroides* and var. *genuina*, Verdoorn 1935 as *Drepanolejeunea micholitzii*.
- ** *D. pleiodictya* Herzog JAV: **Thiers 1986**. WJ: **TYPE, Herzog 1934, Bonner 1965**.
- ? *D. pusilla* Steph. ex Bonner *nom. inval.* WJ: **Bonner 1965**.
- * ⁵⁴*D. serricalyx* Herzog JAV: Miller *et al.* 1983, Pócs *et al.* 1994. WJ: **TYPE, Herzog 1937, Bonner 1965, Thiers 1986**.
- ** *D. spinoso-cornuta* Steph. BA: Herzog 1937.
- * ⁵⁵*D. tenera* K.I.Goebel JAV: Verdoorn 1935, Tixier 1962 as *Drepanolejeunea tenera* var. *goebelii*, Bonner 1965 as *Drepanolejeunea tenera* var. *genuina* and f. *goebelii*, Pócs 1969a as *Drepanolejeunea tenera* f. *tenera* and f. *goebelii*, Miller *et al.* 1983. WJ: **SYNTYPE** of *Drepanolejeunea tenera* f. *goebelii*, Herzog 1934 as *Drepanolejeunea tenera* var. *genuina* and f. *goebelii*.
- * — var. *litoceras* Herzog JAV: **TYPE, Bonner 1965**.
- *** *D. ternatensis* (Gottsche) Steph. ex Schiffn. JAV: **TYPE** of *Drepanolejeunea ternatensis* var. *lancispina*, Mizutani 1961, 1975, 1977, 1978a, 1978b, Bonner 1965 as *Drepanolejeunea ternatensis* var. *lancispina*, Pócs 1969a, Udar & Awasthi 1982 also as *Drepanolejeunea ternatensis* var. *lancispina*, Miller *et al.* 1983 as *Drepanolejeunea ternatensis* var. *ternatensis* and var. *lancispina*, Bapna & Kachroo 2000b as *Drepanolejeunea ternatensis* var. *lancispina* and var. *ternatensis*, Zhu & So 2001. CJ: Herzog 1939 as *Drepanolejeunea ternatensis* var. *lancispina*. EJ: Herzog 1939 as *Drepanolejeunea ternatensis* var. *lancispina*. WJ: Schiffner 1900c, Herzog 1939 as *Drepanolejeunea ternatensis* var. *lancispina* and var. *ternatensis*, Gradstein *et al.* 2010.
- ? *D. teysmannii* Gottsche ex Steph. *nom. inval.* JAV: **Gottsche 1882** as *Lejeunea teysmannii*, Schiffner 1893ab as *Lejeunea teysmannii*, Mizutani 1961, 1977, 1978a, Bonner 1965, Miller *et al.* 1983, Geissler & Bischler 1987 as *Lejeunea teysmannii*. WJ: Schiffner 1900c, Herzog 1939, Meijer 1954a.
- *** *D. thwaitesiana* (Mitt.) Steph. JAV: **TYPE** of *Drepanolejeunea setistipa*, Schiffner 1893ab as *Lejeunea setistipa*, Stephani 1896 as *Drepanolejeunea setistipa*, 1913, Herzog 1930, Bonner 1965 also as *Drepanolejeunea setistipa*, Tan & Engel 1986, Geissler & Bischler 1987 as *Lejeunea setistipa*. BA: Van Leeuwen 1936. WJ: **TYPE** of *Lejeunea setistipa*, Schiffner 1898a, 1900c both as *Drepanolejeunea setistipa*, Renner 1932, Geissler & Bischler 1987 as *Lejeunea setistipa*.
- ? *D. tjibodenii* Schiffn. *nom. inval.* WJ: Schiffner 1900c.
- ** *D. tricornua* Herzog WJ: **Herzog 1937, Mizutani 1990**.
- ? *D. tridactyla* (Gottsche) Steph. *nom. inval.* JAV: **TYPE** of *Lejeunea tridactyla*, Gottsche *et al.* 1845b as *Lejeunea tridactyla*, Sande Lacoste 1857 as *Lejeunea tridactyla*, Stephani 1890b as *Lejeunea tridactyla*, Schiffner 1898a, Stephani 1913, Herzog 1939, Bonner 1965, Geissler & Bischler 1987 as *Lejeunea tridactyla*.
- *** *D. vesiculosa* (Mitt.) Steph. JAV: Herzog 1934 as *Drepanolejeunea vesiculososa* subsp. *affinis*, Tixier 1962 as *Drepanolejeunea vesiculososa* subsp. *affinis*, Bonner 1965 as *Drepanolejeunea vesiculososa* subsp. *affinis*, Pócs *et al.* 1967, Mizutani 1977, 1978a, 1978b, Udar & Awasthi 1982, Miller *et al.* 1983, Bapna & Kachroo 2000b, Zhu & So 2001. WJ: Herzog 1939 as *Drepanolejeunea vesiculososa* subsp. *affinis*.
- ? — subsp. *propagulifera* Herzog *nom. inval.* JAV: Bonner 1963b, 1965. WJ: Herzog 1939.

Dumortiera

- *** ⁵⁶*D. hirsuta* (Sw.) Nees JAV: Reinwardt *et al.* 1824a as *Marchantia hirsuta*, Nees 1830, Gottsche 1853, Schiffner 1893ab as *Dumortiera hirsuta* a. *latior*, 1900a as *Dumortiera trichocephala* and *Dumortiera velutina*, Stephani 1899 also as *Dumortiera trichocephala* and *Dumortiera velutina*, Evans 1919 as *Dumortiera hirsuta* subsp. *hirsuta*, Verdoorn 1932a, Arnell 1958, Arnell 1963 as *Dumortiera hirsuta* var. *nepalensis*, Bonner 1965 also as *Dumortiera trichocephala*,

51. *Drepanolejeunea longicornua* is doubtfully distinct from *D. thwaitesiana*.

52. *Drepanolejeunea nymanii* is doubtfully distinct from *D. thwaitesiana*.

53. *Drepanolejeunea obliqua* is doubtfully distinct from *D. ternatensis*.

54. *Drepanolejeunea serricalyx* is doubtfully distinct from *D. thwaitesiana*.

55. *Drepanolejeunea tenera* is doubtfully distinct from *D. pentadactyla*.

56. *Dumortiera hirsuta* is a variable species and recent studies (N. Salazar-Allen, pers. comm.) indicate that more than one taxon may be involved. The most commonly recognized infrataxon is subsp. *nepalensis* (Taylor) R.M.Schust. and this is also frequently reported from Java.

Dumortiera velutina, *Dumortiera velutina* f. *exigua* and var. *subnuda*, Miller *et al.* 1983 as *Dumortiera hirsuta* subsp. *hirsuta*, *a latior*, *Dumortiera nepalensis*, *Dumortiera trichocephala* and *Dumortiera velutina*, Bapna & Kachroo 2000b as *Dumortiera nepalensis*, Easa 2003. BA: Van Leeuwen 1936 also as *Dumortiera velutina*. CJ: SYNTYPES of *Dumortiera hirsuta* *a latior* and f. *exigua*, Gottsche *et al.* 1846 as *Dumortiera hirsuta* *a latior*, Schiffner 1898a also as *Dumortiera hirsuta* *a latior*, 1955 as *Dumortiera trichocephala*, *Dumortiera velutina* and its f. *exigua*. EJ: SYNTYPE of *Dumortiera velutina* var. *subnuda*, Schiffner 1955 as *Dumortiera velutina* var. *subnuda*, *Dumortiera trichocephala* and *Dumortiera velutina*. WJ: SYNTYPE of *Dumortiera velutina* var. *subnuda*, TYPE of *Marchantia hirsuta*, *Dumortiera hirsuta* *a latior* and *Dumortiera velutina*, Gottsche *et al.* 1846 as *Dumortiera hirsuta* *a latior*, Sande Lacoste 1856a, 1857 both as *Dumortiera hirsuta* *a latior*, Schiffner 1898a also as *Dumortiera hirsuta* *a latior*, 1898b as *Dumortiera hirsuta* *a latior*, β *angustior* and *Dumortiera velutina*, 1900c as *Dumortiera hirsuta* subsp. *hirsuta* and *Dumortiera velutina*, 1955 as *Dumortiera velutina* var. *subnuda*, *Dumortiera trichocephala* and *Dumortiera velutina*, Evans 1919 as *Dumortiera nepalensis*, Seifriz 1924, Herzog 1932 as *Dumortiera velutina*, Meijer 1953 as *Dumortiera nepalensis* and *Dumortiera velutina*, Meijer 1954a, 1958b also as *Dumortiera nepalensis*, Bonner 1965 as *Dumortiera hirsuta* *a latior*, Geissler & Bischler 1985 as *Marchantia hirsuta*, Gradstein *et al.* 2010.

⁵⁷*Eulejeunea*

? *E. heteroclada* Schiffn. nom. inval. WJ: Schiffner 1900c.

⁵⁸*Euosmolejeunea*

? *E. minuta* Schiffn. nom. inval. WJ: Schiffner 1900c.

? *E. tenerrima* (Nees) Steph. JAV: SYNTYPE of *Jungermannia sordida* var. β *tenerrima*, Nees 1833 as *Jungermannia sordida* var. β *tenerrima*, Geissler & Bischler 1987 as *Jungermannia sordida* var. β *tenerrima*.

Fossombronia

*** *F. himalayensis* Kashyap JAV: Kravesky *et al.* 2005.

*** *F. japonica* Schiffn. JAV: Bonner 1965 as *Fossombronia cristula* var. *verdoornii*, Stotler *et al.* 2003 as *Fossombronia cristula* var. *verdoornii*, Kravesky *et al.* 2005. WJ: Verdoorn 1931b as *Fossombronia cristula* var. *verdoornii*, Meijer 1954a, Gradstein *et al.* 2010.

Frullania

** *F. acutiloba* Mitt. JAV: Hattori 1973c, 1975b as *Frullania hampeana* var. *acutiloba*, Hattori *et al.* 1977 as *Frullania hampeana* var. *acutiloba*, Hattori & Lin 1985, Bapna & Kachroo 2000b as *Frullania acutiloba* var. *acutiloba*, Bai 2002.

*** *F. apiculata* (Nees) Nees JAV: Reinwardt *et al.* 1824a as *Jungermannia apiculata*, Gottsche *et al.* 1845b, Sande Lacoste 1857 as *Frullania apiculata* γ *obscura*, Schiffner 1898a as *Frullania apiculata* var. β *nodulosa* and var. γ *obscura*, Verdoorn 1932a, Clark 1955b, Bonner 1965 as *Frullania apiculata* γ *obscura*, Hattori 1980a, Miller *et al.* 1983 as *Jungermannia apiculata*, Bapna & Kachroo 2000b, Zhu & So 2001, So & Wang 2006. BA: Geissler & Bischler 1987 as *Jungermannia apiculata*. WJ: TYPE of *Jungermannia apiculata*, Sande Lacoste 1864, Schiffner 1898a also as *Frullania nigricans*, Verdoorn 1929a, Meijer 1954a, Hattori 1975b, Gradstein *et al.* 2010.

** — var. *apiculata* JAV: Sande Lacoste 1857, Schiffner 1893ab, Miller *et al.* 1983, Von Konrat & Bragins 2001. WJ: Schiffner 1900c.

** — var. *goebelii* Schiffn. JAV: TYPE, TYPE of *Frullania pallida*, Schiffner 1893ab, 1898a, Stephani 1911 as *Frullania pallida*, Bonner 1965 also as *Frullania pallida*, Miller *et al.* 1983 as *Frullania pallida*. WJ: Schiffner 1900c.

* — β *laxa* Nees JAV: Sande Lacoste 1857, Bonner 1965 also as *Frullania apiculata* β *nodulosa*. WJ: TYPE of *Jungermannia apiculata* β *nodulosa*, Nees 1830 as *Jungermannia apiculata* β *nodulosa*, Geissler & Bischler 1987 as *Jungermannia apiculata* β *nodulosa*.

*** *F. arecae* (Spreng.) Gottsche JAV: TYPE of *Frullania hians* β *javanica*, Gottsche *et al.* 1845b as *Frullania hians* β *javanica*, Sande Lacoste 1857 as *Frullania hians* β *javanica*, Schiffner 1893ab as *Frullania mundiana*, 1898a as *Frullania wallichiana*, Verdoorn 1931a as *Frullania wallichiana*, Bonner 1965 as *Frullania hians* β *javanica* and *Frullania wallichiana*, Hattori 1966a as *Frullania wallichiana*, 1973a as *Frullania wallichiana* var. *wallichiana*, 1974a as *Frullania wallichiana*, 1974c as *Frullania wallichiana*, 1982 as *Frullania wallichiana*, Pócs *et al.* 1967 as *Frullania wallichiana*. WJ: Verdoorn 1929a as *Frullania wallichiana*, Gradstein *et al.* 2010.

*** — var. *arecae* WJ: Yuzawa 1991.

* ⁵⁹*F. brotheri* Steph. JAV: Hattori 1976b, 1980b, 1982, Hattori *et al.* 1977, Piippo *et al.* 2002.

*** *F. campanulata* Sande Lac. JAV: TYPE, Sande Lacoste 1854, 1855a, 1856b, 1857, Schiffner 1898a, Stephani 1910, Bonner 1965, Hattori 1974b, 1975b, Onraedt 1981, Bapna & Kachroo 2000b, Pócs 2008b. WJ: Verdoorn 1929a, 1931a, Meijer 1953.

** — var. *caduca* Verd. WJ: TYPE, Bonner 1965.

** — var. *malesiaca* (Verd.) S.Hatt. CJ: TYPE of *Frullania malesiaca*, Verdoorn 1930 as *Frullania malesiaca*, Hattori 1975d.

57. *Eulejeunea* is a synonym of *Lejeunea*, but the following taxon has not been transferred. We do not know where to place it.

58. *Euosmolejeunea* is a synonym of *Cheilolejeunea*, but the following taxa have not been transferred and we do not know where to place them.

59. *Frullania brotheri* is probably a mere high-elevation form of *F. nodulosa*.

- * ⁶⁰*F. claviloba* Steph. JAV: Verdoorn 1931a, Bonner 1965, Pócs et al. 1967, Hattori 1975b, 1975d, 1976b, 1982, Hattori et al. 1977. WJ: **Verdoorn 1929a**.
- *** *F. cordistipula* (Reinw., Blume et Nees) Dumort. JAV: **TYPE** of *Frullania solmsiana* and *Jungermannia cordistipula*, **Reinwardt et al. 1824a** as *Jungermannia cordistipula*, **Gottsch et al. 1845b**, **Gottsch 1853**, **Stephani 1911** also as *Frullania solmsiana*, Verdoorn 1931b, **Bonner 1965** also as *Frullania solmsiana*, **Hattori 1975d**, 1977, Miller et al. 1983, Geissler & Bischler 1987 as *Jungermannia cordistipula*. WJ: **Sande Lacoste 1864**, **Schiffner 1898a, 1900c**, **Verdoorn 1929a**.
 - * — var. β *mutica* (Nees) Schiffn. JAV: **Sande Lacoste 1857** as *Frullania cordistipula* β *mutica*, **Schiffner 1898a** as *Frullania cordistipula* β *mutica*, Bonner 1965 as *Frullania cordistipula* β *mutica*.
 - * — γ *regularis* (Nees) Nees JAV: **SYNTYPE** of *Jungermannia cordistipula* β *regularis*, **Nees 1830** as *Jungermannia cordistipula* β *regularis*, **Sande Lacoste 1857**, Bonner 1965, **Geissler & Bischler 1987** as *Jungermannia cordistipula* β *regularis*.
- *** *F. dentiloba* S.Hatt. WJ: **TYPE**, **Crosby & Engel 2006**.
- ** *F. emarginatula* Steph. WJ: **TYPE**, **Stephani 1910**, **Bonner 1965**.
- *** *F. ericoides* (Nees) Mont. JAV: **TYPE** of *Frullania javanica*, *Frullania laciniosa*, *Frullania squarrosa* f. *chonanthelioides*, *Frullania squarrosa* f. *campanuloides*, *Frullania vesiculososa* and *Jungermannia squarrosa*, **Reinwardt et al. 1824a** as *Jungermannia squarrosa*, **Nees 1830** as *Jungermannia squarrosa*, **Lehmann 1844** as *Frullania laciniosa*, **Gottsch et al. 1845b** as *Frullania laciniosa* and *Frullania squarrosa*, **Sande Lacoste 1857** also as *Frullania laciniosa* and *Frullania squarrosa*, **Schiffner 1898a** also as *Frullania laciniosa*, **1910** as *Frullania fleischeri*, *Frullania javanica*, *Frullania laciniosa*, *Frullania luzonensis*, *Frullania nymanii*, *Frullania vesiculososa*, Verdoorn 1930 as *Frullania squarrosa* f. *campanuloides* and f. *chonanthelioides*, Clark & Svhla 1948 as *Frullania squarrosa*, Kamimura 1961 as *Frullania squarrosa*, **Bonner 1965** as *Frullania aeolotis* α *auriculata*, *Frullania javanica*, *Frullania laciniosa*, *Frullania squarrosa* var. *ericoides*, *Frullania squarrosa* var. *planescens*, *Frullania squarrosa* f. *ericoides*, *Frullania squarrosa* var. *ericoides*, *Frullania squarrosa* f. *chonanthelioides*, *Frullania squarrosa* f. *campanuloides* and *Frullania vesiculososa*, Miller et al. 1983 also as *Frullania fleischeri*, *Frullania longispica*, *Frullania squarrosa* and its f. *ericoides*, *Frullania vesiculososa*, Hattori & Lin 1985 as *Frullania ericoides* var. *planescens*, **Geissler & Bischler 1987** as *Jungermannia squarrosa*, Bapna & Kachroo 2000b, Bai 2002 as *Frullania ericoides* var. *planescens*. WJ: **TYPE** of *Frullania fleischeri*, *Frullania nymanii* and *Frullania squarrosa* var. *planescens*, **Sande Lacoste 1864** as *Frullania squarrosa*, **Schiffner 1898a** as *Frullania squarrosa*, **Verdoorn 1929a** as *Frullania squarrosa* and its var. *planescens* and f. *ericoides*, **1932** as *Frullania squarrosa*, Meijer 1953 as *Frullania squarrosa*, **Bonner 1965** as *Frullania fleischeri* and *Frullania nymanii*.
 - * — var. β *laxa* (Nees) Schiffn. JAV: **Gottsch et al. 1845b** as *Frullania ericoides* β *laxa*, **Sande Lacoste 1857** as *Frullania ericoides* β *laxa*, **Schiffner 1898a** as *Frullania ericoides* β *laxa*, Bonner 1965 as *Frullania ericoides* β *laxa*.
- ** ⁶¹*F. fallax* Gottsche ex Steph. nom. illeg. JAV: **TYPE**, **Gottsch et al. 1845b**, **Sande Lacoste 1857**, **Schiffner 1898a**, **Stephani 1911**, **Verdoorn 1928**, 1931b, **Bonner 1965**, Hattori 1975b. WJ: **Verdoorn 1929a**, **Hattori 1980b**.
- *** *F. gaudichaudii* (Nees et Mont.) Nees et Mont. JAV: **Sande Lacoste 1857** as *Frullania recurvata*, Verdoorn 1931b, Bonner 1965, Miller et al. 1983. WJ: **Sande Lacoste 1864** as *Frullania recurvata*, **Schiffner 1898a** as *Frullania recurvata*, **Verdoorn 1929a** as *Frullania recurvata*.
- *** *F. gracilis* (Reinw., Blume et Nees) Gottsche, Lindenb. et Nees JAV: **TYPE** of *Frullania fusco-purpurea*, *Frullania lacerifolia*, *Frullania minor* and *Jungermannia gracilis*, **Reinwardt et al. 1824a** as *Jungermannia gracilis*, **Nees 1830** as *Jungermannia gracilis*, **Gottsch et al. 1845b**, **Sande Lacoste 1854**, **1855a**, **1856b** all as *Frullania minor*, **1857** also as *Frullania minor*, **Schiffner 1898a** as *Frullania minor*, **Stephani 1911** also as *Frullania fusco-purpurea*, *Frullania lacerifolia* and *Frullania minor*, Verdoorn 1932a, **Bonner 1965** also as *Frullania fusco-purpurea*, *Frullania gracilis* var. *lacerifolia*, *Frullania gracilis* var. *subapiculata*, as *Frullania lacerifolia* and *Frullania minor*, Hattori 1974a, Hattori 1975b also as *Frullania minor* var. *minor*, **1976a** as *Frullania gracilis* subsp. *minor*, 1976b, Hattori et al. 1977, Miller et al. 1983, **Geissler & Bischler 1987** as *Jungermannia gracilis*, Piippo et al. 2002. WJ: **SYNTYPE** of *Frullania gracilis* var. *subapiculata*, **TYPE** of *Frullania minor* var. *subsinuata* and var. *exorta*, **Sande Lacoste 1864**, **Schiffner 1898a**, **1900c** as *Frullania gracilis* var. *subapiculata* and *Frullania minor*, **Verdoorn 1929a** also as *Frullania gracilis* var. *subapiculata* and var. *lacerifolia* and *Frullania minor* and its var. *exorta*, Meijer 1953, **Bonner 1965** as *Frullania minor* var. *exorta* and var. *subsinuata*, **Gradstein et al. 2010**.
- *** *F. grandistipula* Lindenb. JAV: **TYPE**, **TYPE** of *Frullania apiculiloba*, **Gottsch et al. 1845b**, **Sande Lacoste 1857**, **Stephani 1910** also as *Frullania apiculiloba*, Verdoorn 1932a, **Bonner 1965** also as *Frullania apiculiloba*, Pócs et al. 1967, Hattori 1973d, **1974b**, 1976b as *Frullania grandistipula* var. *grandistipula*, 1982, 1986c, Miller et al. 1983 also as *Frullania apiculiloba*, Hattori & Piippo 1986, Bapna & Kachroo 2000b as *Frullania grandistipula* var. *grandistipula* and var. *rugosa*. WJ: **Sande Lacoste 1864** also as *Frullania rugosa*, **Schiffner 1898a** also as *Frullania rugosa*, **Verdoorn 1929a**, **Hattori 1975b**, **Gradstein et al. 2010**.
- *** *F. hasskarliana* Lindenb. JAV: **TYPE**, **Gottsch et al. 1845b**, **Sande Lacoste 1857**, **1864**, **Schiffner 1898a**, **Stephani 1911**, **Bonner 1965** also as *Frullania hasskarliana* f. *integribractea*, **Hattori 1973b**, 1975b as *Frullania hasskarliana* f.

60. *Frullania claviloba* is probably a synonym of *F. gracilis*.

61. *Frullania fallax* was published twice by Stephani 1911, p. 495 and p. 557. The former was printed 28 February and is a synonym of *F. intumescens* (Lehm. et Lindenb.) Lehm. et Lindenb. while this one was printed 6 May and needs a new name if it should be recognized.

- integribractea*, 1976b as *Frullania hasskarliana* var. *integribractea*, Hattori 1982 also as *Frullania hasskarliana* var. *integribractea*, Hattori & Piippo 1986. WJ: **Verdoorn 1929a**.
 * — var. *hasskarliana* JAV: Hattori 1975b, 1976b, 1986b.
- *** *F. hypoleuca* Nees JAV: Pócs et al. 1967, Hattori 1975b, 1976b, Miller et al. 1983, Hattori & Piippo 1986, Schuster 1992a. WJ: **Verdoorn 1929a**.
- ** *F. integristipula* (Nees) Nees JAV: **TYPE** of *Jungermannia integristipula*, Nees 1830 as *Jungermannia integristipula*, Gottsche et al. 1845b, **Sande Lacoste 1857**, Stephani 1911, Verdoorn 1931b, Bonner 1965, Hattori 1976b, **Geissler & Bischler 1987** as *Jungermannia integristipula*. WJ: **TYPE** of *Frullania integristipula* var. *reflexistipuloides*, **Sande Lacoste 1864**, Schiffner 1898a, **Verdoorn 1928, 1929a** also as *Frullania integristipula* var. *reflexistipuloides*, Bonner 1965 as *Frullania integristipula* var. *reflexistipuloides*.
 ** — var. *emarginata* Verd. JAV: Bonner 1965, **Hattori 1980b**, 1982, Hattori & Piippo 1986.
 ** — var. *integristipula* WJ: **Hattori 1980b**.
- *** *F. intermedia* (Reinw., Blume et Nees) Dumort. JAV: **Reinwardt et al. 1824a** as *Jungermannia intermedia*, **Sande Lacoste 1857, 1864**, **Clark & Frye 1948**, Miller et al. 1983, Hattori & Streimann 1985 as *Frullania intermedia* var. *non-apiculata*, Hattori 1986a as *Frullania intermedia* var. *non-appendiculata*, Bapna & Kachroo 2000b. WJ: **TYPE** of *Jungermannia intermedia*, Nees 1830 as *Jungermannia intermedia*, Gottsche et al. 1845b, Schiffner 1898a, Geissler & Bischler 1987 as *Jungermannia intermedia*.
 ** — subsp. *intermedia* JAV: **Hattori 1980b**.
- *** *F. junghuhniana* Gottsche JAV: **TYPE**, **TYPE** of *Frullania diversifolia*, **Gottsche et al. 1845b**, Sande Lacoste 1857, Schiffner 1893ab, Stephani 1911 also as *Frullania diversifolia*, Bonner 1965 also as *Frullania diversifolia*, **Hattori 1973a**, 1986a, Miller et al. 1983 also as *Frullania diversifolia*. WJ: **Schiffner 1898a, Verdoorn 1929a, 1931a**.
 ** — var. *junguhhniana* JAV: Hattori 1975b, 1976b, 1982, 1986b, Hattori & Mizutani 1982, Hattori & Piippo 1986.
 ** — var. *tenella* (Sande Lac.) Grolle et S.Hatt. JAV: **Sande Lacoste 1854, 1855a, 1856b** all as *Frullania tenella*, Bonner 1965 as *Frullania perversa*, *Frullania sinuata* β *tenella* and *Frullania tenella*, Hattori 1975b, 1976b, 1982 all as *Frullania junghuhniana* var. *minutissima*, 1986a, 1986b, Hattori & Mizutani 1982 as *Frullania junghuhniana* var. *minutissima*, Miller et al. 1983 as *Frullania junghuhniana* var. *minutissima*, *Frullania sinuata* β *tenella* and *Frullania tenella*, Hattori & Piippo 1986. WJ: **TYPE** of *Frullania junghuhniana* var. *minutissima* and *Frullania minutissima*, **Sande Lacoste 1857** as *Frullania sinuata* β *tenella*, Schiffner 1898a as *Frullania tenella*, **1900c** as *Frullania minutissima*, Bonner 1965 as *Frullania junghuhniana* var. *minutissima* and *Frullania minutissima*.
 ** *F. kurzii* Steph. JAV: **TYPE, Stephani 1910, Bonner 1965**.
- *** *F. meyeniana* Lindenb. JAV: Verdoorn 1931a, Kamimura 1961, Tixier 1962, 1969, Pócs et al. 1967, Hattori 1973a, Bapna & Kachroo 2000b.
 ** — var. *meyeniana* JAV: **TYPE** of *Frullania pallens*, Schiffner 1898a as *Frullania pallens*, Stephani 1911 as *Frullania pallens*, Bonner 1965 as *Frullania pallens*, Miller et al. 1983. WJ: **Verdoorn 1929a** as *Frullania pallens*.
- ** *F. microauriculata* Verd. JAV: **TYPE**, Verdoorn 1931a, **Bonner 1965**, Hattori 1975b. WJ: **Verdoorn 1929a, Hattori 1976a**.
 ** — var. *rotundior* Verd. JAV: **Bonner 1965**. WJ: **SYNTYPES**.
- *** *F. moniliata* (Reinw., Blume et Nees) Mont. JAV: **TYPE** of *Jungermannia moniliata*, Reinwardt et al. 1824a as *Jungermannia moniliata*, Nees 1830 as *Jungermannia moniliata*, **Sande Lacoste 1857**, Stephani 1911 also as *Frullania breviramea*, Kamimura 1961 as *Frullania tamarisci* subsp. *moniliata*, Bonner 1965 also as *Frullania moniliata* subsp. *breviramea*, **Hattori 1972** as *Frullania tamarisci* var. *breviramea* and var. *obscura*, 1974a, 1975b both as *Frullania tamarisci* subsp. *obscura*, 1976b as *Frullania tamarisci* var. *breviramea*, Hattori et al. 1977 as *Frullania tamarisci* var. *breviramea*, Geissler & Bischler 1987 as *Jungermannia moniliata*, Bapna & Kachroo 2000b as *Frullania tamarisci* var. *obscura*, Zhu & So 2001. CJ: Gottsche et al. 1845b, Schiffner 1898a. WJ: **Sande Lacoste 1864, Schiffner 1898a, 1900c, Verdoorn 1929a, 1931b** as *Frullania moniliata* subsp. *breviramea*.
- *** *F. monocera* (Hook.f. et Taylor) Taylor ex Gottsche, Lindenb. et Nees JAV: Kamimura 1961 as *Frullania hampeana*, Miller et al. 1983 also as *Frullania tortuosa*, Bapna & Kachroo 2000b. WJ: **TYPE** of *Frullania tortuosa*, **Verdoorn 1929a** as *Frullania tortuosa*.
 ** — var. *schiffneri* (Verd.) S.Hatt. JAV: Hattori & Lin 1985 as *Frullania acutiloba* var. *schiffneri*, Bapna & Kachroo 2000b as *Frullania acutiloba* var. *schiffneri*. WJ: **TYPE** of *Frullania acutiloba* var. *schiffneri*, **Verdoorn 1929a** as *Frullania acutiloba* var. *schiffneri*.
- *** *F. nepalensis* (Spreng.) Lehm. et Lindenb. JAV: Stephani 1910, Verdoorn 1932a, Kamimura 1961, Bonner 1965, Pócs et al. 1967, Hattori 1974a, 1982, Hattori et al. 1977, Hattori & Lin 1985, Hattori & Piippo 1986, Bapna & Kachroo 2000b, Zhu & So 2001, Bai 2002. WJ: **Sande Lacoste 1864, Schiffner 1898a, Verdoorn 1929a**, Meijer 1954a.
- *** *F. neurota* Taylor JAV: Stephani 1910 as *Frullania lauterbachii*, Verdoorn 1932a, Clark 1953, Bonner 1965, Grolle 1966c, Pócs et al. 1967, Hattori 1971a, 1973a as *Frullania neurota* var. *neurota*, Hattori et al. 1977, Miller et al. 1983, Schuster 1992a, Piippo et al. 1998, Bapna & Kachroo 2000b, Bai 2002. EJ: **TYPE** of *Frullania lauterbachii*, **Bonner 1965** as *Frullania lauterbachii*. WJ: **Verdoorn 1929a** as *Frullania lauterbachii*, Gradstein et al. 2010.
- ** *F. nigricaulis* (Reinw., Blume et Nees) Nees JAV: **TYPE** of *Jungermannia nigricaulis*, Reinwardt et al. 1824a as *Jungermannia nigricaulis*, Nees 1830 as *Jungermannia nigricaulis*, Gottsche et al. 1845b, Sande Lacoste 1857, Schiffner 1893ab, Stephani 1911 also as *Frullania macrostipula*, Bonner 1965, Hattori et al. 1977, Geissler & Bischler 1987 as *Jungermannia nigricaulis*. WJ: **TYPE** of *Frullania macrostipula*, **Sande Lacoste 1864**, Schiffner 1900c, Verdoorn 1929a, 1931b, Bonner 1965 as *Frullania macrostipula*.

- ** — var. *elongata* Verd. WJ: **TYPE, Bonner 1965.**
- *** *F. nodulosa* (Reinw., Blume et Nees) Nees JAV: **Reinwardt et al. 1824a** as *Jungermannia nodulosa*, **Gottscche et al. 1845b, Meissner 1848, Gottscche 1853**, Verdoorn 1931b, Clark & Svhla 1948, Bonner 1965 as *Frullania nodulosa* f. *dapitana*, Miller et al. 1983 also as *Frullania dapitana*, Bapna & Kachroo 2000b. EJ: **Sande Lacoste 1864**. WJ: **TYPE** of *Jungermannia nodulosa*, Nees 1830 as *Jungermannia nodulosa*, **Sande Lacoste 1857, Schiffner 1898a, 1900c, Verdoorn 1928, 1929a, Hattori 1980b, Geissler & Bischler 1987 as *Jungermannia nodulosa*.**
- *** *F. orientalis* Sande Lac. JAV: **TYPE, Sande Lacoste 1855a, 1857**, Stephani 1911, Verdoorn 1931b, **Bonner 1965**, Hattori 1973d, 1975b, 1976b, 1982, Miller et al. 1983, Hattori & Piippo 1986, Bapna & Kachroo 2000b. WJ: **Sande Lacoste 1864, Schiffner 1898a**, Meijer 1954a.
- *** *F. ornithocephala* (Reinw., Blume et Nees) Nees JAV: **TYPE** of *Jungermannia ornithocephala*, **Reinwardt et al. 1824a** as *Jungermannia ornithocephala*, **Gottscche et al. 1845b**, Stephani 1910, Verdoorn 1931a, Bonner 1965, **Hattori 1974c, 1976b, Hattori et al. 1977, Geissler & Bischler 1987 as *Jungermannia ornithocephala*. WJ: **Schiffner 1898a, 1900c, Verdoorn 1929a, Gradstein et al. 2010.****
- * — var. β *major* (Nees) Schiffn. JAV: **TYPE** of *Jungermannia ornithocephala* β *major*, Nees 1830 as *Jungermannia ornithocephala* β *major*, **Sande Lacoste 1857** as *Frullania ornithocephala* β *major*, **Schiffner 1898a**, Bonner 1965 as *Frullania ornithocephala* β *major*, **Geissler & Bischler 1987** as *Jungermannia ornithocephala* β *major*.
- * — a *minor* (Nees) Nees JAV: **TYPE** of *Jungermannia ornithocephala* a *minor*, Nees 1830 as *Jungermannia ornithocephala* a *minor*, **Sande Lacoste 1857**, Bonner 1965, **Geissler & Bischler 1987** as *Jungermannia ornithocephala* a *minor*.
- ** — var. *ornithocephala* JAV: Hattori 1974a, 1975b.
- ** — var. *pilosa* Verd. JAV: **TYPE** of *Frullania teres*, Stephani 1910 as *Frullania teres*, **Bonner 1965** as *Frullania ornithocephala* f. *teres* and *Frullania teres*. WJ: **TYPE, Sande Lacoste 1857** as *Frullania teres*, **Verdoorn 1929a, Bonner 1965**.
- ** *F. pinnulata* Sande Lac. JAV: **TYPE, Sande Lacoste 1854, 1855a, 1856b, 1857, Schiffner 1898a**, Stephani 1911, Bonner 1965.
- ? *F. propagulifera* Schiffn. nom. inval. WJ: **Schiffner 1900c.**
- *** *F. ramuligera* (Nees) Mont. JAV: **TYPE** of *Jungermannia ramuligera*, Nees 1830 as *Jungermannia ramuligera*, Gottscche et al. 1845b, **Sande Lacoste 1857, Schiffner 1898a**, Stephani 1911, Kamimura 1961, Bonner 1965, Pócs et al. 1967, Hattori 1973a, 1974a, 1986b, Onraedt 1981, Hattori & Lin 1985, **Geissler & Bischler 1987** as *Jungermannia ramuligera*, Bai 2002. WJ: **Verdoorn 1929a.**
- ** *F. recurvistipula* S.Hatt. WJ: **Hattori 1986c.**
- ** *F. reflexistipula* Sande Lac. JAV: **TYPE, Sande Lacoste 1854, 1855a, 1856b, 1857, 1864, Schiffner 1893ab, 1898a**, Stephani 1910, Verdoorn 1932a, Bonner 1965, **Hattori 1973d**, 1974a, 1974c, 1975b, 1976b, 1982, 1986b. WJ: **Verdoorn 1929a.**
- ** — var. *reflexistipula* JAV: Miller et al. 1983, Hattori & Piippo 1986.
- ** *F. relicta* Steph. JAV: **TYPE, Stephani 1911, Bonner 1965.**
- *** *F. repandistipula* Sande Lac. JAV: **TYPE, Sande Lacoste 1854, 1855a, 1856b, 1857, Schiffner 1898a**, Stephani 1911, Bonner 1965, **Hattori 1973b**, 1974a, 1976b, 1986b, Bizot et al. 1978.
- *** ⁶²*F. riojaneirensis* (Raddi) Ångstr. JAV: **SYNTYPE** of *Frullania commutata*, **TYPE** of *Jungermannia galeata*, **Reinwardt et al. 1824a** as *Jungermannia galeata*, Nees 1830 as *Jungermannia obscura*, **Gottscche et al. 1845b** as *Frullania sebastianopolitana* β *galeata*, **Sande Lacoste 1857** as *Frullania sebastianopolitana* β *galeata*, **Stephani 1910** as *Frullania commutata*, Verdoorn 1932a as *Frullania galeata*, **Bonner 1965** as *Frullania commutata*, *Frullania galeata* and *Frullania sebastianopolitana* β *galeata*, Hattori 1973a, 1974a, 1975b, 1982 all as *Frullania galeata*, Hattori et al. 1977 as *Frullania galeata*, Miller et al. 1983 as *Frullania galeata*, Hattori & Lin 1985, Hattori & Streimann 1985, Hattori & Piippo 1986, **Geissler & Bischler 1987** as *Jungermannia galeata*, Bapna & Kachroo 2000b, Bai 2002. WJ: **Sande Lacoste 1864** as *Frullania sebastianopolitana*, **Schiffner 1898a, Verdoorn 1929a** as *Frullania galeata*, Yuzawa 1991, **Gradstein et al. 2010.**
- * ⁶³*F. serrata* Gottscche JAV: **SYNTYPE** and **SYNTYPE** of *Frullania latistipula*, **Gottscche et al. 1845b, Schiffner 1893ab, Stephani 1911** also as *Frullania latistipula* and *Frullania meteoroides*, Verdoorn 1931b, Clark & Svhla 1948, Arnell 1956, Bonner 1965 also as *Frullania cordistipula* var. δ *mucronata*, *Frullania latistipula* and *Frullania meteoroides*, Hattori 1974a, Miller et al. 1983 also as *Frullania meteoroides*, Bapna & Kachroo 2000b. WJ: **Schiffner 1898a, Verdoorn 1929a, 1932, Hattori 1973b.**
- * — var. β *pertenuis* (Nees) Schiffn. JAV: **TYPE** of *Jungermannia cordistipula* γ *pertenuis*, Nees 1830 as *Jungermannia cordistipula* γ *pertenuis*, **Sande Lacoste 1857** as *Frullania serrata* β *pertenuis*, **Schiffner 1898a** as *Frullania serrata* β *pertenuis*, Bonner 1965 as *Frullania serrata* β *pertenuis*, **Geissler & Bischler 1987** as *Jungermannia cordistipula* γ *pertenuis*.
- * — var. *serrata* JAV: **Sande Lacoste 1857**, Bonner 1965 as *Frullania serrata* f. *crispulo-dentata*, Hattori 1976b, 1986b both as *Frullania serrata* f. *crispulo-dentata*, Hattori & Streimann 1985 as *Frullania serrata* f. *crispulo-*

62. *Frullania obscura* (Sw.) Dumort. was treated as a synonym of *F. riojaneirensis* with a question mark by Yuzawa (1991). If this synonymy is correct, the former name must be used.

63. *Frullania serrata* is probably conspecific with *F. cordistipula*. The two differ only by the degree of dentation of the female bracts and sterile material cannot be separated (Verdoorn 1930, Hattori 1986).

- dentata*, Hattori & Piippo 1986 as *Frullania serrata* f. *crispulo-dentata*. WJ: SYNTYPES of *Frullania serrata* f. *crispulo-dentata*, Verdoorn 1929a as *Frullania serrata* f. *crispulo-dentata*.
- ** *F. sinuata* Sande Lac. JAV: TYPE, Sande Lacoste 1854, 1855a, 1856b, 1857, Schiffner 1898a, Stephani 1911, Bonner 1965, Pócs et al. 1967, Hattori 1973c, 1975b as *Frullania sinuata* subsp. *sinuata*, Hattori & Piippo 1986. WJ: Verdoorn 1929a, 1931a.
- ** *F. subnigricaulis* S.Hatt. JAV: TYPE, Hattori 1973c, 1974b, 1982, Hattori & Streimann 1985.
** — var. *subnigricaulis* JAV: Hattori 1975b, 1976b, 1986b, Hattori & Piippo 1986.
- *** *F. ternatensis* Gottsche JAV: TYPE, Gottsche et al. 1846, Meissner 1848, Sande Lacoste 1857, Verdoorn 1931a, Tixier 1962, Hattori 1982, Miller et al. 1983, Hattori & Streimann 1985, Hattori & Piippo 1986. WJ: Sande Lacoste 1864, Schiffner 1898a, Verdoorn 1929a, Meijer 1954a, Hattori 1973b.
* — var. *ternatensis* JAV: Hattori 1974a.
- * ⁶⁴*F. tjibodensis* S.Hatt. et Thaithong JAV: Crosby & Engel 2006. WJ: TYPE, Hattori & Thaithong 1977.
- ? *F. treubiana* Schiffn. nom. inval. WJ: Bonner 1965.
- * ⁶⁵*F. tricarinata* Sande Lac. JAV: TYPE, Sande Lacoste 1855a, 1857, Schiffner 1898a, Stephani 1911, Bonner 1965, Hattori 1973b, Schuster 1992a.
- ** *F. trichodes* Mitt. JAV: Bonner 1965 as *Frullania picta*, Hattori 1982 as *Frullania vethii*, Hattori & Piippo 1986, Piippo et al. 1998.
- *** *F. vaginata* (Sw.) Dumort. JAV: TYPE of *Jungermannia vaginata*, Swartz 1781 as *Jungermannia vaginata*, Reinwardt et al. 1824a as *Jungermannia vaginata*, Nees 1830 as *Jungermannia vaginata*, Gottsche et al. 1846, Schiffner 1893ab, Stephani 1911, Verdoorn 1931b, Bonner 1965, Hattori 1975b, 1976a, 1982, Hattori & Piippo 1986, Geissler & Bischler 1987 as *Jungermannia vaginata*. WJ: Sande Lacoste 1864, Schiffner 1898a, Verdoorn 1929a, Meijer 1954a.
* — var. β *nigricans* (Nees) Schiffn. JAV: Sande Lacoste 1857 as *Frullania vaginata* β *nigricans*, Schiffner 1898a as *Frullania vaginata* β *nigricans*, Bonner 1965 as *Frullania vaginata* β *nigricans*.

Gongylanthus

- *** *G. javanicus* Grolle JAV: TYPE, Grolle 1965c.

Gottzschea

- *** *G. aligera* (Nees) Nees JAV: TYPE of *Jungermannia aligera* δ *exalbida*, *Jungermannia aligera*, *Plagiochila philippinensis*, *Schistochila cuspidata* and *Schistochila longifolia*, Blume & Nees 1823 as *Jungermannia aligera*, Reinwardt et al. 1824a as *Jungermannia aligera*, Nees 1830 as *Jungermannia aligera* δ *exalbida*, Gottsche et al. 1844 as *Gottzschea philippinensis*, Gottsche 1853, Sande Lacoste 1857 as *Gottzschea philippinensis*, Schiffner 1898a as *Schistochila aligera* var. δ *ex-albida*, Stephani 1909b as *Schistochila aligera* and *Schistochila cuspidata*, 1924 as *Schistochila longifolia*, Bonner 1966, Grolle 1966f as *Schistochila aligera*, *Schistochila philippinensis* and *Schistochila recurvata*, Pócs et al. 1967 as *Schistochila recurvata*, Pócs 1968a as *Schistochila aligera*, Tixier 1969 as *Schistochila aligera*, Miller et al. 1983 also as *Notarisia aligera*, *Paraschistochila aligera*, *Schistochila aligera*, *Schistochila longifolia*, *Schistochilaster aliger* and *Schistochilaster philippinense*, Piippo 1984a as *Schistochila aligera* and *Schistochila philippinensis*, Geissler & Bischler 1987 as *Jungermannia aligera* δ *exalbida* and *Jungermannia aligera*, 1989 as *Notarisia aligera*, *Paraschistochila aligera*, *Paraschistochila cuspidata* and *Plagiochila philippinensis*, 1990 as *Schistochila aligera*, *Schistochila cuspidata*, *Schistochila longifolia* and *Schistochilaster aliger*, Bapna & Kachroo 2000b as *Schistochila aligera* and *Schistochila philippinensis*, So 2003a as *Schistochila aligera*. CJ: Schiffner 1955 as *Schistochila aligera*. WJ: Gottsche et al. 1844, Sande Lacoste 1857, 1864 also as *Gottzschea philippinensis*, Schiffner 1898a as *Schistochila aligera* and *Schistochila philippinensis*, 1900c as *Schistochila aligera*, Buch 1939 as *Schistochila aligera*, *Schistochila philippinensis* and *Schistochila recurvata*, Meijer 1954a as *Schistochila aligera*, Daniels & Daniels 2008 as *Schistochila aligera*.

Gottschelia

- *** *G. schizophleura* (Spruce) Grolle JAV: LECTOTYPE of *Anastrophyllum integrerrimum*, TYPE of *Jungermannia colorata* γ *microphylla*, Nees 1830 as *Jungermannia colorata* γ *microphylla*, Schiffner 1900a as *Jamesoniella microphylla* and its var. *minuta* and var. *gracilis*, Stephani 1901 as *Jamesoniella microphylla*, 1917b as *Anastrophyllum integrerrimum* and *Jamesoniella fleischeri*, Verdoorn 1931b as *Jamesoniella microphylla*, Bonner 1962 as *Anastrophyllum integrerrimum*, 1966 as *Jamesoniella microphylla* and its var. *gracilis*, Bizot & Pócs 1974, Miller et al. 1983 also as *Anastrophyllum integrerrimum*, Geissler & Bischler 1987 as *Jungermannia colorata* γ *microphylla*, Váňa & Piippo 1989b, Váňa 1991b, Engel & Braggins 1998, Bapna & Kachroo 2000b. CJ: Grolle 1968b. WJ: TYPE of *Jamesoniella fleischeri*, *Jamesoniella microphylla* var. *gracilis*, *Jamesoniella microphylla* var. *minuta* and *Jungermannia flexicaulis* β *microphylla*, Sande Lacoste 1864 as *Jungermannia flexicaulis* β *microphylla*, Schiffner 1898a as *Jamesoniella flexicaulis* var. β *microphylla* and *Jamesoniella microphylla* and its var. *gracilis* and var. *minuta*, Meijer 1954a as *Jamesoniella microphylla*, Bonner 1966 as *Jamesoniella fleischeri* and *Jamesoniella microphylla* var. *minuta*, Grolle 1968b, Geissler & Bischler 1987 as *Jungermannia flexicaulis* β *microphylla*.

Haplomitrium

- *** *H. blumei* (Nees) R.M.Schust. JAV: TYPE of *Monoclea blumei*, Nees 1830 as *Monoclea blumei*, Gottsche et al. 1846 as *Calobryum blumii*, Sande Lacoste 1857 as *Calobryum blumii*, Schiffner 1893ab, 1900a, 1900 all as *Calobryum blumii*, Verdoorn 1931b as *Calobryum blumei*, Bonner 1963a, 1977 both as *Calobryum blumii*, Piippo 1984a, Geissler & Bischler

64. *Frullania tjibodensis* is probably a synonym of *F. campanulata*.

65. *Frullania tricarinata* is probably conspecific with *F. hypoleuca*. The two differ only by the number of ventral perianth keels (1 in *F. hypoleuca*, 3 in *F. tricarinata*).

1985 as *Monoclea blumei*, Srivastava 1998 as *Calobryum blumii*, Bapna & Kachroo 2000a as *Calobryum blumii*, **Gao 2003**, Higuchi 2005. EJ: **Schiffner 1898a** as *Calobryum blumii*. WJ: **TYPE** of *Scalius carnosulus*, Goebel 1891 as *Calobryum blumii*, **Mitten 1891** as *Scalia carnosula*, **Schiffner 1898a, 1898b** both as *Calobryum blumii*, Meijer 1958b as *Calobryum blumei*, **Geissler & Bischler 1990** as *Scalius carnosulus*.

Harpalejeunea

*** *H. filicispis* (Steph.) Mizut. JAV: Mizutani 1973a, 1977, 1978a, Miller *et al.* 1983 as *Drepanolejeunea filicispis*. EJ: **Herzog 1939** as *Drepanolejeunea filicispis*. WJ: **Herzog 1939** as *Drepanolejeunea filicispis*, **Grolle 1979a, Gradstein *et al.* 2010**.

* ⁶⁶*H. renneri* Herzog JAV: **TYPE, Herzog 1951a, Bonner 1966, Grolle & Reiner-Drehwald 1999**.

Hattoriella

*** *H. subcrispa* (Herzog) Bakalin JAV: **Schiffner 1900a** as *Lophozia dubia*. WJ: **TYPE** of *Lophozia dubia*, **Schiffner 1898b** as *Lophozia dubia*, **Geissler & Bischler 1985** as *Lophozia dubia*.

Herbertus

** *H. armitanus* (Steph.) H.A.Mill. WJ: **Juslén 2006, Gradstein *et al.* 2010**.

*** *H. dicranus* (Taylor ex Gottsche, Lindenb. et Nees) Trevis. JAV: **Sande Lacoste 1857** as *Sendtnera dicrana*, Bapna & Kachroo 2000a. WJ: **Schiffner 1898a**.

** *H. ramosus* (Steph.) H.A.Mill. JAV: **TYPE** of *Schisma javanicum* and *Schisma ramosum*, **Stephani 1909b** as *Schisma javanicum* and *Schisma ramosum*, **Miller 1965** also as *Herberta javanica*, Pócs 1969a as *Herberta ramosa*, **Geissler & Bischler 1990** as *Schisma javanicum* and *Schisma ramosum*, **Gao 2003** also as *Herbertus javanicus*. CJ: **TYPE** of *Herbertus javanicus* f. *major* and f. *minor*, **Schiffner 1955** as *Herberta javanica* and its f. *minor* and f. *major*. WJ: **Seifriz 1924** as *Schisma javanicum*, **Juslén 2006**.

Heteroscyphus

** *H. acutangulus* (Schiffn.) Schiffn. JAV: **Schiffner 1900a** as *Chiloscyphus acutangulus*, **Stephani 1907** as *Chiloscyphus acutangulus*, Bonner 1963b as *Chiloscyphus acutangulus*, 1966, **Piippo 1985b**. WJ: **TYPE** of *Chiloscyphus acutangulus*, **Schiffner 1900b** as *Chiloscyphus acutangulus*, **Gao *et al.* 2004**.

*** *H. argutus* (Reinw., Blume et Nees) Schiffn. JAV: **SYNTYPE** of *Chiloscyphus argutus* ε *subtilis*, **Reinwardt *et al.* 1824a** as *Jungermannia arguta*, **Gott sche *et al.* 1845a** as *Chiloscyphus argutus* and its ε *subtilis*, **Schiffner 1898a** as *Chiloscyphus argutus* var. β *amphigastriis-obsoletis*, **1900a** as *Chiloscyphus argutus*, Bonner 1963b as *Chiloscyphus argutus* ε *subtilis*, Miller *et al.* 1983 as *Jungermannia arguta*, Geissler & Bischler 1985 as *Lophocolea arguta*, Piippo 1985b, 1989b, Srivastava & Srivastava 1991, 2002, Bapna & Kachroo 2000b, Zhu & So 2001, Potemkin 2004. WJ: **TYPE** of *Jungermannia arguta*, Nees 1830 as *Jungermannia arguta*, **Sande Lacoste 1857** as *Chiloscyphus argutus* and its ε *subtilis*, **1864** as *Chiloscyphus argutus*, **Schiffner 1898a** as *Chiloscyphus argutus* and its var. γ *subtilis*, **1900b** as *Chiloscyphus argutus* f. *typica*, **1955** as *Chiloscyphus argutus*, Meijer 1953, 1954a both as *Chiloscyphus argutus*, **Geissler & Bischler 1987** as *Jungermannia arguta*, **Gradstein *et al.* 2010**.

** — var. *brevidens* (Schiffn.) Herzog et Nog. JAV: **Schiffner 1900a** as *Chiloscyphus argutus* var. *brevidens*, Bonner 1966. WJ: **TYPE** of *Chiloscyphus argutus* var. *brevidens*, **Schiffner 1900b** as *Chiloscyphus argutus* var. *brevidens*, **Bonner 1963b** as *Chiloscyphus argutus* var. *brevidens*.

* — var. *ciliatistipulus* Schiffn. JAV: **Schiffner 1900a** as *Chiloscyphus argutus* var. *ciliatistipus*, **Bonner 1963b** as *Chiloscyphus argutus* var. *ciliatistipus*. WJ: **SYNTYPE** of *Chiloscyphus argutus* var. *ciliatistipus*, **Schiffner 1900b** as *Chiloscyphus argutus* var. *ciliatistipus*.

*** *H. aselliformis* (Reinw., Blume et Nees) Schiffn. JAV: **TYPE** of *Chiloscyphus javanicus* and *Jungermannia aselliformis*, **Reinwardt *et al.* 1824b** as *Jungermannia aselliformis*, Nees 1830 as *Jungermannia aselliformis*, **Gott sche *et al.* 1845a** as *Chiloscyphus aselliformis*, **Gott sche 1853** as *Chiloscyphus aselliformis*, **Sande Lacoste 1857** as *Chiloscyphus aselliformis*, **Schiffner 1893ab** as *Chiloscyphus aselliformis*, **1900a** as *Chiloscyphus aselliformis* var. *neesii* and f. *typica*, Stephani 1907 as *Chiloscyphus aselliformis*, **1922** as *Chiloscyphus javanicus*, Verdoorn 1931b as *Chiloscyphus aselliformis*, Kuwahara & Hattori 1953 as *Chiloscyphus javanicus*, **Bonner 1963b** as *Chiloscyphus aselliformis* and its var. *neesii* and *Chiloscyphus javanicus*, 1965 as *Gamoscyphus aselliformis*, 1966, Miller *et al.* 1983 also as *Chiloscyphus javanicus* and *Gamoscyphus aselliformis*, Piippo 1985b, **Geissler & Bischler 1987** as *Jungermannia aselliformis*, Piippo 1989b. EJ: **Grolle 1965a** as *Chiloscyphus aselliformis*. WJ: **TYPE** of *Chiloscyphus aselliformis* var. *neesii*, **Sande Lacoste 1864** as *Chiloscyphus aselliformis*, **Schiffner 1898a** as *Chiloscyphus aselliformis*, **1900b** as *Chiloscyphus aselliformis* var. *neesii* and f. *typica*, **1900c** as *Chiloscyphus aselliformis*, **Seifriz 1924, Renner 1932** as *Chiloscyphus aselliformis*, Meijer 1954a as *Chiloscyphus aselliformis*, **Grolle 1965a** as *Chiloscyphus aselliformis*, **Gradstein *et al.* 2010**.

** *H. baduinus* (Nees) Schiffn. JAV: **Gott sche *et al.* 1845a** as *Chiloscyphus baduinus*, **Sande Lacoste 1857** as *Chiloscyphus baduinus*, **Schiffner 1898a, 1900a** both as *Chiloscyphus baduinus*, **Stephani 1907** as *Chiloscyphus baduinus*, Bonner 1963b as *Chiloscyphus baduinus*, 1966, **Geissler & Bischler 1987** as *Jungermannia baduina*. WJ: **TYPE** of *Jungermannia baduina*, Nees 1830 as *Jungermannia baduina*.

* ⁶⁷*H. caesius* (Schiffn.) Schiffn. JAV: **Schiffner 1900a** as *Chiloscyphus caesius*, Bonner 1963b as *Chiloscyphus caesius*, 1966, **Piippo 1992**. WJ: **SYNTYPE** of *Chiloscyphus caesius*, **Schiffner 1900b** as *Chiloscyphus caesius*, **Stephani 1907** as *Chiloscyphus caesius*.

66. *Harpalejeunea renneri* is a *Lejeunea* sp. and most likely a synonym of something (Grolle & Reiner-Drehwald 1999).

67. *Heteroscyphus caesius* is doubtfully distinct from *H. splendens*.

- *** *H. coalitus* (Hook.) Schiffn. JAV: SYNTYPE of *Chiloscyphus communis*, TYPE of *Jungermannia affinis*, Reinhardt et al. 1824a as *Jungermannia affinis*, Nees 1830 as *Jungermannia coalita* β affinis, Gottsche 1853 as *Chiloscyphus coalitus*, Sande Lacoste 1864 as *Chiloscyphus coalitus* β affinis, Schiffner 1893ab as *Chiloscyphus coalitus*, 1898a as *Chiloscyphus coalitus* var. β affinis, 1900a as *Chiloscyphus coalitus* f. typicus and β affinis and *Chiloscyphus porrigen*s, Stephani 1907 as *Chiloscyphus communis* and *Chiloscyphus porrigen*s, Verdoorn 1931b as *Chiloscyphus coalitus*, Tixier 1962 as *Chiloscyphus communis*, Bonner 1963b as *Chiloscyphus coalitus* f. *pusillus*, f. *remotifolius* and β affinis and *Chiloscyphus porrigen*s, 1966 as *Heteroscyphus porrigen*s, Miller et al. 1983 also as *Chiloscyphus coalitus*, *Chiloscyphus porrigen*s, *Heteroscyphus communis* and *Jungermannia affinis*, Piippo 1985b, 1989b, Geissler & Bischler 1987 as *Jungermannia affinis* and *Jungermannia coalita* β affinis, Inoue 1988, Bapna & Kachroo 2000b, Srivastava & Srivastava 2002, Potemkin 2004. EJ: Verdoorn 1933b as *Chiloscyphus coalitus*. WJ: SYNTYPES of *Chiloscyphus coalitus* f. *pusillus* and f. *remotifolius*, TYPE of *Chiloscyphus porrigen*s, Gottsche et al. 1845a as *Chiloscyphus coalitus*, Sande Lacoste 1857 as *Chiloscyphus coalitus* β affinis, 1864 as *Chiloscyphus coalitus*, Schiffner 1898a as *Chiloscyphus coalitus*, 1900b as *Chiloscyphus coalitus* var. β affinis, f. *pusilla*, f. *remotifolia* and f. typicus and *Chiloscyphus porrigen*s, 1900c as *Chiloscyphus coalitus* and its f. *pusillus*, 1955 as *Chiloscyphus coalitus*, Meijer 1954a as *Chiloscyphus communis*, Gradstein et al. 2010 also as *Chiloscyphus coalitus*.
- ** *H. knightii* (Steph.) Grolle JAV: Schiffner 1900a as *Chiloscyphus tridentatus*, Bonner 1963b as *Chiloscyphus sandei* and *Chiloscyphus tridentatus*, 1966 as *Heteroscyphus sandei*, Piippo 1985b as *Heteroscyphus tridentatus*, Gao et al. 2004 as *Heteroscyphus tridentatus*. WJ: TYPE of *Lophocolea tridentata*, Sande Lacoste 1864 as *Lophocolea tridentata*, Schiffner 1898a as *Lophocolea tridentata*, Stephani 1907 as *Chiloscyphus sandei*, Meijer 1954b as *Chiloscyphus tridentatus*, Geissler & Bischler 1985 as *Lophocolea tridentata*.
- ** *H. parvulus* (Schiffn.) Schiffn. JAV: Schiffner 1900a as *Chiloscyphus parvulus*, Stephani 1907 as *Chiloscyphus parvulus*, Bonner 1966, Miller et al. 1983 as *Chiloscyphus parvulus*, Piippo 1989b, Piippo 1992. WJ: TYPE of *Chiloscyphus parvulus*, Schiffner 1900b as *Chiloscyphus parvulus*, Bonner 1963b as *Chiloscyphus parvulus*.
- *** *H. splendens* (Lehm. et Lindemb.) Grolle JAV: SYNTYPE of *Chiloscyphus decurrens*, TYPE of *Jungermannia decurrens*, Reinhardt et al. 1824a as *Jungermannia decurrens*, Nees 1830 as *Jungermannia decurrens*, Gottsche et al. 1845a as *Chiloscyphus decurrens*, Gottsche 1853 as *Chiloscyphus decurrens*, Sande Lacoste 1857 as *Chiloscyphus decurrens*, Mitten 1873 as *Chiloscyphus decurrens*, Schiffner 1893ab as *Chiloscyphus decurrens*, 1900a as *Chiloscyphus decurrens* f. typica, Verdoorn 1933b as *Chiloscyphus decurrens*, Grolle 1965a as *Chiloscyphus decurrens*, Miller et al. 1983 as *Heteroscyphus decurrens* and *Jungermannia decurrens*, Piippo 1985b, 1989b, Geissler & Bischler 1987 as *Jungermannia decurrens*, Piippo & Tan 1992, Bapna & Kachroo 2000b as *Chiloscyphus decurrens*. WJ: Sande Lacoste 1864 as *Chiloscyphus decurrens*, Schiffner 1898a, 1900b both as *Chiloscyphus decurrens*.
- *** *H. succulentus* (Gottsche) Schiffn. JAV: TYPE of *Chiloscyphus obtusus*, Gottsche 1853 as *Chiloscyphus succulentus*, Sande Lacoste 1864 as *Chiloscyphus succulentus*, Schiffner 1898a as *Chiloscyphus obtusus*, 1900a as *Chiloscyphus succulentus*, Stephani 1907 as *Chiloscyphus succulentus*, Bonner 1963b as *Chiloscyphus obtusus*, 1966, Miller et al. 1983 also as *Chiloscyphus succulentus*, Piippo 1985b, 1989b, Piippo et al. 2002. WJ: TYPE of *Chiloscyphus succulentus*, Sande Lacoste 1857 as *Chiloscyphus succulentus*, Schiffner 1898a, 1900b both as *Chiloscyphus succulentus*, Bonner 1963b as *Chiloscyphus succulentus*, Kitagawa 1973b as *Chiloscyphus succulentus*.
- ** *H. wettsteinii* (Schiffn.) Schiffn. JAV: Schiffner 1900a as *Chiloscyphus wettsteinii*, Stephani 1907 as *Chiloscyphus wettsteinii*, Bonner 1963b as *Chiloscyphus wettsteinii*, Bonner 1966, Piippo 1985b, 1989b, Müller & Schäfer-Verwimp 1999. WJ: TYPE of *Chiloscyphus wettsteinii*, Schiffner 1900b as *Chiloscyphus wettsteinii*, Herzog 1932 as *Chiloscyphus wettsteinii*.
- ** *H. zollingeri* (Gottsche) Schiffn. JAV: Gottsche 1853 as *Chiloscyphus zollingeri*, Sande Lacoste 1864 as *Chiloscyphus zollingeri*, Schiffner 1900a as *Chiloscyphus zollingeri*, Stephani 1907 as *Chiloscyphus zollingeri*, Bonner 1966, Miller et al. 1983 as *Chiloscyphus zollingeri*, Piippo 1985b, 1989b, Pócs & Ninh 2005. WJ: TYPE of *Chiloscyphus zollingeri*, Sande Lacoste 1857 as *Chiloscyphus zollingeri*, Schiffner 1898a, 1900b, 1900c, 1955 all as *Chiloscyphus zollingeri*, Meijer 1953 as *Chiloscyphus zollingeri*, Bonner 1963b as *Chiloscyphus zollingeri*.

*Hygrolejeunea*⁶⁸

- ? *H. cardiantha* Schiffn. nom. inval. WJ: Schiffner 1900c.
- ? *H. harpaphylla* Steph. WJ: TYPE, Stephani 1914, Bonner 1966.
- ? *H. levieri* Schiffn. nom. inval. WJ: Schiffner 1900c.
- ? *H. microscypha* Schiffn. nom. inval. WJ: Schiffner 1900c.
- ? *H. parvicalycina* Steph. JAV: TYPE, Stephani 1896, 1914, Schiffner 1898a, Bonner 1966, Miller et al. 1983. WJ: Schiffner 1900c.

Hygrolembidium

- *** *H. boschianum* (Sande Lac.) R.M.Schust. JAV: TYPE of *Jungermannia boschiana*, *Lembidium boschianum* f. luxurians, f. laxifolium, f. tenuie and f. etiolatum, Sande Lacoste 1855a, 1855b, 1857, 1864 all as *Jungermannia boschiana*, Schiffner 1898a as *Lembidium boschianum*, Stephani 1908 as *Lembidium boschianum*, Verdoorn 1932a as *Lembidium boschianum*, Bonner 1963a as *Cephalozia boschiana*, Grolle 1967, Geissler & Bischler 1985 as *Lembidium boschianum* and its f. tenuie, f. etiolatum, f. laxifolium and f. luxurians, 1987 as *Jungermannia boschiana*, Piippo 1991b. CJ: Schiffner 1955 as *Lembidium boschianum*, Schuster & Engel 1987. WJ: Meijer 1954b as *Lembidium boschianum*, Schuster & Engel 1987.

68. *Hygrolejeunea* is a synonym of *Lejeunea*, but these species have never been transferred. We do not know the value of them.

Isotachis

- *** *I. armata* (Nees) Gottsche JAV: TYPE of *Jungermannia armata*, Gottsche et al. 1844 as *Jungermannia armata*, Sande Lacoste 1857 as *Jungermannia armata*, 1864, Schiffner 1893ab, Stephani 1909a, Verdoorn 1932a, Bonner 1966, Piippo 1984a, Geissler & Bischler 1987 as *Jungermannia armata*, Gao et al. 2003. WJ: Schiffner 1898a, Meijer 1954a.
* — var. β elongata (Sande Lac.) Schiffn. JAV: TYPE of *Jungermannia armata* β elongata, Sande Lacoste 1857 as *Jungermannia armata* β elongata, Geissler & Bischler 1987 as *Jungermannia armata* β elongata. WJ: Sande Lacoste 1864 as *Isotachis armata* β elongata, Schiffner 1898a as *Isotachis armata* β elongata.

Jackiella

- *** *J. javanica* Schiffn. JAV: TYPE of *Jamesoniella verdoornii*, Schiffner 1900a as *Jackiella javanica* f. typica, Stephani 1908, Verdoorn 1938 as *Jamesoniella verdoornii*, Bonner 1966 also as *Jamesoniella verdoornii*, Grolle 1967, Miller et al. 1983, Piippo 1985a, Váňa 1992, Gao 2003. WJ: TYPE, Schiffner 1900b as *Jackiella javanica* f. typica, Meijer 1953, 1954a.
** — var. *cavifolia* Schiffn. JAV: Schiffner 1900a, Bonner 1966, Bapna & Kachroo 2000a. WJ: TYPE, Schiffner 1900b.
** — var. *cordifolia* Schiffn. JAV: Schiffner 1900a, Bonner 1966, Srivastava 1998. WJ: TYPE, Schiffner 1900b.
** — var. *javanica* JAV: Srivastava 1998, Bapna & Kachroo 2000a.

Jamesoniella

- *** ⁶⁹*J. flexicaulis* (Nees) Schiffn. JAV: TYPE of *Jungermannia flexicaulis*, Reinwardt et al. 1824a as *Jungermannia squamata*, Nees 1831 as *Jungermannia flexicaulis*, Sande Lacoste 1857 as *Jungermannia flexicaulis*, Schiffner 1893ab as *Jungermannia flexicaulis*, 1900a also as *Jamesoniella flexicaulis* f. virescens, Stephani 1901, Grolle 1965a, Bonner 1966 also as *Jamesoniella flexicaulis* f. virescens, Miller et al. 1983 also as *Anastrophyllum flexicaule*, *Crossogyna flexicaulis* and *Jungermannia flexicaulis*, Geissler & Bischler 1987 as *Jungermannia squamata*, Váňa & Piippo 1989b, Váňa 1991b, Bapna & Kachroo 2000b. CJ: Schiffner 1955. WJ: TYPE of *Jamesoniella flexicaulis* f. virescens, Gottsche et al. 1844 as *Jungermannia flexicaulis*, Sande Lacoste 1864 as *Jungermannia flexicaulis*, Schiffner 1898a, 1898b also as *Jamesoniella flexicaulis* f. virescens, Renner 1932, Grolle 1971, Gradstein et al. 2010.

Jensenia

- *** *J. decipiens* (Mitt.) Grolle JAV: TYPE of *Mittenia zollingeri*, Schiffner 1900a as *Pallavicinia zollingeri*, Stephani 1900 as *Pallavicinius zollingeri*, Grolle 1967 as *Jensenia zollingeri*, Geissler & Bischler 1985 as *Makednothallus zollingeri* and *Mittenia zollingeri*, 1989 as *Pallavicinia zollingeri*, Grolle & Piippo 1986, Piippo & Tan 1992. CJ: Meijer 1955 as *Pallavicinia zollingeri*. WJ: Schiffner 1898a, 1900c, 1955 all as *Pallavicinia zollingeri*, Verdoorn 1931a as *Mittenia zollingeri*, Meijer 1954b as *Pallavicinia zollingeri*, 1958b as *Makednothallus zollingeriana*.

Jubula

- *** *J. hutchinsiae* (Hook.) Dumort. JAV: Nees 1830 as *Jungermannia hutchinsiae*, Miller et al. 1983 also as *Frullania hutchinsiae*, Ahonen 2006. WJ: Schiffner 1898a, 1900c.
** — subsp. *javanica* (Steph.) Verd. JAV: LECTOTYPE of *Jubula javanica*, Gottsche et al. 1845b as *Frullania hutchinsiae* β , Sande Lacoste 1857 as *Frullania hutchinsiae* β , Stephani 1911 as *Jubula javanica*, Verdoorn 1931a, Kamimura 1961, Mizutani 1961 as *Jubula javanica*, Bonner 1965 as *Frullania piligera*, 1966 also as *Jubula javanica*, Miller et al. 1983 also as *Jubula javanica*, Piippo 1984b, Bapna & Kachroo 2000b as *Jubula javanica*, Bai 2002. CJ: Guerke 1978. WJ: Schiffner 1898a as *Jubula hutchinsiae* var. *integrifolia*, Verdoorn 1929a, Renner 1932 as *Jubula hutchinsiae* var. *javanica*, Guerke 1978, Crandall-Stotler & Guerke 1980.

Jungermannia

- ? ⁷⁰*J. combinata* Nees β tenerior Nees JAV: TYPE, Nees 1830, Geissler & Bischler 1987.
? ⁷¹*J. hirtella* F.Weber β tenera Nees JAV: TYPE, Nees 1830, Sande Lacoste 1857, Schiffner 1898a as *Chandonanthus hirtellus* var. β tener, Geissler & Bischler 1987.
? ⁷²*J. lobulata* Hook. β major Nees JAV: TYPE, Nees 1830, Geissler & Bischler 1987.
? *J. porphyranthus* Gottsche nom. inval. WJ: TYPE, Gottsche 1886, Geissler & Bischler 1987.
*** *J. pumila* With. JAV: Bonner 1966 as *Jamesoniella ruttneri*, Váňa 1972, 1973a, Gradstein & Váňa 1987, Damsholt 2002 as *Jungermannia pumila* subsp. *pumila*, Váňa & Watling 2004. WJ: SYNTYPE of *Jamesoniella ruttneri*, Schiffner 1955 as *Jamesoniella ruttneri*.
? ⁷³*J. spathulistipa* Reinw., Blume et Nees β major Nees WJ: TYPE, Nees 1830, Geissler & Bischler 1987.

Kurzia

- *** *K. gonyotricha* (Sande Lac.) Grolle JAV: TYPE of *Lepidozia gonyotricha*, Sande Lacoste 1855a, 1855b, 1857, 1864 all as *Lepidozia gonyotricha*, Schiffner 1893ab as *Lepidozia gonyotricha*, Stephani 1909a as *Lepidozia gonyotricha*, Mizutani

-
69. The genus *Jamesoniella* was transferred to *Syzygiella* by Feldberg et al. (2010), but *J. flexicaulis* was not included in their study and they did not transfer it.
70. *Jungermannia combinata* is now *Heteroscyphus combinatus*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
71. *Jungermannia hirtella* is now *Plicanthus hirtellus*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
72. *Jungermannia lobulata* is now *Frullania lobulata*, which is confined to southern South America. The current taxon is probably *F. junghuhniana* (M. von Konrat, pers. comm.).
73. *Jungermannia spathulistipa* is now *Thysananthus spathulistipus*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

1974, Mizutani 1976b, Miller *et al.* 1983 also as *Lepidozia gonyotricha*, Geissler & Bischler 1985 as *Lepidozia crenacanthoidea* and *Lepidozia gonyotricha*, 1987, Piippo 1985c, Mizutani & Chang 1986. WJ: TYPE of *Kurzia crenacanthoidea*, Martens 1870 as *Kurzia crenacanthoidea*, Goebel 1891 as *Kurzia crenacanthoidea*, Schiffner 1898a, 1900c both as *Lepidozia gonyotricha*, Herzog 1932 as *Lepidozia gonyotricha*, Meijer 1953, 1954a both as *Lepidozia gonyotricha*, Geissler & Bischler 1987 as *Kurzia crenacanthoidea*.

Lejeunea

- *** *L. alata* Gottsche JAV: Bizot & Pócs 1980, Miller *et al.* 1983 also as *Lejeunea mitracalyx* and *Taxilejeunea mitracalyx*, Pócs *et al.* 1994, Zhu & So 1999b, 2001. WJ: Eifrig 1937 as *Taxilejeunea mitracalyx*, Grolle 1977a.
- *** *L. albescens* (Steph.) Mizut. JAV: Stephani 1914 as *Taxilejeunea albescens*, Miller *et al.* 1983 also as *Taxilejeunea albescens*. WJ: Eifrig 1937 as *Taxilejeunea albescens*, Thiers 1986.
- ** *L. aloba* Sande Lac. JAV: TYPE, Sande Lacoste 1855a, 1857, Schiffner 1898a as *Eulejeunea aloba*, Stephani 1914 as *Rectolejeunea aloba*, Geissler & Bischler 1987, Bapna & Kachroo 2000b as *Rectolejeunea aloba*, Chaudhary *et al.* 2006.
- ** *L. apiculata* Sande Lac. JAV: TYPE, Sande Lacoste 1854, 1855a, 1856b, Bonner 1966 as *Hygrolejeunea apiculata*, Geissler & Bischler 1987, 1990 as *Stenolejeunea apiculata* and *Taxilejeunea apiculata*, Pócs *et al.* 1995 as *Stenolejeunea apiculata*, Zhu & So 2001 as *Stenolejeunea apiculata*. WJ: TYPE of *Leptolejeunea cuspidata*, Schiffner 1898a, 1900c both as *Eulejeunea apiculata*, Stephani 1913 as *Leptolejeunea cuspidata*, 1914 as *Hygrolejeunea apiculata*, Eifrig 1937 as *Taxilejeunea apiculata*, Grolle 1966e as *Stenolejeunea apiculata*, Geissler & Bischler 1985 as *Leptolejeunea cuspidata*.
- ** *L. caviloba* (Steph.) Steph. JAV: TYPE of *Eulejeunea caviloba*, Stephani 1896 as *Eulejeunea caviloba*, 1915, Schiffner 1898a as *Eulejeunea caviloba*, Miller *et al.* 1983, Geissler & Bischler 1987, Hürlimann 1993.
- ** *L. coecos* Mitt. JAV: Zhu & So 1999b, 2001, Bapna & Kachroo 2000b. WJ: Mizutani 1963.
- ** *L. cuculliflora* (Steph.) Mizut. JAV: Mizutani 1976a, 1977, 1978a, Miller *et al.* 1983, Hürlimann 1993. WJ: Eifrig 1937 as *Taxilejeunea cuculliflora*.
- ** *L. denticuspis* (Steph.) Mizut. JAV: TYPE of *Strepsilejeunea denticuspis*, Stephani 1896 as *Strepsilejeunea denticuspis*, 1913 as *Trachylejeunea denticuspis*, Schiffner 1898a as *Strepsilejeunea denticuspis*, Mizutani 1973b, Geissler & Bischler 1987, 1990 as *Strepsilejeunea denticuspis* and *Trachylejeunea denticuspis*.
- *** *L. discreta* Lindenb. JAV: TYPE, SYNTYPE of *Lejeunea stahliana*, Gottsche *et al.* 1845a, 1845b, Sande Lacoste 1857, Stephani 1890b, 1914 as *Hygrolejeunea discreta*, 1915 as *Lejeunea stahliana*, Bonner 1966 as *Hygrolejeunea discreta*, Mizutani 1971, 1975, 1977, 1978a, Miller *et al.* 1983 also as *Hygrolejeunea discreta*, *Lejeunea stahliana* and *Taxilejeunea discreta*, Thiers 1986, Geissler & Bischler 1987 also as *Lejeunea stahliana*, 1990 as *Taxilejeunea discreta*, Long & Grolle 1990, Zhu & So 1999b, 2001. EJ: Eifrig 1937 as *Hygrolejeunea discreta*. WJ: Sande Lacoste 1864, Schiffner 1898a, 1900c both as *Hygrolejeunea discreta*, Eifrig 1937 as *Hygrolejeunea discreta*.
- ** *L. eifrigii* Mizut. JAV: Mizutani 1977, 1978a, Geissler & Bischler 1990 as *Taxilejeunea acutiloba*, Streimann 1991, Hürlimann 1993, Pócs *et al.* 1995. WJ: SYNTYPE of *Taxilejeunea acutiloba* and its f. major, Eifrig 1937 as *Taxilejeunea acutiloba* and its f. major, Geissler & Bischler 1990 as *Taxilejeunea acutiloba* f. major.
- *** *L. exilis* (Reinw., Blume et Nees) Grolle JAV: TYPE of *Jungermannia exilis*, Reinwardt *et al.* 1824a as *Jungermannia exilis*, Nees 1830 as *Jungermannia cucullata* β exilis, Sande Lacoste 1857 as *Lejeunea cucullata* β exilis, Schiffner 1898a as *Eulejeunea cucullata* var. β exilis, Herzog 1948 as *Byssolejeunea abnormis*, Bischler *et al.* 1962 as *Microlejeunea exilis*, Mizutani 1975 as *Lejeunea abnormis*, 1977 as *Lejeunea byssiformis*, 1978a as *Lejeunea byssiformis*, Miller *et al.* 1983 also as *Byssolejeunea abnormis*, Jungermannia cucullata β exilis, Jungermannia exilis, Lejeunea cucullata β exilis and *Microlejeunea exilis*, Geissler & Bischler 1985 as *Microlejeunea abnormis* and *Microlejeunea exilis*, 1987 as *Jungermannia cucullata* β exilis, Jungermannia exilis, Lejeunea abnormis and *Lejeunea cucullata* β exilis, Pócs *et al.* 1994, Pócs & Streimann 1999, Furuki 2001a, Nair *et al.* 2006. WJ: TYPE of *Byssolejeunea abnormis*, Herzog 1941 as *Byssolejeunea abnormis*, Bonner 1963a as *Byssolejeunea abnormis*, Grolle 1979b.
- ** *L. fissistipula* (Steph.) Steph. JAV: Stephani 1915, Miller *et al.* 1983 also as *Eulejeunea fissistipula*.
- *** *L. flava* (Sw.) Nees JAV: SYNTYPES of *Jungermannia thymifolia* and its γ intertexta, Reinwardt *et al.* 1824a as *Jungermannia serpyllifolia*, Nees 1830 as *Jungermannia thymifolia* γ intertexta, Gottsche *et al.* 1845b as *Lejeunea thymifolia*, Stephani 1890b as *Lejeunea thymifolia*, Mizutani 1971, 1977, 1978a, Miller *et al.* 1983 also as *Eulejeunea flava*, Fulford 1987, Geissler & Bischler 1987 as *Jungermannia thymifolia* and its γ intertexta and *Lejeunea thymifolia*, Bapna & Kachroo 2000b, Easa 2003. BA: Van Leeuwen 1936. EJ: Eifrig 1937. WJ: Sande Lacoste 1864 as *Lejeunea thymifolia*, Stephani 1890b, Schiffner 1898a, 1900c both as *Eulejeunea flava*, Eifrig 1937, Meijer 1953, 1954a, Thiers 1986, Gradstein *et al.* 2010.
- ** — subsp. *orientalis* R.M.Schust. JAV: SYNTYPE of *Jungermannia thymifolia* β discreta, Nees 1830 as *Jungermannia thymifolia* β discreta, Gottsche *et al.* 1845b as *Lejeunea thymifolia* β discreta, Sande Lacoste 1857 as *Lejeunea thymifolia* β indica, Schuster 1980, Geissler & Bischler 1987 as *Jungermannia thymifolia* β discreta and *Lejeunea thymifolia* β discreta. WJ: Schiffner 1898a as *Eulejeunea flava* var. β indica.
- ** *L. fleischeri* (Steph.) Mizut. JAV: Stephani 1914 as *Hygrolejeunea fleischeri*, Bonner 1966 as *Hygrolejeunea fleischeri*, Geissler & Bischler 1987, Streimann 1991. CJ: LECTOTYPE of *Hygrolejeunea fleischeri*, Mizutani 1972. WJ: Thiers 1986.
- ? ⁷⁴ *L. inchoata* (C.F.W.Meissn. ex Lehm. et Lindenb.) Nees var. β *javanica* Sande Lac. nom. inval. JAV: TYPE, Gottsche 1853, Sande Lacoste 1857, Geissler & Bischler 1987.

74. *Lejeunea inchoata* is a synonym of *Drepanolejeunea inchoata* (C.F.W.Meissn. ex Lehm. et Lindenb.) Schiffn., a South American taxon, so this variety should belong to another species.

- * ⁷⁵*L. litoralis* Steph. JAV: SYNTYPE, **Stephani 1915**.
- *** *L. lumbricoides* (Nees) Nees JAV: TYPE of *Jungermannia lumbricoides*, Nees 1830 as *Jungermannia lumbricoides*, **Gottschke et al. 1845b**, Gottschke 1853 as *Omphalanthus lumbricoides*, **Stephani 1890a** as *Omphalanthus lumbricoides*, 1914 as *Taxilejeunea lumbricoides*, Miller et al. 1983 also as *Taxilejeunea lumbricoides*, **Geissler & Bischler 1987** also as *Jungermannia lumbricoides*, 1989 as *Omphalanthus lumbricoides*, 1990 as *Taxilejeunea lumbricoides*. JA: **Thiers 1986**. WJ: **Sande Lacoste 1857, 1864** both as *Omphalanthus lumbricoides*, **Schiffner 1898a, 1900c** both as *Taxilejeunea lumbricoides*, **Eifrig 1937** as *Taxilejeunea lumbricoides*.
- ** *L. micholitzii* Mizut. JAV: **Stephani 1914** as *Cheilolejeunea inaequitexta*, 1915 as *Lejeunea parvisaccata*, **Bonner 1963b** as *Cheilolejeunea inaequitexta*, Miller et al. 1983 as *Lejeunea parvisaccata*, Hürlimann 1993 as *Lejeunea parvisaccata*, **Zhu & Grolle 2004**. WJ: LECTOTYPE of *Cheilolejeunea inaequitexta*, **Schiffner 1900c** as *Cheilolejeunea inaequitexta*.
- ** *L. microstipula* Steph. JAV: TYPE, TYPE of *Microlejeunea microstipula*, **Stephani 1890b**, 1915 as *Microlejeunea microstipula*, **Schiffner 1898a** as *Eulejeunea microstipula*, Bischler et al. 1962 as *Microlejeunea microstipula*, **Geissler & Bischler 1985** as *Microlejeunea microstipula*, **1987, Grolle 1988**. WJ: **Schiffner 1900c** as *Microlejeunea microstipula*.
- ** *L. mimula* Hürl. JAV: Geissler & Bischler 1987 as *Lejeunea luteola*, 1990 as *Taxilejeunea luteola*, Hürlimann 1993. WJ: TYPE of *Hygrolejeunea luteola*, **Stephani 1914** as *Hygrolejeunea luteola*, **Eifrig 1937** as *Taxilejeunea luteola*, **Bonner 1966** as *Hygrolejeunea luteola* **Thiers 1986** as *Lejeunea luteola*.
- ** *L. mizutanii* Grolle JAV: TYPE of *Cheilolejeunea zollingeri*, **Stephani 1895b**, 1914 both as *Cheilolejeunea zollingeri*, **Schiffner 1898a** as *Cheilolejeunea zollingeri*, **Bonner 1963b** as *Cheilolejeunea zollingeri*, **Mizutani 1967b** as *Pycnolejeunea zollingeri*, Geissler & Bischler 1987 as *Lejeunea zollingeri*, 1989 as *Pycnolejeunea zollingeri*.
- ** *L. molkenboeriana* Sande Lac. JAV: TYPE, **Sande Lacoste 1854, 1855a, 1856b, 1857**, **Stephani 1914** as *Hygrolejeunea molkenboeriana*, Bonner 1966 as *Hygrolejeunea molkenboeriana*, Geissler & Bischler 1987. WJ: **Sande Lacoste 1864, Schiffner 1898a** as *Hygrolejeunea molkenboeriana*.
- * ⁷⁶*L. obscura* Mitt. JAV: Zhu & So 1999b, 2001, Pócs & Ninh 2005. WJ: **Eifrig 1937** as *Taxilejeunea obscura*.
- ** ⁷⁷*L. papilionacea* Steph. WJ: TYPE of *Cardiolejeunea cardiantha*, **Bonner 1977** as *Cardiolejeunea cardiantha*.
- ** *L. patersonii* (Steph.) Steph. JAV: TYPE of *Eulejeunea patersonii*, SYNTYPE of *Hygrolejeunea patersonii*, **Stephani 1896** as *Eulejeunea patersonii* and *Hygrolejeunea patersonii*, 1914 as *Hygrolejeunea patersonii*, 1915, **Schiffner 1898a** as *Eulejeunea patersonii* and *Hygrolejeunea patersonii*, **Bonner 1965** as *Eulejeunea patersonii*, **1966** as *Hygrolejeunea patersonii*, Kitagawa 1981 as *Lejeunea leratii*, Miller et al. 1983 also as *Taxilejeunea patersonii*, Geissler & Bischler 1987, 1990 as *Taxilejeunea patersonii*, **Grolle 1987b**, Hürlimann 1993. WJ: **Eifrig 1937** as *Taxilejeunea patersonii*, Meijer 1953.
- *** *L. pectinella* Mizut. WJ: **Gradstein et al. 2010**.
- ** *L. propagulifera* Gradst. JAV: Bonner 1977 as *Crossotolejeunea schiffneri*, Pócs et al. 1995 as *Stenolejeunea schiffneri*. WJ: TYPE of *Trachylejeunea schiffneri*, Herzog 1948 as *Trachylejeunea schiffneri*, Geissler & Bischler 1990 as *Trachylejeunea schiffneri*, Schuster 2000 as *Stenolejeunea schiffneri*.
- *** *L. sordida* (Nees) Nees JAV: TYPE of *Hygrolejeunea javanica*, SYNTYPE of *Jungermannia sordida*, **Sande Lacoste 1857, 1864, Stephani 1890b, 1914** as *Hygrolejeunea javanica*, **Schiffner 1893ab, 1898a** as *Hygrolejeunea sordida*, **Bonner 1966** as *Hygrolejeunea javanica*, Mizutani 1977, 1978a, Miller et al. 1983 also as *Hygrolejeunea parkinsonii*, *Hygrolejeunea sordida*, *Jungermannia sordida*, *Taxilejeunea laxiretis* and *Taxilejeunea sordida*, Geissler & Bischler 1987 also as *Jungermannia sordida* and *Lejeunea sordida*, 1990 as *Taxilejeunea sordida*, **Zhu & So 2001**. WJ: Nees 1830 as *Jungermannia sordida*, **Gottschke et al. 1845b, Schiffner 1900c** as *Hygrolejeunea sordida*, **Eifrig 1937** as *Taxilejeunea sordida*, Meijer 1953 as *Taxilejeunea sordida*, **Grolle 1981**.
- * ⁷⁸*L. stephaniana* Mizut. JAV: TYPE, **Mizutani 1964**, Geissler & Bischler 1987.
- * ⁷⁹*L. subaquatica* Schiffn. WJ: TYPE, **Schiffner 1955**, Geissler & Bischler 1987.
- ** *L. thallophora* (Eifrig) Gradst. WJ: **Schuster 2000** as *Stenolejeunea thallophora*.
- * ⁸⁰*L. tuberculosa* Steph. JAV: **Zhu & So 1999b**.
- *** *L. umbilicata* (Nees) Gottschke JAV: TYPE of *Jungermannia umbilicata*, Nees 1830 as *Jungermannia umbilicata*, Gottschke et al. 1845b as *Omphalanthus umbilicatus*, **Sande Lacoste 1857** as *Omphalanthus umbilicatus*, **Stephani 1890a** as *Omphalanthus umbilicatus*, **Schiffner 1898a** as *Hygrolejeunea umbilicata*, Mizutani 1977, 1978a, Miller et al. 1983 also as *Jungermannia umbilicata* and *Omphalanthus umbilicatus*, Geissler & Bischler 1987 also as *Jungermannia umbilicata*, 1989 as *Omphalanthus umbilicatus*, 1990 as *Taxilejeunea umbilicata*, Hürlimann 1993. CJ: **Hoffman 1935** as *Pycnolejeunea novoguinensis*, He 1997 as *Lejeunea novoguineensis*. WJ: **Sande Lacoste 1864** as *Omphalanthus umbilicatus*, **Schiffner 1900c** as *Hygrolejeunea umbilicata*, Hoffman 1935 as *Pycnolejeunea novoguinensis*, Eifrig 1937 as *Taxilejeunea umbilicata*, He 1997 as *Lejeunea novoguineensis*.
- ** *L. utriculata* (Steph.) Mizut. JAV: TYPE of *Pycnolejeunea utriculata*, **Stephani 1896**, 1914 both as *Pycnolejeunea utriculata*, **Schiffner 1898a** as *Pycnolejeunea utriculata*, Geissler & Bischler 1987, **1989** as *Pycnolejeunea utriculata*. WJ: **Schiffner 1900c** as *Pycnolejeunea utriculata*, Hoffman 1935 as *Pycnolejeunea utriculata*.

75. *Lejeunea litoralis* is taxonomically doubtful and most likely a synonym of something.

76. *Lejeunea obscura* is doubtfully distinct from *L. aloba*.

77. *Cardiolejeunea cardiantha* R.M.Schust. et Kachroo, *syn. nov.*

78. *Lejeunea stephaniana* is doubtfully distinct from *L. discreta*.

79. *Lejeunea subaquatica* is taxonomically doubtful and most likely a synonym of something.

80. *Lejeunea tuberculosa* is doubtfully distinct from *L. wightii*.

- * ⁸¹*L. wichurae* (Steph.) Steph. JAV: TYPE of *Eulejeunea wichurae*, Stephani 1896 as *Eulejeunea wichurae*, 1915, Schiffner 1898a as *Eulejeunea wichurae*, Bonner 1965 as *Eulejeunea wichurae*, Geissler & Bischler 1987.

Lembidium

- ⁸²*L. boschianum* (Sande Lac.) Schiffn.
 ? —var. *grandifolium* Schiffn. CJ: TYPE, Schiffner 1955, Geissler & Bischler 1985.
 ? —var. *laxum* Schiffn. nom. inval. CJ: TYPE, Schiffner 1955, Geissler & Bischler 1985.
 ? *L. latifolium* Schiffn. ex Verd. nom. inval. JAV: Verdoorn 1938, Geissler & Bischler 1985.

Lepicolea

- * ⁸³*L. ochroleuca* (Spreng.) Spruce var. δ *viridis* (Nees) Schiffn. JAV: TYPE of *Jungermannia ochroleuca* δ *viridis*, Nees 1830 as *Jungermannia ochroleuca* δ *viridis*, Schiffner 1898a, Geissler & Bischler 1985, 1987 as *Jungermannia ochroleuca* δ *viridis*.
 *** *L. rara* (Steph.) Grolle JAV: TYPE of *Jungermannia ochroleuca* β *tenerior* and γ *nana*, *Jungermannia trisubulata* and *Lepidozia rara*, Nees 1830 as *Jungermannia ochroleuca* β *tenerior* and γ *nana* and *Jungermannia trisubulata*, Sande Lacoste 1857 as *Sendtnera ochroleuca* δ *viridis*, β *tenior* and γ *nana*, Schiffner 1898a as *Lepicolea ochroleuca* var. β *tenerior*, and var. γ *nana*, Stephani 1909a as *Lepidozia rara*, Grolle 1965a as *Lepicolea lorianae*, Miller et al. 1983 also as *Lepicolea lorianae* and *Lepidozia rara*, Piippo 1984a, Geissler & Bischler 1985 also as *Lepicolea ochroleuca* var. β *tenerior* and var. γ *nana* and *Lepidozia rara*, 1987 as *Jungermannia ochroleuca* β *tenerior* and γ *nana* and *Jungermannia trisubulata*. WJ: TYPE of *Lepicolea simplicior*, Herzog 1932 as *Lepicolea simplicior*, Geissler & Bischler 1985 as *Lepicolea simplicior*.

Lepidolejeunea

- *** *L. bidentula* (Steph.) R.M.Schust. JAV: Mizutani 1967b as *Pycnolejeunea bidentula*, Bonner 1977 as *Cheilolejeunea bidentula*, Miller et al. 1983 as *Pycnolejeunea bidentula*.
 *** *L. integriflora* (J.B.Jack et Steph.) R.M.Schust. WJ: Piippo 1986.

Lepidozia

- ** *L. brevifolia* Mitt. JAV: Bapna & Kachroo 2000a. WJ: Sande Lacoste 1864, Schiffner 1898a, Verdoorn 1935.
 *** *L. cladorhiza* (Reinw., Blume et Nees) Nees JAV: TYPE of *Jungermannia cladorhiza*, Reinwardt et al. 1824a as *Jungermannia cladorhiza*, Nees 1830 as *Jungermannia cladorhiza*, Gottsche et al. 1845a, Sande Lacoste 1857, Schiffner 1898a, Stephani 1909a, Mizutani 1968b, 1974, 1976b, Miller et al. 1983 also as *Jungermannia cladorhiza*, Geissler & Bischler 1985 also as *Mastigophora cladorhiza*, 1987 as *Jungermannia cladorhiza*.
 ** *L. cordata* Lindenb. JAV: TYPE, Gottsche et al. 1845a, Sande Lacoste 1857, Stephani 1909a, Geissler & Bischler 1985 also as *Mastigophora cordata*. WJ: Sande Lacoste 1864, Schiffner 1898a.
 ** *L. everetti* Steph.
 * —var. *javensis* Herzog WJ: TYPE, Herzog 1932, Geissler & Bischler 1985.
 * ⁸⁴*L. gedena* Steph. JAV: Stephani 1922. WJ: TYPE, Geissler & Bischler 1985.
 *** *L. haskarliana* (Lindenb.) Steph. JAV: Stephani 1909a, Mizutani 1968a, 1974, 1976b, Piippo 1984b, Geissler & Bischler 1985. WJ: TYPE of *Lepidozia supradecomposita* β *haskarliana*, Gottsche et al. 1845a as *Lepidozia supradecomposita* β *haskarliana*, Sande Lacoste 1857 as *Lepidozia supradecomposita* β *haskarliana*, Schiffner 1898a as *Lepidozia supradecomposita* var. β *haskarliana*, Geissler & Bischler 1985 as *Lepidozia supradecomposita* β *haskarliana*.
 *** *L. holorhiza* (Reinw., Blume et Nees) Nees JAV: TYPE of *Jungermannia holorhiza*, Reinwardt et al. 1824a as *Jungermannia holorhiza*, Nees 1830 as *Jungermannia holorhiza*, Gottsche et al. 1845a, Stephani 1909a, Verdoorn 1935, Miller et al. 1983, Piippo 1984b, Geissler & Bischler 1985 also as *Mastigophora holorhiza*, 1987 as *Jungermannia holorhiza*, Piippo & Tan 1992. WJ: Sande Lacoste 1864, Schiffner 1898a, 1900c.
 ** —var. β *laxa* (Nees) Schiffn. JAV: TYPE of *Jungermannia holorhiza* β *laxa*, Geissler & Bischler 1985 as *Lepidozia holorhiza* β *laxa*, 1987 as *Jungermannia holorhiza* β *laxa*. WJ: Sande Lacoste 1857 as *Lepidozia holorhiza* β *laxa*.
 ** *L. loheri* Steph. JAV: SYNTYPE, Stephani 1909a, Geissler & Bischler 1985.
 * ⁸⁵*L. massartiana* Schiffn. ex Steph. JAV: TYPE, Miller et al. 1983, Geissler & Bischler 1985. WJ: Schiffner 1900c as *Lepidozia massartiana*, Kitagawa 1973b, Geissler & Bischler 1985 as *Lepidozia massartiana*.
 ? —var. *laxa* Schiffn. nom. inval. WJ: Schiffner 1900c, Geissler & Bischler 1985.
 ** *L. miquelianae* Sande Lac. JAV: TYPE, Sande Lacoste 1864, Schiffner 1898a, Stephani 1909a, Grolle 1967, Geissler & Bischler 1985.

-
81. *Lejeunea wichurae* is taxonomically doubtful and most likely a synonym of something.
 82. *Lembidium boschianum* is now *Hygrolembidium boschianum*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
 83. *Lepicolea ochroleuca* δ *viridis* (type from Java) can not belong to *L. ochroleuca* as it does not occur in Asia.
 84. *Lepidozia gedena* is taxonomically doubtful and most likely a synonym of something.
 85. Engel & Merrill (2004) suggested that Stephani (1909) established a new species, *Lepidozia massartiana* Steph. based on material from Ambon, New Caledonia and Tahiti. However, Stephani clearly identified Schiffner as author, therefore the correct name should be *L. massartiana* Schiffn. ex Steph. and the original material from Java (not cited by Stephani 1909) the type. The identity of the Java material remains to be clarified. According to Engel & Merrill (2004) the material from Ambon, New Caledonia and Tahiti belongs to *Telaranea cuneifolia* (Steph.) J.J.Engel et G.L.Merr., the material from Java to something else.

- *** *L. quadridens* (Nees) Nees JAV: TYPE of *Jungermannia quadridens*, Nees 1830 as *Jungermannia quadridens*, Gottsche et al. 1845a, Stephani 1909a, Mizutani 1968b, Piippo 1984b, Geissler & Bischler 1985 also as *Mastigophora quadridens*, 1987 as *Jungermannia quadridens*. WJ: Sande Lacoste 1857, 1864, Schiffner 1898a, Meijer 1954b.
- * ⁸⁶*L. squamifolia* Steph. JAV: SYNTYPE, Stephani 1922, Geissler & Bischler 1985.
- ** *L. stahlii* Steph. JAV: SYNTYPE, Stephani 1909a, Piippo 1984b, Geissler & Bischler 1985, Sharma & Srivastava 1993, Bapna & Kachroo 2000a.
- ** *L. subintegra* Lindenb. JAV: TYPE, Gottsche et al. 1845a, Sande Lacoste 1857, Stephani 1909a, Bonner 1966 as *Herpetium trichodes* var. *major*, Mizutani 1968a, 1976b, Miller et al. 1983, Geissler & Bischler 1985 also as *Mastigophora subintegra*, Bapna & Kachroo 2000a. CJ: Sande Lacoste 1864. WJ: Sande Lacoste 1864, Schiffner 1898a.
- ** *L. supradecomposita* Lindenb. JAV: Sande Lacoste 1857, Stephani 1909a, Verdoorn 1935, Mizutani 1974, 1976b, Miller et al. 1983, Geissler & Bischler 1985 as *Mastigophora supradecomposita*. WJ: TYPE, Gottsche et al. 1845a, Sande Lacoste 1864, Schiffner 1898a, 1900c, Geissler & Bischler 1985.
- *** *L. trichodes* (Reinw., Blume et Nees) Nees JAV: Reinwardt et al. 1824a as *Jungermannia trichodes*, Gottsche et al. 1845a, Sande Lacoste 1857, Verdoorn 1935, Mizutani 1968a, 1974, Pócs 1968a, Miller et al. 1983 also as *Jungermannia trichodes* and *Mastigophora trichodes*, Piippo 1984b, Geissler & Bischler 1985 also as *Mastigophora trichodes*, Gao 2003. WJ: TYPE of *Jungermannia trichodes*, Nees 1830 as *Jungermannia trichodes*, Sande Lacoste 1856a, 1864, Schiffner 1898a, 1900c, Geissler & Bischler 1987 as *Jungermannia trichodes*.
- * ⁸⁷*L. tricuspidata* Steph. JAV: TYPE, Stephani 1922, Geissler & Bischler 1985.
- ? ⁸⁸*L. wallichiana* Gottsche var. β *gracilis* (Sande Lac.) Schiffn. WJ: TYPE of *Lepidozia wallichiana* β *gracilis*, Sande Lacoste 1857, 1864 both as *Lepidozia wallichiana* β *gracilis*, Schiffner 1898a, Geissler & Bischler 1985 as *Lepidozia wallichiana* β *gracilis*.

⁸⁹*Leptocolea*

? *L. pallida* Steph. JAV: TYPE, Stephani 1916, Geissler & Bischler 1985.

Leptolejeunea

- *** *L. elliptica* (Lehm. et Lindenb.) Schiffn. JAV: Gottsche 1853 as *Lejeunea elliptica*, Sande Lacoste 1857 as *Lejeunea elliptica a conferta*, 1864 as *Lejeunea elliptica*, Schiffner 1898a, Mizutani 1961 as *Leptolejeunea subacuta*, 1975, Tixier 1962 as *Leptolejeunea subacuta*, Pócs et al. 1967 as *Leptolejeunea subacuta*, Pócs 1969a as *Leptolejeunea subacuta*, Schuster 1980 as *Leptolejeunea elliptica* subsp. *subacuta*, Miller et al. 1983 also as *Leptolejeunea subacuta*, Onraedt 1991 as *Leptolejeunea elliptica* subsp. *subacuta*, Bapna & Kachroo 2000b also as *Leptolejeunea subacuta*. WJ: Herzog 1942 as *Leptolejeunea subacuta*.
- *** *L. epiphylla* (Mitt.) Steph. JAV: Pócs et al. 1967, Mizutani 1975, 1978b, Miller et al. 1983, Onraedt 1991, Zhu & So 1999b, Bapna & Kachroo 2000b. WJ: Herzog 1942.
- *** *L. foliocola* Steph. JAV: Mizutani 1975, Miller et al. 1983, Eggers et al. 1998, Bapna & Kachroo 2000b. WJ: TYPE of *Leptolejeunea brevicornis*, Schiffner 1900c as *Leptolejeunea brevicornis*, Herzog 1942, Geissler & Bischler 1985 as *Leptolejeunea brevicornis*, Gradstein et al. 2010.
- ** *L. maculata* (Mitt.) Schiffn. JAV: TYPE of *Drepanolejeunea karstenii* and *Leptolejeunea schiffneri*, Schiffner 1893ab as *Lejeunea schiffneri*, Stephani 1896 as *Leptolejeunea schiffneri*, 1913 as *Drepanolejeunea karstenii* and *Leptolejeunea schiffneri*, Bonner 1965 as *Drepanolejeunea karstenii*, Mizutani 1975 as *Leptolejeunea schiffneri*, Miller et al. 1983 as *Leptolejeunea schiffneri*, Geissler & Bischler 1985 as *Leptolejeunea schiffneri*, Thiers 1986, Onraedt 1991 as *Leptolejeunea schiffneri* f. *latifolia*, Piippo & Tan 1992, Bapna & Kachroo 2000b as *Leptolejeunea schiffneri*, Zhu & So 2001. CJ: SYNTYPE of *Leptolejeunea schiffneri* f. *latifolia* and f. *angustifolia*, Herzog 1942 as *Leptolejeunea schiffneri* f. *angustifolia*, Geissler & Bischler 1985 as *Leptolejeunea schiffneri* f. *angustifolia*. WJ: TYPE of *Lejeunea schiffneri*, SYNTYPE of *Leptolejeunea schiffneri* f. *angustifolia*, Sande Lacoste 1864 as *Lejeunea maculata*, Schiffner 1898a also as *Leptolejeunea schiffneri*, Renner 1932 as *Leptolejeunea schiffneri*, Herzog 1942 as *Leptolejeunea schiffneri* f. *angustifolia*, Grolle 1976, Geissler & Bischler 1985 as *Leptolejeunea schiffneri* f. *angustifolia*, 1987 as *Lejeunea schiffneri*.
- * ⁹⁰*L. massartiana* Schiffn. ex Herzog JAV: Pócs et al. 1967, Eggers et al. 1998. WJ: TYPE, TYPE of *Leptolejeunea massartiana*, Schiffner 1900c as *Leptolejeunea massartiana*, Herzog 1942, Geissler & Bischler 1985 also as *Leptolejeunea massartiana*, Thiers 1986.
- ? ⁹¹*L. schiffneri* Steph. var. β *subintegerrima* Herzog BA: SYNTYPE, Van Leeuwen 1936, Herzog 1942, Geissler & Bischler 1985. WJ: SYNTYPE, Herzog 1942, Geissler & Bischler 1985.

-
86. *Lepidozia squamifolia* is taxonomically doubtful and most likely a synonym of something.
87. *Lepidozia tricuspidata* is taxonomically doubtful and most likely a synonym of something.
88. *Lepidozia wallichiana* is now *Telaranea wallichiana*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
89. *Leptocolea* is a synonym of *Cololejeunea*, but the following species does not seem to have been transferred. We do not know the value of it.
90. *Leptolejeunea massartiana* is, judging from the original description and illustration, very similar to *L. elliptica* and possibly a synonym.
91. *Leptolejeunea schiffneri* is a synonym of *L. maculata*, but we do not know if this variety also can be referred there.

- ** *L. subdentata* Schiffn. ex Herzog JAV: Onraedt 1991, Piippo & Tan 1992, **Zhu & So 2001**. WJ: TYPE, TYPE of *Leptolejeunea subdentata*, **Schiffner 1900c** as *Leptolejeunea subdentata*, **Herzog 1942**, Geissler & Bischler 1985 also as *Leptolejeunea subdentata*.
- *** *L. vitrea* (Nees) Schiffn. JAV: TYPE of *Jungermannia vitrea*, Nees 1830 as *Jungermannia vitrea*, **Gottschke et al. 1845b** as *Lejeunea vitrea*, **Gottschke 1853** as *Lejeunea vitrea*, **Stephani 1890b** as *Lejeunea vitrea*, 1913, Bonner 1963b as *Colura vitrea*, Miller et al. 1983 also as *Colura vitrea*, *Jungermannia vitrea* and *Lejeunea vitrea*, Geissler & Bischler 1985 also as *Leptolejeunea vitrea*, 1987 as *Jungermannia vitrea* and *Lejeunea vitrea*, Pócs et al. 1994, Eggers 2006. CJ: **Herzog 1942**. WJ: **Sande Lacoste 1857**, 1864 both as *Lejeunea vitrea*, **Schiffner 1898a**, **Herzog 1942**.

Lethocolea

- *** *L. javanica* (Schiffn.) Grolle JAV: **Schiffner 1900a** as *Sympyomitria javanica*, **Stephani 1901** as *Sympyomitria javanica*, Geissler & Bischler 1985, **Udar & Kumar 1987**, Bapna & Kachroo 2000b. WJ: TYPE of *Sympyomitria javanica*, **Schiffner 1898b** as *Sympyomitria javanica*, Meijer 1954a as *Sympyomitria javanica*, **Geissler & Bischler 1990** as *Sympyomitria javanica*.

Leucolejeunea

- *** *L. decurrens* (Steph.) Mizut. JAV: TYPE of *Hygrolejeunea decurrens*, **Stephani 1896** as *Hygrolejeunea decurrens*, **Schiffner 1898a** as *Hygrolejeunea decurrens*, Stephani 1914 as *Hygrolejeunea decurrens*, **Bonner 1966** as *Hygrolejeunea decurrens*, **Mizutani 1976a**, 1977, 1978a, Grolle & Piippo 1990.
- *** *L. xanthocarpa* (Lehm. et Lindenb.) A.Evans JAV: **Stephani 1890a** as *Lejeunea xanthocarpa*, Evans 1908, Verdoorn 1933b, 1934b, Pagán 1942, Frye & Clark 1947, Mizutani 1961, 1977, 1978a, Kitagawa 1968, Schuster 1980, Miller et al. 1983, Fulford 1987, Fulford & Sharp 1990, Bapna & Kachroo 2000b. WJ: **Sande Lacoste 1857** as *Lejeunea xanthocarpa*, **Schiffner 1898a, 1900c** both as *Archilejeunea xanthocarpa*, **Verdoorn 1933a**, **Gradstein et al. 2010**.

Lobatiriccardia

- *** *L. coronopus* (De Not. ex Steph.) Furuki JAV: **Stephani 1899** as *Aneura lobata*, **1900a** as *Riccardia lobata*, Bonner 1962 as *Aneura lobata*, Miller et al. 1983 as *Aneura lobata*, *Aneura pinguis* var. *pinnatiloba* and *Riccardia lobata* var. *lobata*, **Geissler & Bischler 1990** as *Riccardia lobata*, *Riccardia pinguis* var. *pinnatiloba* and *Trichostylium lobatum*. WJ: TYPE of *Aneura pinguis* var. *pinnatiloba*, SYNTYPE of *Riccardia lobata*, **Schiffner 1898a** as *Riccardia pinguis* var. *pinnatiloba*, **1898b** as *Riccardia lobata*, Meijer 1954a, **1960b** both as *Riccardia lobata*, **Bonner 1962** as *Aneura pinguis* var. *pinnatiloba*, **Furuki 1996** as *Lobatiriccardia lobata*, 2006.

*Lophocolea*⁹²

- ? ⁹³*L. costata* (Nees) Nees var. *speciosissima* Schiffn. WJ: SYNTYPE, **Schiffner 1900b**, Geissler & Bischler 1985.
- ? ⁹⁴*L. massalongoana* Schiffn. var. *pumila* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, Schiffner 1900a, 1900b, Geissler & Bischler 1985.

Lopholejeunea

- *** *L. applanata* (Reinw., Blume et Nees) Schiffn. JAV: TYPE of *Lopholejeunea fleischeri*, Reinwardt et al. 1824a as *Jungermannia applanata*, Gottsche et al. 1845b as *Lejeunea adplanata*, **Sande Lacoste 1857** as *Lejeunea adplanata*, **Stephani 1890a** as *Lejeunea adplanata*, **1912b** also as *Lopholejeunea fleischeri*, **Schiffner 1893ab** as *Lejeunea adplanata*, Verdoorn 1933b, Mizutani 1961, 1969, 1977, 1978a, Miller et al. 1983, Geissler & Bischler 1985, 1987 as *Lejeunea applanata*, 1989 as *Phragmicomia applanata*, 1990 as *Symbiezidium applanatum*, Bapna & Kachroo 2000b, **Zhu & So 2001**, **Gradstein et al. 2002**, **Zhu & Gradstein 2005**. BA: Van Leeuwen 1936. WJ: TYPE of *Jungermannia applanata* and *Lopholejeunea karstenii*, Gottsche et al. 1845b as *Lejeunea adplanata* β*, **Sande Lacoste 1864** as *Lejeunea adplanata*, Schiffner 1898a, Verdoorn 1933a, Geissler & Bischler 1985 as *Lopholejeunea fleischeri*, 1987 as *Jungermannia applanata*, Gradstein et al. 2010, Haerida et al. 2010.
- *** *L. ceylanica* Steph. JAV: **Zhu & Gradstein 2005** also as *Lopholejeunea parva*. WJ: TYPE of *Lopholejeunea parva* and *Lopholejeunea schiffneri*, Schiffner 1900c as *Lopholejeunea parva* and *Lopholejeunea schiffneri*, **Herzog et al. 1933** as *Lopholejeunea schiffneri*, Verdoorn 1933 as *Lopholejeunea schiffneri*, Geissler & Bischler 1985 as *Lopholejeunea parva* and *Lopholejeunea schiffneri*, Mizutani 1985, Gradstein et al. 2010, Haerida et al. 2010.
- *** *L. euplopha* (Taylor) Schiffn. JAV: TYPE of *Lopholejeunea nymannii*, **Stephani 1912b** as *Lopholejeunea nymannii*, Verdoorn 1933b, 1934a, Miller et al. 1983, Geissler & Bischler 1985 as *Lopholejeunea nymannii*, Bapna & Kachroo 2000b, **Zhu & Gradstein 2005**. WJ: **Verdoorn 1933a**, **Gradstein et al. 2010**, **Haerida et al. 2010**.
- *** *L. herzogiana* Verd. JAV: Hürlmann 1991, **Zhu & Gradstein 2005**. WJ: TYPE, Verdoorn 1933a, Thiers 1983, 1985, Geissler & Bischler 1985, Mizutani 1985, Gradstein et al. 2002, Haerida et al. 2010.
- *** *L. horticola* Schiffn. JAV: Verdoorn 1933b, Mizutani 1985, **Zhu & Gradstein 2005**. WJ: TYPE, TYPE of *Lopholejeunea horticola*, Schiffner 1900c as *Lopholejeunea horticola*, Herzog et al. 1933, Verdoorn 1933a, Geissler & Bischler 1985 also as *Lopholejeunea horticola*, Mizutani 1985, Haerida et al. 2010.
- *** *L. nigricans* (Lindenb.) Schiffn. JAV: LECTOTYPE of *Lejeunea intermedia*, TYPE of *Lejeunea javanica* and *Lejeunea nigricans*, **Gottschke et al. 1845b** as *Lejeunea intermedia*, *Lejeunea javanica* and *Lejeunea nigricans*, **Sande Lacoste 1857** as *Lejeunea intermedia* *Lejeunea javanica* and *Lejeunea nigricans*, **Stephani 1890a** as *Lejeunea intermedia*, *Lejeunea javanica* and *Lejeunea nigricans*, Schiffner 1898a also as *Lopholejeunea javanica*, Stephani 1912b also as *Lopholejeunea intermedia*, Schiffner 1941 as *Heterolejeunea javanica* and its var. *aquatica*, Mizutani 1977, 1978a, 1978b, 1994, Miller et

92. *Lophocolea* is now generally included in *Chiloscyphus*, but the following taxa have never been transferred.

93. *Lophocolea costata* is now *Chiloscyphus costatus*, but we do not know the value of this variety.

94. *Lophocolea massalongoana* is a synonym of *Chiloscyphus costatoides*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

al. 1983 also as *Lejeunea javanica*, Geissler & Bischler 1985 also as *Lopholejeunea intermedia*, *Lopholejeunea javanica* and *Lopholejeunea nigricans* var. γ *intermedia*, 1987 as *Lejeunea intermedia*, *Lejeunea javanica* and *Lejeunea nigricans*, 1990 as *Symbiezidium intermedium*, *Symbiezidium javanicum* and *Symbiezidium nigricans*, Gradstein 1994, Zhu & So 2001, Gradstein et al. 2002, Easa 2003, Zhu & Gradstein 2005. EJ: TYPE of *Heterolejeunea javanica* and its var. *aquatica*, Schiffner 1955 as *Heterolejeunea javanica* and its f. *aquatica*, Bonner 1966 as *Heterolejeunea javanica* and its var. *aquatica*, Grolle 1977a as *Heterolejeunea javanica*. WJ: Sande Lacoste 1857 as *Lejeunea apiculata*, Verdoorn 1933 also as *Lopholejeunea javanica*, Schiffner 1955 as *Heterolejeunea javanica*, Haerida et al. 2010.

** — var. β *monstrosa* (Nees) Schiffn. JAV: TYPE of *Jungermannia planata* β *monstrosa*, Sande Lacoste 1857 as *Lejeunea nigricans* β *monstrosa*, Schiffner 1898a, Geissler & Bischler 1985, 1987 as *Jungermannia planata* β *monstrosa* and *Lejeunea nigricans* β *monstrosa*.

*** *L. recurvata* Mizut. JAV: TYPE, Zhu & Gradstein 2005, Crosby & Engel 2006. WJ: Mizutani 1979, Gradstein et al. 2002, Haerida et al. 2010.

*** *L. subfusca* (Nees) Schiffn. JAV: TYPE of *Jungermannia subfusca*, Nees 1830 as *Jungermannia subfusca*, Gottsche et al. 1845b as *Lejeunea subfusca*, Stephani 1890a as *Lejeunea sagraeana*, 1912b, Schiffner 1898a as *Lopholejeunea sagraeana* var. β *subfusca*, Verdoorn 1933b, 1934a, Mizutani 1961, 1977, 1978a, Pócs et al. 1967, Schuster 1980, Miller et al. 1983 also as *Jungermannia subfusca*, *Lejeunea subfusca*, *Lopholejeunea sagraeana* and *Symbiezidium subfuscum*, Geissler & Bischler 1985 also as *Lopholejeunea sagraeana* var. β *subfusca*, 1987 as *Jungermannia subfusca* and *Lejeunea subfusca*, 1989 as *Phragmicomia subfusca*, 1990 as *Symbiezidium subfuscum*, Thiers & Gradstein 1989, Reiner-Drehwold 1993, Gradstein 1994, Mizutani 1994, Bapna & Kachroo 2000b, Zhu & So 2001, Gradstein et al. 2002, Easa 2003 also as *Lopholejeunea indica*, Yano 2004, Zhu & Gradstein 2005. BA: Van Leeuwen 1936. CJ: Verdoorn 1933a. EJ: Verdoorn 1933a. WJ: Schiffner 1900c, Verdoorn 1933a, Meijer 1953, Gradstein et al. 2010, Haerida et al. 2010.

*** *L. wiltensis* Steph. JAV: TYPE of *Lopholejeunea serrifolia*, Stephani 1912b also as *Lopholejeunea serrifolia*, Verdoorn 1933b, Miller et al. 1983 also as *Lopholejeunea serrifolia*, Geissler & Bischler 1985 as *Lopholejeunea serrifolia*, Hürlimann 1991, Zhu & Gradstein 2005. WJ: Haerida et al. 2010.

*** *L. zollingeri* (Steph.) Schiffn. JAV: TYPE of *Lejeunea zollingeri* and *Lopholejeunea latialata*, Stephani 1890a, 1912b, Schiffner 1898a, Grolle 1968a, Mizutani 1979 as *Lopholejeunea latialata*, Miller et al. 1983, Geissler & Bischler 1985, 1987 as *Lejeunea zollingeri*, Piippo & Tan 1992, Gradstein et al. 2002, Zhu & Gradstein 2005, Crosby & Engel 2006 as *Lopholejeunea latialata*. CJ: Verdoorn 1933a. WJ: Schiffner 1900c, Verdoorn 1933a, Gradstein et al. 2010, Haerida et al. 2010.

Marchantia

*** *M. acaulis* Steph. JAV: Piippo & Tan 1992. WJ: Bischler-Causse 1989.

*** *M. berteroana* Lehm. et Lindenb. JAV: Gottsche 1853 as *Marchantia tabularis*, Bischler-Causse 1993, Perold 1999, Bednarek-Ochyra et al. 2000. WJ: Bischler-Causse 1989.

*** *M. emarginata* Reinw., Blume et Nees JAV: TYPE, Reinwardt et al. 1824a, b, Nees 1830, Gottsche 1853, Sande Lacoste 1856a, Schiffner 1900a, Gibbs 1914, Verdoorn 1935, Geissler & Bischler 1985. CJ: Schiffner 1898a, 1955. EJ: Gottsche et al. 1846, Schiffner 1955. WJ: Sande Lacoste 1857, Schiffner 1898a, 1898b as *Marchantia emarginata* a *typica*, 1955, 1900c, Meijer 1953, 1954a.

*** — subsp. *emarginata* JAV: TYPE of *Marchantia palmata*, Reinwardt et al. 1824a as *Marchantia palmata*, Nees 1830 as *Marchantia palmata*, Meissner 1848 as *Marchantia palmata*, Gottsche 1853 as *Marchantia palmata*, Stephani 1899 as *Marchantia palmata*, Schiffner 1900a as *Marchantia emarginata* var. *longepedunculata*, f. *thermarum*, var. *major* and var. *multiradia*, Hattori 1968, 1971a both as *Marchantia palmata*, Miller et al. 1983 as *Marchantia emarginata*, Geissler & Bischler 1985 as *Marchantia palmata* and its var. *multiradia* and var. *major-thermarum*, Bischler & Piippo 1991a, Bapna & Kachroo 2000b as *Marchantia palmata*, Easa 2003 as *Marchantia palmata*. CJ: Bischler-Causse 1989. EJ: TYPE of *Marchantia emarginata* f. *minor*, Schiffner 1955 as *Marchantia emarginata* f. *minor*, Geissler & Bischler 1985 as *Marchantia emarginata* f. *minor*, Bischler-Causse 1989. WJ: TYPE of *Marchantia emarginata* f. *thermarum*, var. *longepedunculata* and f. *intermedia*, SYNTYPE of *Marchantia emarginata* var. *multiradia*, var. β *leucolepis*, var. *major* and f. *thermarum*, Sande Lacoste 1857 as *Marchantia palmata*, Schiffner 1893ab as *Marchantia emarginata* var. β *leucolepis*, 1898a as *Marchantia palmata*, 1898b as *Marchantia emarginata* f. *thermarum*, var. *multiradia*, var. *major*, var. *longepedunculata* and f. *intermedia*, 1955 as *Marchantia emarginata* f. *thermarum*, Meijer 1954b as *Marchantia emarginata* f. *thermarum*, Geissler & Bischler 1985 as *Marchantia emarginata* var. *longepedunculata*, f. *thermarum*, var. *multiradia*, var. β *leucolepis*, Bischler-Causse 1989. YY: SYNTYPE of *Marchantia emarginata* var. β *leucolepis*, Gottsche et al. 1846 as *Marchantia palmata*, Schiffner 1893ab as *Marchantia emarginata* var. β *leucolepis*, 1898a as *Marchantia palmata*, Geissler & Bischler 1985 as *Marchantia emarginata* var. β *leucolepis*.

*** *M. geminata* Reinw., Blume et Nees JAV: TYPE, TYPE of *Grimaldia geminata* β , Reinwardt et al. 1824a, Nees 1830 as *Grimaldia geminata*, Lehmann 1832 as *Grimaldia geminata* β , Gottsche et al. 1846, Sande Lacoste 1856a, Schiffner 1893ab as *Marchantia geminata* var. *geminata*, 1900a also as *Marchantia geminata* f. *divaricata* and var. *major*, Stephani 1899, Verdoorn 1935, Bonner 1966 as *Grimaldia geminata*, Miller et al. 1983, Geissler & Bischler 1985 also as *Marchantia geminata* var. *divaricata*, Bapna & Kachroo 2000b. BA: Van Leeuwen 1936. CJ: Bischler-Causse 1989. WJ: TYPE of *Marchantia geminata* f. *divaricata* and var. *major*, Sande Lacoste 1857, Schiffner 1898a, 1898b also as *Marchantia geminata* var. *major* and f. *divaricata*, Meijer 1954a, Geissler & Bischler 1985 as *Marchantia geminata* f. *divaricata* and var. *major*, 1989.

- *** *M. miqueliana* Lehm. JAV: TYPE, Lehmann 1857, Schiffner 1898a, 1900a also as *Marchantia cataractarum*, Stephani 1899 also as *Marchantia cataractarum*, Verdoorn 1935 as *Marchantia cataractarum*, Geissler & Bischler 1985. EJ: Bischler-Causse 1989. WJ: TYPE of *Marchantia cataractarum* and *Marchantia rufiflora*, Schiffner 1898b, 1955 both as *Marchantia cataractarum*, Bonner 1953 as *Marchantia rufiflora*, Meijer 1954b as *Marchantia cataractarum*, Geissler & Bischler 1985 as *Marchantia cataractarum* and *Marchantia rufiflora*, Bischler-Causse 1989.
- *** *M. paleacea* Bertol. JAV: Hattori 1966a, 1968, Miller et al. 1983, Bapna & Kachroo 2000b. WJ: Evans 1917.
- *** — subsp. *paleacea* JAV: TYPE of *Marchantia nitida* var. *hillebrandii*, Sande Lacoste 1857 as *Marchantia nitida*, Schiffner 1898a as *Marchantia nitida*, 1900a as *Marchantia nitida* and its var. *hillebrandii*, Stephani 1899 as *M. nitida*, Miller et al. 1983 as *Marchantia nitida*, Geissler & Bischler 1985 as *Marchantia nitida* var. *hillebrandii*, Schuster 1992b, Bischler-Causse 1993. CJ: TYPE of *Marchantia nitida* f. *javanica* and f. *subaquatica*, Meijer 1955 as *Marchantia nitida*, Schiffner 1955 as *Marchantia nitida* f. *javanica* and f. *subaquatica*, Geissler & Bischler 1985 as *Marchantia nitida* f. *subaquatica* and f. *javanica*, Bischler-Causse 1989. EJ: Schiffner 1955 as *Marchantia nitida* f. *javanica*, Bischler-Causse 1989. WJ: TYPE of *Marchantia nitida* f. *javanica*, Schiffner 1898b as *Marchantia nitida*, 1955 as *Marchantia nitida* f. *javanica*, Meijer 1954a as *Marchantia nitida*, Geissler & Bischler 1985 as *Marchantia nitida* f. *javanica*, Bischler-Causse 1989.
- *** *M. polymorpha* L. JAV: Reinwardt et al. 1824a, b, Sande Lacoste 1857, Stephani 1899, Schiffner 1900a, Barbour 1901, Frye & Clark 1937. CJ: Meijer 1955. EJ: Bischler-Causse 1989. WJ: TYPE of *Marchantia polymorpha* a *denticulata*, Nees 1830, Gottsche et al. 1846 as *Marchantia polymorpha* a *denticulata*, Sande Lacoste 1856a as *Marchantia polymorpha* a *denticulata*, Schiffner 1898a also as *Marchantia polymorpha* a *denticulata*, Bischler-Causse 1989.
- *** *M. treubii* Schiffn. JAV: Schiffner 1893ab as *Marchantia geminata* var. *subsimplex*, Stephani 1899, Schiffner 1900a also as *Marchantia sciaphila* and *Marchantia treubii* var. *intercedens*. CJ: Schiffner 1955 as *Marchantia sciaphila*, Bischler-Causse 1989. EJ: TYPE of *Marchantia geminata* var. *subsimplex*, Schiffner 1893ab as *Marchantia geminata* var. *subsimplex*, Geissler & Bischler 1985 as *Marchantia geminata* var. *subsimplex*, Bischler-Causse 1989. WJ: TYPE, TYPE of *Marchantia sciaphila* and *Marchantia treubii* var. *intercedens*, Schiffner 1898a as *Marchantia geminata* var. *subsimplex*, Schiffner 1898b also as *Marchantia sciaphila* and *Marchantia treubii* var. *intercedens*, Stephani 1899 as *Marchantia sciaphila*, Meijer 1954a, Geissler & Bischler 1985 also as *Marchantia sciaphila* and *Marchantia treubii* var. *intercedens*, Bischler-Causse 1989.

Marsupella

- *** *M. neesii* Sande Lac. ex Schiffn. JAV: Schiffner 1900a as *Marsupella vulcanica*, Stephani 1901 as *Marsupella vulcanica*, Váňa 1999 as *Marsupella vulcanica*. WJ: LECTOTYPE of *Marsupella vulcanica*, Schiffner 1898a, 1898b as *Marsupella vulcanica*, Verdoorn 1931b as *Marsupella vulcanica*, Meijer 1954b as *Marsupella vulcanica*, Geissler & Bischler 1985 as *Marsupella vulcanica*, 1990 as *Sarcocyphos neesii*.

Marsupidium

- *** *M. sumatranum* (Schiffn.) Grolle WJ: TYPE of *Tylimanthus repens*, Grolle 1973a, Geissler & Bischler 1990 as *Tylimanthus repens*.

Mastigolejeunea

- *** *M. auriculata* (Wilson) Schiffn. JAV: TYPE of *Phragmicomma humilis*, Gottsche et al. 1845a as *Phragmicomma humilis*, Sande Lacoste 1857, 1864 both as *Phragmicomma humilis*, Stephani 1890a as *Phragmicomma humilis*, 1912a as *Mastigolejeunea humilis*, Schiffner 1898a as *Mastigolejeunea humilis*, Verdoorn 1933b, 1934a both as *Mastigolejeunea humilis*, Mizutani 1977, both as *Mastigolejeunea humilis*, Miller et al. 1983 as *Mastigolejeunea humilis*, *Phragmicomma humilis* and *Ptychocoleus humilis*, Geissler & Bischler 1985 as *Marchesinia humilis* and *Mastigolejeunea humilis*, 1987 as *Lejeunea humilis*, 1989 as *Phragmicomma humilis* and *Ptychocoleus humilis*, Thiers & Gradstein 1989, Gradstein 1994, Bapna & Kachroo 2000b as *Mastigolejeunea humilis* var. *ciliata* and var. *humilis*, Gradstein et al. 2002. BA: Haerida et al. 2010. EJ: Verdoorn 1933 as *Mastigolejeunea humilis*. WJ: Schiffner 1900c as *Mastigolejeunea humilis*, Verdoorn 1933 as *Mastigolejeunea humilis*, Meijer 1953 as *Mastigolejeunea humilis*, Thiers 1985 as *Mastigolejeunea humilis*, Mizutani 1987a as *Mastigolejeunea humilis*, Haerida et al. 2010.

- *** *M. indica* Steph. WJ: Haerida et al. 2010.

- *** *M. virens* (Ångstr.) Steph. EJ: Mizutani 1987a. WJ: Mizutani 1987a, Haerida et al. 2010.

Mastigophora

- *** *M. diclados* (Brid. ex F. Weber) Nees JAV: TYPE of *Jungermannia calcarata*, Jungermannia diclados α** tenerior, β** rhizobola, β*** nana, α* major, Jungermannia fissa, Sendtnera diclados β* conferta, β** rhizobola, β*** nana, Reinwardt et al. 1824a as *Jungermannia calcarata* and *Jungermannia scorpioides*, Nees 1830 as *Jungermannia diclados* β calcarata, β*** nana, α** tenerior, Gottsche et al. 1845a as *Sendtnera diclados* and *Sendtnera fissa*, Sande Lacoste 1856a as *Sendtnera diclados* α** tenerior, 1857 as *Sendtnera diclados* α** tenerior, β* conferta, β** rhizobola, β calcarata, α* major, α scorpioides and β*** nana, 1864 as *Sendtnera diclados* β** rhizobola and β* conferta, Stephani 1922 as *Lepicolea fissa*, Bonner 1966 as *Herbertia fissa*, Miller et al. 1983 also as *Sendtnera diclados* and its α scorpioides and *Sendtnera fissa*, Geissler & Bischler 1985 as *Mastigophora diclados* f. *nana*, f. *tenerior*, f. *rhizobola*, f. *conferta*, var. β scorpioides, *Mastigophora fissa* and *Mastigophora vrieseana*, 1987 as *Jungermannia diclados* α** tenerior, β** rhizobola, β*** nana, α* major, β calcarata, α scorpioides and *Jungermannia fissa*, 1990 as *Sendtnera diclados* β* conferta, β*** nana, β calcarata, α scorpioides, β** rhizobola, α** tenerior and *Sendtnera vrieseana*. WJ: SYNTYPE of *Jungermannia diclados* β* conferta, TYPE of *Jungermannia scorpioides*, *Mastigophora diclados* f. *thermarum* and *Sendtnera diclados* α* major, Nees 1830 as *Jungermannia diclados* α* major, Gottsche et al. 1845a as *Sendtnera diclados* β calcarata and α* major, Sande Lacoste 1864 as *Sendtnera diclados* α scorpioides and β calcarata, Schiffner 1898a also as *Mastigophora diclados* var. β scorpioides, 1900c, 1955 also as *Mastigophora diclados* f. *thermarum*, Seifriz

1924, Renner 1932, Verdoorn 1932a, Meijer 1954a, Geissler & Bischler 1987 as *Jungermannia calcarata*, *Jungermannia diclados* β* *conferta*, *Jungermannia scorpioides*, 1990 as *Sendtnera diclados* α* *major*, Gradstein et al. 2010.

** — var. *diclados* JAV: Schiffner 1893ab.

* — var. *villosa* Herzog WJ: TYPE, Herzog 1932, Geissler & Bischler 1985.

? ⁹⁵ *M. fissa* (Nees) Schiffn. var. β *laxior-et-tenuis* (Nees) Schiffn. JAV: TYPE of *Jungermannia fissa* β *laxior-et-tenuis*, Nees 1830 as *Jungermannia fissa* β *laxior-et-tenuis*, Sande Lacoste 1857 as *Sendtnera fissa* β *laxior-et-tenuis*, Schiffner 1898a, Geissler & Bischler 1985, Geissler & Bischler 1987 as *Jungermannia fissa* β *laxior-et-tenuis*, Geissler & Bischler 1990 as *Sendtnera fissa* β *laxior-et-tenuis*.

Metalejeunea

*** *M. cucullata* (Reinw., Blume et Nees) Grolle JAV: TYPE of *Jungermannia cucullata* and its α *major* and *Lejeunea cucullata* α *major*, Reinwardt et al. 1824a as *Jungermannia cucullata*, Nees 1830 as *Jungermannia cucullata* α *major*, Gottsche et al. 1845b as *Lejeunea cucullata* α *major*, Gottsche 1853 as *Lejeunea cucullata*, Sande Lacoste 1857 as *Lejeunea cucullata* α *major*, Stephani 1890b as *Lejeunea erectifolia*, Bischler et al. 1962 as *Microlejeunea albicans* and *Microlejeunea cucullata*, Pócs et al. 1967 as *Microlejeunea cucullata*, Mizutani 1977, 1978a both as *Lejeunea cucullata*, Miller et al. 1983 as *Jungermannia cucullata*, *Lejeunea cucullata* var. δ *parasitica* and *Microlejeunea cucullata*, Geissler & Bischler 1985 as *Microlejeunea cucullata*, 1987 as *Jungermannia cucullata* and its α *major*, *Lejeunea cucullata* and its α *major*, Grolle 1995, Zhu & So 2001. WJ: Sande Lacoste 1864 as *Lejeunea cucullata*, Schiffner 1898a as *Eulejeunea cucullata*, 1900c as *Microlejeunea cucullata*, Gradstein et al. 2010.

Metzgeria

*** *M. attenuata* Steph. WJ: Kuwahara 1985.

*** *M. ciliata* Raddi JAV: Kuwahara 1965, 1968, 1983, 1984, 1985 all as *Metzgeria decipiens*, Miller et al. 1983 as *Metzgeria quadriseriata*, Piippo 1991a as *Metzgeria decipiens*, Bapna & Kachroo 2000b as *Metzgeria decipiens*, Koponen et al. 2000 as *Metzgeria decipiens*, Costa 2008.

*** ⁹⁶ *M. conjugata* Lindb. JAV: Reinwardt et al. 1824a as *Jungermannia furcata* var. β *elongata*, Nees 1830 as *Jungermannia furcata* var. β *maxima*, Stephani 1899, Schiffner 1900a, Frye & Clark 1937, Miller et al. 1983 as *Metzgeria conjugata* subsp. *conjugata*. WJ: Schiffner 1898b.

* — subsp. *japonica* (S.Hatt.) Kuwah. JAV: TYPE of *Metzgeria conjugata* var. *minor*, Schiffner 1893ab, 1898a both as *Metzgeria conjugata* var. *minor*, 1900a as *Metzgeria lindbergii*, Stephani 1899 as *Metzgeria lindbergii*, Kuwahara 1958 as *Metzgeria conjugata* var. *japonica*, 1965 as *Metzgeria conjugata* subsp. *japonica*, 1968 as *Metzgeria conjugata* subsp. *japonica*, 1978 as *Metzgeria lindbergii*, 1985 as *Metzgeria minor*, Pócs et al. 1967 as *Metzgeria conjugata* subsp. *japonica*, Pócs 1968a as *Metzgeria conjugata* subsp. *japonica*, Hattori 1975c as *Metzgeria conjugata* subsp. *japonica*, Miller et al. 1983 also as *Metzgeria lindbergii*, Geissler & Bischler 1985 as *Metzgeria lindbergii*, *Metzgeria conjugata* var. *minor* and *Metzgeria minor*, Schuster 1992a as *Metzgeria conjugata* subsp. *japonica*, Bapna & Kachroo 2000b as *Metzgeria lindbergii*, Koponen et al. 2000 as *Metzgeria lindbergii*, Zhu & So 2001 as *Metzgeria lindbergii*, Damsholt 2002 as *Metzgeria conjugata* subsp. *japonica*, So 2002, 2003b both as *Metzgeria lindbergii*. WJ: LECTOTYPE of *Metzgeria lindbergii*, Schiffner 1898b as *Metzgeria lindbergii*, Meijer 1953 as *Metzgeria lindbergii*.

*** *M. consanguinea* Schiffn. JAV: Schiffner 1893ab, 1900a, Stephani 1899, Kuwahara 1965, 1975, 1976, 1978, 1981, 1982, 1986, Hattori 1966a, Grolle 1969, Miller et al. 1983, Long & Grolle 1990, Piippo 1991a, Hodgetts et al. 1999, Bapna & Kachroo 2000b, Zhu & So 2001, So 2002, 2003b, Costa 2008. WJ: TYPE, Schiffner 1898a, 1898b, 1900c, Geissler & Bischler 1985.

*** *M. crassipilis* (Lindb.) A.Evans JAV: So 2003b. WJ: Gradstein et al. 2010.

* ⁹⁷ *M. foliocola* Schiffn. JAV: TYPE of *Metzgeria cristatissima*, Schiffner 1900a, Herzog 1951a, 1951b both as *Metzgeria cristatissima*, Kuwahara 1978, 1984 as *Metzgeria cristata*, 1985 as *Metzgeria cristata*, Geissler & Bischler 1985 as *Metzgeria cristatissima*, Koponen et al. 2000, So 2002, 2003b. WJ: LECTOTYPE, TYPE of *Metzgeria cristata*, Schiffner 1898b, 1900c, Stephani 1917b as *Metzgeria cristata*, Renner 1932, Verdoorn 1935, Geissler & Bischler 1985 also as *Metzgeria cristata*.

*** *M. furcata* (L.) Corda JAV: TYPE of *Jungermannia rhizophora*, Reinwardt et al. 1824a as *Jungermannia rhizophora*, Gottsche et al. 1846, Gottsche 1853, Sande Lacoste 1857 as *Metzgeria furcata* β *communis*, 1864, Geissler & Bischler 1987 as *Jungermannia rhizophora*, Bapna & Kachroo 2000b, So 2003b. WJ: Schiffner 1898a.

⁹⁸ *M. hamata* Lindb. nom. illeg.

? —var. *angustior* Schiffn. JAV: Schiffner 1900a. WJ: SYNTYPE, Schiffner 1898b, Geissler & Bischler 1985.

95. *Mastigophora fissa* is a synonym to *M. diclados*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

96. *Metzgeria conjugata* is in SE Asia only represented by subsp. *japonica*, which sometimes is treated as a species (*M. lindbergii* Schiffn.), sometimes synonymized with *M. conjugata*.

97. *Metzgeria foliocola* is a synonym of *M. albinea* in Kuwahara (1986), but recognized by later authors.

98. *Metzgeria hamata* sensu Lindb. is a synonym of *M. leptoneura* (*M. hamata* Lindb. = *M. procera* Mitt.), but we are not sure whether these varieties also belong to the species and are worth recognizing.

? —var. *saxicola* Schiffn. JAV: **Schiffner 1900a**. WJ: SYNTYPE, Schiffner 1898b, 1900c, Geissler & Bischler 1985.

? —var. *subplana* Schiffn. JAV: **Schiffner 1900a**. WJ: SYNTYPE, Schiffner 1898b, Geissler & Bischler 1985.

*** *M. leptoneura* Spruce JAV: SYNTYPE of *Metzgeria furcata* β1 major, Nees 1838 as *M. furcata* β1 major, **Sande Lacoste 1857** as *Metzgeria furcata* β1 major, **Schiffner 1898a** as *Metzgeria hamata*, **1900a** as *Metzgeria sandei*, **Stephani 1899** as *Metzgeria sandei*, Kuwahara 1968, 1969 both as *Metzgeria sandei*, 1978 as *Metzgeria thomeensis*, 1982 as *Metzgeria sandei*, 1984 as *Metzgeria australis*, 1985 also as *Metzgeria australis* and *Metzgeria sandei*, 1986 as *Metzgeria australis* and *Metzgeria sandei*, Miller et al. 1983, **Geissler & Bischler 1985** as *Metzgeria furcata* β1 major, Schuster 1984, Piippo 1991a as *Metzgeria australis*, Bapna & Kachroo 2000b, Damsholt 2002, Nieve & Schiavone 2002 as *Metzgeria sandei*, So 2002 as *Metzgeria thomeensis*, **2003b**. WJ: TYPE of *Metzgeria hamata* f. *transitoria*, SYNTYPE of *Metzgeria sandei*, **Schiffner 1898b** as *Metzgeria hamata* and f. *transitoria* and *Metzgeria sandei*, **Geissler & Bischler 1985** as *Metzgeria hamata* f. *transitoria* and *Metzgeria sandei*, **Costa 2008**.

** — var. *leptoneura* JAV: TYPE of *Metzgeria furcata* α extensa, Nees 1838 as *Metzgeria furcata* α extensa, **Sande Lacoste 1857** as *Metzgeria furcata* α extensa, **Stephani 1899** as *Metzgeria hamatiformis*, **Schiffner 1900a** as *Metzgeria hamatiformis*, Frye & Clark 1937 as *Metzgeria hamata*, Arnell 1956, 1958 both as *Metzgeria hamata*, Kuwahara 1958 as *Metzgeria hamata*, 1986, Engel 1976, **Geissler & Bischler 1985** as *Metzgeria furcata* α extensa, Schuster 1992a. WJ: TYPE of *Metzgeria fuscescens* and *Metzgeria hamata* f. *propagulifera*, **Schiffner 1898b** as *Metzgeria hamata* f. *propagulifera* and *Metzgeria hamatiformis*, **Stephani 1899** as *Metzgeria fuscescens*, **Renner 1932** as *Metzgeria hamata*, **Engel 1978**, **Geissler & Bischler 1985** as *Metzgeria fuscescens* and *Metzgeria hamata* f. *propagulifera*.

** *M. scobina* Mitt. JAV: Miller et al. 1983, Kuwahara 1985 as *Metzgeria subscobina*.

Mnioloma

*** *M. fuscum* (Lehm.) R.M.Schust. JAV: **Gottschke et al. 1845a** as *Mastigobryum alternifolium* β confertius, **Sande Lacoste 1857** as *Mastigobryum alternifolium* β confertius, **Schiffner 1893ab** as *Bazzania alternifolia* var. β confertior, Bonner 1963a as *Calypogeia alternifolia* var. confertior, Grolle 1965a as *Calypogeia baldwinii*, Grolle 1977c as *Calypogeia fusca*, Miller et al. 1983 as *Calypogeia fusca*, Gao et al. 2002, Engel 2006. WJ: **Schiffner 1898a** as *Kantia alternifolia* var. β confertior.

Nardia

*** *N. scalaris* Gray JAV: Reichardt 1871 as *Alicularia scalaris*, Frye & Clark 1944. WJ: **Blockeel et al. 2007**.

** — subsp. *scalaris* JAV: Gottschke et al. 1844 as *Alicularia scalaris* α rigens, Sande Lacoste 1857 as *Alicularia scalaris* α rigens, Bonner 1962 as *Alicularia scalaris* α rigens. WJ: **Sande Lacoste 1864** as *Alicularia scalaris* α rigens.

Notoscyphus

*** *N. lutescens* (Lehm. et Lindenb.) Mitt. JAV: **Gottschke 1853** as *Gymnomitrium belangerianum*, **Schiffner 1900a** as *Nardia notoscyphoides*, **1900a** as *Notoscyphus paroicus*, **Stephani 1901** also as *Notoscyphus paroicus* and *Alicularia notoscyphoides*, Verdoorn 1931b as *Notoscyphus paroicus*, Amakawa 1959 as *Notoscyphus paroicus*, Bonner 1962 as *Acolea lutescens* and *Alicularia notoscyphoides*, 1963b as *Cesiusa lutescens*, as *Gymnomitrium lutescens*, Arnell 1963, 1965, Schuster 1969 as *Nardia notoscyphoides*, Udar & Kumar 1981 also as *Notoscyphus paroicus*, Miller et al. 1983 also as *Notoscyphus paroicus*, Geissler & Bischler 1989 as *Prasanthus paroicus*, Bapna & Kachroo 2000a also as *Notoscyphus paroicus*, Schuster 2002 as *Notoscyphus paroicus*. CJ: **Schiffner 1955** as *Notoscyphus paroicus*. WJ: TYPE of *Nardia notoscyphoides*, SYNTYPE of *Notoscyphus paroicus*, **Sande Lacoste 1857, 1864** both as *Gymnomitrium lutescens*, **Schiffner 1898a, 1898b** as *Nardia notoscyphoides* and *Notoscyphus paroicus*, Meijer 1954a as *Nardia notoscyphoides* and *Notoscyphus paroicus*, **Geissler & Bischler 1985** as *Nardia notoscyphoides* and *Notoscyphus paroicus*, **Gradstein et al. 2010**.

Nowellia

*** *N. curvifolia* (Dicks.) Mitt. JAV: Schuster 1974, Gradstein & Váňa 1987, Damsholt 2002. WJ: **Sande Lacoste 1864** as *Jungermannia curvifolia* var. β baueri, **Grolle 1968c**.

Otolejeunea

*** *O. semperiana* (Gottschke ex Steph.) Grolle JAV: SYNTYPE of *Prionolejeunea semperiana*, **Stephani 1913** as *Prionolejeunea semperiana*, **Geissler & Bischler 1989** as *Prionolejeunea semperiana*, Zhu & So 1997, 1998, 2001, Grolle & Reiner-Drehwald 2000, Blockeel et al. 2006. WJ: TYPE of *Allorgella noertana*, **Tixier 1980** as *Allorgella noertana*, **Crosby & Engel 2006** as *Allorgella noertana*.

Pallavicinia

? ⁹⁹*P. indica* Schiffn. var. *aquatica* Schiffn. nom. inval. WJ: **Schiffner 1955**, **Geissler & Bischler 1989**.

** *P. levieri* Schiffn. JAV: **Schiffner 1900a**, **Stephani 1900**, Miller et al. 1983 also as *Blyttia levieri*, Koponen et al. 2000. BA: **Van Leeuwen 1936**. WJ: LECTOTYPE, Schiffner 1898b, 1900c, Renner 1932, Grolle & Piippo 1986, **Geissler & Bischler 1989**.

*** *P. lyelli* (Hook.) Carruth. JAV: TYPE of *Blyttia radiculosa* and *Pallavicinia latifrons*, **Gottschke 1853** as *Blyttia lyelli*, **Sande Lacoste 1857** as *Blyttia lyelli* and *Blyttia radiculosa*, **Schiffner 1898a** as *Calycularia radiculosa*, **1900a** as *Pallavicinia indica* var. *major*, *Pallavicinia indica*, *Pallavicinia radiculosa*, *Pallavicinia latifrons*, Frye & Clark 1937, Verdoorn 1938 as *Calycularia radiculosa* and *Pallavicinia indica*, **Bonner 1963a** as *Blyttia radiculosa* as *Calycularia radiculosa*, 1965 as *Diplolaena lyelli* and *Diplomitrium lyelli*, Grolle 1968a as *Pallavicinia radiculosa*, Hattori 1968 as *Pallavicinia indica*,

99. *Pallavicinia indica* is a synonym to *P. lyelli*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

Miller et al. 1983 also as *Pallavicinia indica*, Geissler & Bischler 1989 as *Pallavicinia latifrons* and *Pallavicinia radiculosa*, Schuster 1992a, Bapna & Kachroo 2000b also as *Pallavicinia indica*. WJ: SYNTYPE of *Pallavicinia indica*, TYPE of *Pallavicinia indica* var. *major*, Sande Lacoste 1864 as *Blyttia lyelli*, Schiffner 1898a, 1898b as *Pallavicinia indica* and its var. *major* and *Pallavicinia radiculosa*, 1900c as *Calycularia radiculosa*, *Pallavicinia indica*, *Pallavicinia radiculosa*, 1955 as *Pallavicinia radiculosa*, Verdoorn 1931b as *Pallavicinia radiculosa*, 1935 as *Pallavicinia indica*, Meijer 1953 as *Pallavicinia indica*, 1954b as *Pallavicinia radiculosa*, 1958b as *Pallavicinia radiculosa*, Grolle & Piippo 1986, Geissler & Bischler 1989 as *Pallavicinia indica* and its var. *major*.

Pedinophyllum

*** *P. autoicum* (Steph.) Inoue JAV: TYPE of *Plagiochila autoica*, Stephani 1917b as *Plagiochila autoica*, Inoue 1966c, Schuster 1984, Geissler & Bischler 1989 also as *Plagiochila autoica*.

Plagiochila

*** *P. abietina* (Nees) Nees et Mont. JAV: TYPE of *Jungermannia abietina*, Nees 1830 as *Jungermannia abietina*, Gottsche et al. 1844, Sande Lacoste 1857, Schiffner 1900a, Stephani 1903, Dugas 1929 as *Plagiochila abietina* var. *abietina*, Miller et al. 1983 also as *Jungermannia abietina*, Geissler & Bischler 1987 as *Jungermannia abietina*, Piippo 1989a, So & Grolle 2000c. CJ: Sande Lacoste 1864. WJ: Sande Lacoste 1864, Schiffner 1898a, 1900b, Carl 1931, Inoue 1984.

*** *P. arbuscula* (Brid. ex Lehm. et Lindenb.) Lindenb. JAV: TYPE of *Plagiochila belangeriana* and its f. *angustifolia* and *Plagiochila terricola*, Lehmann 1832 as *Jungermannia arbuscula*, Lindenberg 1840 as *Plagiochila belangeriana*, Gottsche et al. 1844, Meissner 1848 as *Plagiochila belangeriana*, Gottsche 1853 as *Plagiochila belangeriana*, Sande Lacoste 1857, Schiffner 1900a as *Plagiochila belangeriana* and its var. *rufescens* and var. *brevifolia*, Stephani 1903 as *Plagiochila belangeriana*, 1918 as *Plagiochila terricola*, 1921 as *Plagiochila terricola*, Dugas 1929 as *Plagiochila belangeriana* var. *rufescens*, Carl 1931 as *Plagiochila belangeriana*, Verdoorn 1932a as *Plagiochila belangeriana*, Inoue 1958b as *Plagiochila belangeriana*, Hattori 1968 as *Plagiochila belangeriana*, Miller et al. 1983 also as *Plagiochila belangeriana*, Geissler & Bischler 1987 as *Jungermannia arbuscula*, 1989 as *Plagiochila belangeriana* and its f. *angustifolia* and *Plagiochila terricola*, Piippo 1989a, Bapna & Kachroo 2000b, So 2000, 2001a. CJ: Sande Lacoste 1864 as *Plagiochila belangeriana*, Schiffner 1898a as *Plagiochila belangeriana*, Inoue 1984, So & Grolle 2000c. EJ: Gottsche et al. 1844 as *Plagiochila belangeriana*, Inoue 1984. WJ: NEOTYPE of *Jungermannia arbuscula*, TYPE of *Plagiochila belangeriana* var. *brevifolia* and var. *rufescens*, Sande Lacoste 1857, 1864 both as *Plagiochila belangeriana*, Schiffner 1898a as *Plagiochila belangeriana*, 1900b as *Plagiochila belangeriana* and its var. *brevifolia* and var. *rufescens*, Seifriz 1924 as *Plagiochila belangeriana*, Renner 1932 as *Plagiochila belangeriana*, Inoue 1984, Geissler & Bischler 1989 as *Plagiochila belangeriana* var. *rufescens* and var. *brevifolia*, Grolle & So 1998, 1999c, So & Grolle 2000c.

*** *P. bantamensis* (Reinw., Blume et Nees) Mont. JAV: TYPE of *Plagiochila bantamensis* f. *minor*, Reinwardt et al. 1824a as *Jungermannia bantamensis*, Sande Lacoste 1857 also as *Plagiochila bantamensis* β *minor*, 1864, Schiffner 1893ab, 1900a also as *Plagiochila bantamensis* β *minor*, *Plagiochila goethartiana* var. *gadokana*, *Plagiochila lobulata*, *Plagiochila lobulata* var. *longidens*, *Plagiochila media* var. *pauciciliata* and *Plagiochila media*, Stephani 1903 as *Plagiochila goethartiana* and *Plagiochila renistipula*, Stephani 1904 also as *Plagiochila lobulata* and *Plagiochila media*, Dugas 1929 also as *Plagiochila goethartiana* var. *gadokana* and *Plagiochila lobulata* var. *longidens*, Carl 1931 as *Plagiochila bantamensis* f. *minor*, *Plagiochila lobulata* var. *longidens*, *Plagiochila media* var. *pauciciliata* and *Plagiochila modiglianii*, Pócs et al. 1967 as *Plagiochila media*, Hattori 1968 as *Plagiochila lobulata*, Onraedt 1981 as *Plagiochila lobulata*, Miller et al. 1983 as *Plagiochila simillima*, Geissler & Bischler 1989 also as *Plagiochila bantamensis* f. *minor* and *Plagiochila renistipula*, Piippo 1993a, So & Grolle 2000a, So 2001a. BA: Van Leeuwen 1936 as *Plagiochila lobulata* and *Plagiochila simillima*. EJ: Carl 1931 as *Plagiochila lobulata*. WJ: TYPE of *Jungermannia bantamensis*, *Plagiochila goethartiana* var. *gadokana*, *Plagiochila lobulata* and its f. *humilior* and var. *longidens* and *Plagiochila media* var. *pauciciliata*, SYNTYPE of *Plagiochila media*, LECTOTYPE of *Plagiochila renistipula*, Nees 1830 as *Jungermannia bantamensis*, Gottsche et al. 1844, Sande Lacoste 1864 as *Plagiochila bantamensis* β *minor*, Schiffner 1898a also as *Plagiochila bantamensis* var. β *minor*, Schiffner 1900b also as *Plagiochila goethartiana* var. *gadokana*, *Plagiochila lobulata* and its f. *humilior* and var. *longidens*, *Plagiochila media* and its var. *pauciciliata*, Schiffner 1900c also as *Plagiochila media* var. *pauciciliata*, Carl 1931, Meijer 1954a, Inoue 1984, Geissler & Bischler 1987 as *Jungermannia bantamensis*, 1989 as *Plagiochila goethartiana* var. *gadokana*, *Plagiochila lobulata* and its f. *humilior* and var. *longidens*, *Plagiochila media* and its var. *pauciciliata*, Grolle & So 1999b, So & Grolle 2000c.

? ¹⁰⁰ *P. belangeriana* Lindenb. var. *brevidentata* Schiffn. nom. inval. JAV: Schiffner 1900a, Geissler & Bischler 1989.

** *P. bicornuta* Steph. JAV: Schiffner 1900a as *Plagiochila laxissima*, Dugas 1929 as *Plagiochila laxissima*, So 2001b. CJ: Inoue 1984 as *Plagiochila laxissima*. WJ: TYPE of *Plagiochila laxissima*, Schiffner 1900b as *Plagiochila laxissima*, Inoue 1984 as *Plagiochila laxissima*, Geissler & Bischler 1989 as *Plagiochila laxissima*, So & Grolle 2000c as *Plagiochila laxissima*.

*** *P. blepharophora* (Nees) Lindenb. JAV: Schiffner 1900a also as *Plagiochila blepharophora* var. *exilis*, Stephani 1903, Dugas 1929, Carl 1931, Miller et al. 1983, Geissler & Bischler 1989, Piippo 1989a. WJ: TYPE of *Jungermannia blepharophora* and *Plagiochila blepharophora* var. *exilis*, Nees 1830 as *Jungermannia blepharophora*, Gottsche et al. 1844, Sande Lacoste 1856a, 1857, 1864, Schiffner 1898a, Schiffner 1900b also as *Plagiochila blepharophora* var. *exilis*, Inoue 1984, Geissler & Bischler 1987 as *Jungermannia blepharophora*, 1989 as *Plagiochila blepharophora* var. *exilis*, So & Grolle 2000c.

100. *Plagiochila belangeriana* is a synonym to *P. arbuscula*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

- ? ¹⁰¹ *P. conjugata* (Hook.) Lindenb. var. *falcata* (Nees) Mont. JAV: TYPE of *Jungermannia conjugata* γ *falcata*, Nees 1830 as *Jungermannia conjugata* γ *falcata*, Sande Lacoste 1857 as *Plagiochila opposita* β *falcata*, Schiffner 1898a as *Plagiochila opposita* var. β *falcata*, Geissler & Bischler 1987 as *Jungermannia conjugata* γ *falcata*, 1989 also as *Plagiochila opposita* β *falcata*.
- ** *P. densifolia* Sande Lac. JAV: Inoue 1984.
- *** *P. frondescens* (Nees) Lindenb. JAV: LECTOTYPE of *Jungermannia frondescens*, TYPE of *Jungermannia javanica* β *diffusa*, *Jungermannia javanica* and its α *tenerrima*, and γ *rigida*, Nees 1830 as *Jungermannia javanica* γ *rigida*, α *tenerrima* and β *diffusa*, 1831 as *Jungermannia frondescens*, Gottsche et al. 1844, Gottsche 1853 as *Plagiochila frondescens* β *diffusa*, Sande Lacoste 1856a, 1857 as *Plagiochila frondescens* α *tenerrima*, 1864 as *Plagiochila frondescens* α *tenerrima*, Schiffner 1893ab, Schiffner 1898a also as *Plagiochila frondescens* var. γ *tenerrima*, Schiffner 1900a also as *Plagiochila frondescens* β *diffusa* and α *tenerrima*, Stephani 1903, Dugas 1929 also as *Plagiochila frondescens* β *diffusa*, Verdoorn 1932a, Miller et al. 1983, Geissler & Bischler 1987 as *Jungermannia javanica* and its γ *rigida* and β *diffusa*, Pippko 1989a, Fulford & Sharp 1990. WJ: Sande Lacoste 1857 as *Plagiochila frondescens* γ *rigida*, 1857 as *Plagiochila frondescens* β *diffusa*, 1864 as *Plagiochila frondescens* γ *rigida* and β *diffusa*, Schiffner 1898a as *Plagiochila frondescens* γ *rigida* and var. β *diffusa*, Schiffner 1900b also as *Plagiochila frondescens* var. β *diffusa*, Carl 1931, Inoue 1984.
- *** *P. fusca* Sande Lac. JAV: TYPE, TYPE of *Plagiochila subdensispina*, Sande Lacoste 1854, 1856b, 1857, 1864, Schiffner 1900a, Stephani 1903, 1921 as *Plagiochila subdensispina*, Dugas 1929, Carl 1931, Geissler & Bischler 1989 also as *Plagiochila subdensispina*, So 2001a. WJ: Schiffner 1898a, 1900b, Verdoorn 1932a, Inoue 1984, So & Grolle 2000c, Gradstein et al. 2010.
- * ¹⁰² *P. gigantea* Lindenb. var. β *laxior* (Nees) Lindenb. JAV: SYNTYPE of *Jungermannia gigantea* β *laxior*, Nees 1830, 1831 both as *Jungermannia gigantea* β *laxior*, Geissler & Bischler 1987 as *Jungermannia gigantea* β *laxior*, 1989 as *Jungermannia gigantea* β *laxior*.
- *** *P. gracilis* Lindenb. et Gottsche JAV: TYPE, Gottsche et al. 1847, Sande Lacoste 1857, Schiffner 1898a, 1900a, Stephani 1903, Hattori 1968, Miller et al. 1983, Geissler & Bischler 1989, Bapna & Kachroo 2000b, So & Grolle 2000c, So 2001a. WJ: Inoue 1984.
- *** *P. gymnoclada* Sande Lac. JAV: TYPE, Sande Lacoste 1855a, 1857, Schiffner 1900a also as *Plagiochila gymnoclada* var. *longifolia*, Stephani 1903, Dugas 1929 as *Plagiochila gymnoclada* var. *gymnoclada*, Carl 1931, Geissler & Bischler 1989 also as *Plagiochila hasskarliana*, Pippko 1989a, So & Grolle 2000b, 2000c, So 2001a. WJ: TYPE of *Plagiochila gymnoclada* var. *longifolia*, Sande Lacoste 1864, Schiffner 1898a, 1900b also as *Plagiochila gymnoclada* var. *longifolia*, Inoue 1984, Geissler & Bischler 1989 as *Plagiochila gymnoclada* var. *longifolia*.
- *** *P. hampeana* Gottsche JAV: TYPE, TYPE of *Plagiochila monticola* f. *intermedia*, Gottsche 1858, Schiffner 1900a as *Plagiochila abietina* var. *hampeana*, *Plagiochila gedeana* and *Plagiochila monticola*, Stephani 1903 as *Plagiochila gedeana*, *Plagiochila monticola*, Dugas 1929 as *Plagiochila gedeana* and *Plagiochila monticola*, Verdoorn 1932a as *Plagiochila monticola*, Inoue 1970, Miller et al. 1983, Geissler & Bischler 1989 also as *Plagiochila abietina* var. *hampeana*, *Plagiochila monticola* f. *intermedia* and *Plagiochila monticola*, Pippko 1989a, So & Grolle 1999. CJ: TYPE of *Plagiochila abietina* β *gracilenta*, Schiffner 1898a as *Plagiochila abietina* β *gracilenta*, Geissler & Bischler 1989 as *Plagiochila abietina* β *gracilenta*. WJ: TYPE of *Plagiochila gedeana*, LECTOTYPE of *Plagiochila monticola*, Sande Lacoste 1857, 1864 both as *Plagiochila abietina* β *gracilenta*, Schiffner 1900b as *Plagiochila gedeana* and *Plagiochila monticola*, Meijer 1954b as *Plagiochila monticola*, Grolle 1968a, Inoue 1984 also as *Plagiochila gedeana*, Geissler & Bischler 1989 as *Plagiochila gedeana*, So & Grolle 2000c.
- * ¹⁰³ *P. integrilobula* Schiffn. JAV: Schiffner 1900a also as *Plagiochila integrilobula* var. *integrilobula*, Stephani 1903, Dugas 1929. WJ: TYPE, Schiffner 1900b, Inoue 1984, Geissler & Bischler 1989, So & Grolle 2000c.
- *** *P. javanica* (Sw.) Nees et Mont. JAV: TYPE of *Jungermannia javanica* and *Plagiochila geniculata*, Swartz 1781 as *Jungermannia javanica*, Reinwardt et al. 1824a as *Jungermannia javanica*, Nees 1831 as *Jungermannia javanica*, Gottsche et al. 1844, Sande Lacoste 1857 also as *Plagiochila calva*, Schiffner 1900a as *Plagiochila calva*, *Plagiochila infirma* and its var. *robusta*, *Plagiochila opaca*, *Plagiochila pinnatiramosa*, *Plagiochila revolutifolia*, *Plagiochila subtruncata* var. *brevifolia* and *Plagiochila tibidensis*, Stephani 1903 also as *Plagiochila opaca*, *Plagiochila revolutifolia*, *Plagiochila subtruncata*, *Plagiochila calva*, *Plagiochila infirma*, *Plagiochila pinnatiramosa* and as *Plagiochila tibidensis*, Dugas 1929 also as *Plagiochila infirma*, *Plagiochila opaca*, *Plagiochila revolutifolia* and *Plagiochila subtruncata*, Carl 1931 as *Plagiochila infirma* and its var. *robusta* and *Plagiochila revolutifolia*, Inoue 1969, Geissler & Bischler 1987 as *Jungermannia javanica*, Geissler & Bischler 1989 also as *Plagiochila calva*, *Plagiochila infirma* and *Plagiochila subtruncata*, Pippko 1989a also as *Plagiochila tibidensis*, So & Zhu 1997 as *Plagiochila tibidensis*, Grolle & So 1999d, Bapna & Kachroo 2000b. CJ: Sande Lacoste 1864 as *Plagiochila infirma*, Schiffner 1898a as *Plagiochila infirma*, Inoue 1984 as *Plagiochila infirma*, So & Grolle 2000c. WJ: TYPE of *Jungermannia calva*, *Plagiochila infirma* var. *robusta*, *Plagiochila opaca*, *Plagiochila pinnatiramosa*, *Plagiochila revolutifolia*, *Plagiochila subtruncata* var. *longifolia*, *Plagiochila subtruncata* var. *brevifolia* and *Plagiochila tibidensis*, LECTOTYPE of *Plagiochila subtruncata*, SYNTYPE of *Plagiochila subtruncata* var. *fimior*, Nees 1830 as *Jungermannia calva*,

101. *Plagiochila conjugata* is now *Plagiochilion conjugatum*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

102. *Plagiochila gigantea* is a taxon from New Zealand and it is unclear where to refer this variety.

103. *Plagiochila integrilobula* is doubtfully distinct from *P. blepharophora*.

Gott sche et al. 1844 as *Plagiochila calva*, **Schiffner 1898a** also as *Plagiochila calva*, **1900b** as *Plagiochila calva*, as *Plagiochila infirma* and its var. *robusta*, *Plagiochila opaca*, *Plagiochila pinnatiramosa*, *Plagiochila revolutifolia*, *Plagiochila subtruncata*, *Plagiochila subtruncata* var. *brevifolia*, *Plagiochila subtruncata* var. *firmior*, *Plagiochila subtruncata* var. *longifolia* and *Plagiochila tjbodensis*, **1900c** as *Plagiochila revolutifolia*, **Carl 1931** as *Plagiochila pinnatiramosa* and *Plagiochila subtruncata*, **Inoue 1984** also as *Plagiochila infirma* and *Plagiochila tjbodensis*, **Geissler & Bischler 1987** as *Jungermannia calva*, **1989** as *Plagiochila infirma* var. *robusta*, *Plagiochila opaca*, *Plagiochila pinnatiramosa*, *Plagiochila revolutifolia*, *Plagiochila subtruncata* var. *longifolia*, var. *brevifolia* and var. *firmior* and *Plagiochila tjbodensis*, **Grolle & So 1999a**, **So & Grolle 2000c**.

- *** *P. junghuhniana* Sande Lac. JAV: TYPE, TYPE of *Plagiochila junghuhniana* f. minor, **Sande Lacoste 1854, 1855a, 1856b, 1857**, **Schiffner 1900a** also as *Plagiochila massalongoana*, **Stephani 1903** also as *Plagiochila massalongoana*, **Dugas 1929** also as *Plagiochila massalongoana*, **Carl 1931** as *Plagiochila junghuhniana* f. minor and *Plagiochila massalongoana*, **Miller et al. 1983** as *Plagiochila massalongoana*, **Geissler & Bischler 1989** also as *Plagiochila junghuhniana* f. minor, **Piippo & Tan 1992**, **So & Grolle 1999**, **Bapna & Kachroo 2000b** as *Plagiochila massalongoana*, **So 2001a**. BA: **Van Leeuwen 1936** as *Plagiochila massalongoana*. EJ: **Inoue 1984**. WJ: LECTOTYPE of *Plagiochila*, **Sande Lacoste 1864**, **Schiffner 1898a**, **Schiffner 1900b** also as *Plagiochila massalongoana*, **1900c**, **Carl 1931**, **Inoue 1984** also as *Plagiochila massalongoana*, **Geissler & Bischler 1989** as *Plagiochila massalongoana*, **Grolle & So 1999d** as *Plagiochila massalongoana*, **So & Grolle 2000c**, **Gradstein et al. 2010**.
- * ¹⁰⁴ *P. karstenii* Steph. JAV: **Stephani 1904** as *Plagiochila patentispina*, **So & Grolle 2000c**. WJ: TYPE of *Plagiochila patentispina*, **Geissler & Bischler 1989** as *Plagiochila patentispina*.
- ** *P. korthalsiana* Molk. ex Sande Lac. JAV: TYPE, TYPE of *Plagiochila accedens*, *Plagiochila beccariana* f. *simplicior*, *Plagiochila dichotoma* var. β , *Plagiochila korthalsiana* β *robustior*, **Sande Lacoste 1854** also as *Plagiochila korthalsiana* β *robustior*, **1855a** as *Plagiochila korthalsiana* β *robustior*, **1856b** also as *Plagiochila korthalsiana* β *robustior*, **1857** also as *Plagiochila korthalsiana* β *robustior*, **Schiffner 1898a** as *Plagiochila korthalsiana* var. β *robustior*, **1900a** also as *Plagiochila beccariana* and its var. *laxa*, **Stephani 1903** also as *Plagiochila accedens* and *Plagiochila beccariana*, **Dugas 1929** also as *Plagiochila beccariana* var. *laxa*, **Carl 1931** as *Plagiochila beccariana* and its f. *simplicior* and f. *laxa*, **Verdoorn 1932a** as *Plagiochila beccariana*, **Geissler & Bischler 1989** also as *Plagiochila accedens*, **Geissler & Bischler 1989** as *Plagiochila beccariana* f. *simplicior* and *Plagiochila korthalsiana* β *robustior*, **Bapna & Kachroo 2000b** also as *Plagiochila accedens*. CJ: **Inoue 1984**. WJ: TYPE of *Plagiochila beccariana* and its var. *laxa*, **Sande Lacoste 1864**, **Schiffner 1898a, 1900b** as *Plagiochila beccariana* and its var. *laxa*, **Meijer 1954b** as *Plagiochila beccariana* var. *laxa*, **Inoue 1984**, **Geissler & Bischler 1989** as *Plagiochila beccariana* and its var. *laxa*, **So & Grolle 2000c**.
- * ¹⁰⁵ *P. kuhliana* Sande Lac. JAV: TYPE of *Plagiochila diaphana* and *Plagiochila kuhliana* f. typica, **Schiffner 1900a** also as *Plagiochila kuhliana* var. *miquelianiana*, **Stephani 1903, 1918** as *Plagiochila diaphana*, **Dugas 1929**, **Carl 1931**, **Geissler & Bischler 1989** as *Plagiochila diaphana* and *Plagiochila kuhliana* f. typica. WJ: LECTOTYPE, TYPE of *Plagiochila kuhliana* var. *miquelianiana*, **Sande Lacoste 1864**, **Schiffner 1898a, 1900b** as *Plagiochila kuhliana* f. typica and var. *miquelianiana*, **1900c**, **Inoue 1984**, **Geissler & Bischler 1989** also as *Plagiochila kuhliana* var. *miquelianiana*, **So & Grolle 2000c**.
- ** *P. kurzii* Steph. JAV: **Hattori 1968**, **Grolle & So 1998, 1999b**, **Bapna & Kachroo 2000b**, **So 2001a**. WJ: **Carl 1931**.
- ** *P. manillana* Mont. et Gottsche JAV: **Piippo 1989a**.
- *** *P. nobilis* Gottsche JAV: TYPE, **Gottsche 1858**, **Schiffner 1900a**, **Stephani 1903**, **Dugas 1929**, **Carl 1931**, **Verdoorn 1932a**, **Geissler & Bischler 1989**, **So & Grolle 2000c**. WJ: **Sande Lacoste 1864**, **Schiffner 1898a, 1900b, 1900c**, **Inoue 1984**.
- *** *P. obtusa* Lindenb. JAV: TYPE, LECTOTYPE of *Plagiochila hispida*, TYPE of *Plagiochila villosa*, **Lindenberg 1840**, **Gottsche et al. 1844**, **Meissner 1848**, **Sande Lacoste 1857**, **Schiffner 1898a, 1900a**, **Stephani 1903** also as *Plagiochila hispida*, **Dugas 1929**, **Carl 1931**, **Geissler & Bischler 1989** also as *Plagiochila hispida* and *Plagiochila villosa*, **Grolle & So 1999d**, **So 2001a**. WJ: **Schiffner 1900b, 1900c** as *Plagiochila obtusa* var. *brevifolia*, **Carl 1931** as *Plagiochila villosa*, **Inoue 1984**, **Grolle & So 1999b**, **So & Grolle 2000c**.
- *** *P. parvifolia* Lindenb. JAV: TYPE of *Plagiochila megamendongensis*, **Schiffner 1900a** as *Plagiochila treubii* and its var. *megamendongensis*, **Stephani 1903** as *Plagiochila treubii*, **Dugas 1929** as *Plagiochila treubii*, **Inoue 1972** as *Plagiochila treubii*, **Schuster 1984** as *Plagiochila treubii*, **Piippo 1987**, **Geissler & Bischler 1989** as *Plagiochila megamendongensis*, **Grolle & So 1999a**, **So 2001a**. WJ: TYPE of *Plagiochila treubii* and its var. *megamendongensis*, **Schiffner 1900b** as *Plagiochila treubii* and its var. *megamendongensis*, **Schiffner 1900c** as *Plagiochila treubii*, **Inoue 1984**, **Geissler & Bischler 1989** as *Plagiochila treubii* and its var. *megamendongensis*, **So & Grolle 2000c**.
- ? *P. parvistipula* Schiffn. var. *multiciliata* Schiffn. nom. illeg. JAV: **Schiffner 1900a**, **Geissler & Bischler 1989**.
- ** *P. peculiaris* Schiffn. JAV: **Schiffner 1900a**, **Inoue 1972**, **So 2001a**.
- ? ¹⁰⁶ *P. pinnatiramosa* Schiffn. var. *remota* Herzog ex Carl nom. inval. JAV: **Carl 1931**, **Geissler & Bischler 1989**.
- ** *P. propinqua* Sande Lac. JAV: **Schiffner 1900a** also as *Plagiochila levieri* and its var. *longissima* and var. *brevidens*, **Stephani 1903** also as *Plagiochila levieri*, **Dugas 1929** as *Plagiochila levieri* var. *brevidens*, var. *levieri* and var. *longissima*, *Plagiochila propinqua* var. *propinqua*, **Carl 1931**, **Miller et al. 1983** as *Plagiochila levieri*, **Piippo 1989a**, **Piippo & Tan 1992**, **Grolle & So 1999d**, **Bapna & Kachroo 2000b** as *Plagiochila levieri*, **So & Grolle 2000c**, **So 2000**. CJ: **Verdoorn 1932a**, **Inoue 1984**. WJ: TYPE, TYPE of *Plagiochila levieri* and its var. *brevidens* and var. *longissima*, **Sande**

104. *Plagiochila karstenii* is probably a synonym of *P. bantamensis* (So & Grolle 2000c). No specimen was located by Inoue (1984).

105. *Plagiochila kuhliana* is very similar to *P. sciophila*.

106. *Plagiochila pinnatiramosa* is a synonym of *P. javanica*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

Lacoste 1855a, 1857, 1864, Schiffner 1898a, 1900b also as *Plagiochila levieri* and its var. *brevidens* and var. *longissima*, 1900c as *Plagiochila levieri*, Inoue 1984, Geissler & Bischler 1989 also as *Plagiochila levieri* and its var. *brevidens* and var. *longissima*, Grolle & So 1999c.

*** *P. renitens* (Nees) Lindenb. JAV: TYPE of *Jungermannia renitens* and *Plagiochila erronea*, Nees 1830 as *Jungermannia renitens*, Gottsche et al. 1844, Sande Lacoste 1856a, 1857, Schiffner 1898a, 1900a also as *Plagiochila renitens* f. *typica*, var. *brevidentata*, var. *spectabilis*, var. *aberrans*, f. *intermedia* and var. *suborbicularis*, Stephani 1903, 1918 as *Plagiochila erronea*, Dugas 1929 also as *Plagiochila renitens* var. *aberrans*, Carl 1931, Verdoorn 1932a, Miller et al. 1983 also as *Jungermannia renitens*, Inoue 1984 as *Plagiochila dolichocytis*, Geissler & Bischler 1987 as *Jungermannia renitens*, 1989 as *Plagiochila erronea*, Piippo 1989a, So & Grolle 1999, 2000c. WJ: LECTOTYPE of *Plagiochila renitens* var. *aberrans* and var. *brevidentata*, TYPE of *Plagiochila renitens* var. *suborbicularis*, f. *typica*, f. *intermedia* and var. *spectabilis*, Schiffner 1900a as *Plagiochila renitens* f. *typica* and f. *intermedia*, 1900b as *Plagiochila renitens* f. *intermedia*, var. *brevidentata*, f. *typica*, var. *spectabilis*, var. *suborbicularis* and var. *aberrans*, 1900c, 1955, Meijer 1954b, Inoue 1984, Geissler & Bischler 1989 as *Plagiochila renitens* f. *intermedia*, f. *typica*, var. *suborbicularis*, var. *spectabilis*, var. *brevidentata* and var. *aberrans*.

*** *P. salacensis* Gottsche JAV: Schiffner 1900a as *Plagiochila jackii* and its var. *salacensis*, var. *virens*, var. *longifolia* and var. *brevidentata*, Stephani 1903 as *Plagiochila jackii*, Dugas 1929 as *Plagiochila jackii* var. *jackii*, var. *virens* and var. *salacensis*, Carl 1931 as *Plagiochila jackii* and its var. *virens*, Piippo & Tan 1992, So 2001a. WJ: TYPE, TYPE of *Plagiochila jackii* and its f. *tenuior* and var. *longifolia*, LECTOTYPE of *Plagiochila jackii* var. *virens* and var. *brevidentata*, Gottsche 1853, Sande Lacoste 1857, Schiffner 1898a, 1900b as *Plagiochila jackii* and its var. *longifolia*, var. *virens*, f. *tenuior* and var. *brevidentata*, Inoue 1984, Geissler & Bischler 1989 also as *Plagiochila jackii* and its var. *brevidentata*, f. *tenuior*, var. *longifolia* and var. *virens*, Grolle & So 1999a, 1999d, So & Grolle 2000c, Gradstein et al. 2010.

? ¹⁰⁷*P. sancta* Gottsche var. *speciosa* Herzog ex Carl nom. inval. JAV: TYPE, Carl 1931, Geissler & Bischler 1989.

*** *P. sandei* Dozy ex Sande Lac. JAV: TYPE of *Plagiochila altecristata*, Sande Lacoste 1857, Schiffner 1900a, Stephani 1903, 1917b as *Plagiochila altecristata*, Dugas 1929, Geissler & Bischler 1989 as *Plagiochila altecristata*, Müller & Schäfer-Verwimp 1999, So & Grolle 1999. WJ: TYPE, Sande Lacoste 1855a, 1864, Schiffner 1898a, 1900b, Carl 1931, Renner 1932, Inoue 1984, Geissler & Bischler 1989, So & Grolle 2000c.

*** *P. sciophila* Nees ex Lindenb. JAV: TYPE of *Plagiochila acanthophylla* and *Plagiochila sockawana*, SYNTYPE of *Plagiochila ferriena*, Sande Lacoste 1857, 1864 as *Plagiochila acanthophylla*, Gottsche 1858 as *Plagiochila acanthophylla*, Schiffner 1900a as *Plagiochila acanthophylla*, *Plagiochila ciliata* var. *aberrans* and *Plagiochila ciliata*, Stephani 1903 as *Plagiochila ferriena*, *Plagiochila sockawana* and *Plagiochila acanthophylla*, Dugas 1929 as *Plagiochila acanthophylla*, Carl 1931 as *Plagiochila acanthophylla*, Verdoorn 1932a as *Plagiochila sockawana*, Schuster 1980 as *Plagiochila acanthophylla* subsp. *acanthophylla*, Miller et al. 1983 as *Plagiochila acanthophylla* and *Plagiochila ciliata*, Geissler & Bischler 1989 as *Plagiochila acanthophylla* and *Plagiochila sockawana*, Piippo 1989a, So & Grolle 1999 also as *Plagiochila sciophila* subsp. *sciophila*, Bapna & Kachroo 2000b as *Plagiochila acanthophylla*, So 2001a. WJ: TYPE of *Plagiochila ciliata* and its var. *aberrans*, Gottsche 1857 as *Plagiochila ciliata*, Schiffner 1898a as *Plagiochila acanthophylla* and *Plagiochila ciliata*, 1900b as *Plagiochila acanthophylla*, *Plagiochila ciliata* and its var. *aberrans*, 1900c as *Plagiochila acanthophylla*, Stephani 1903 as *Plagiochila ciliata*, Carl 1931 as *Plagiochila sockawana*, Inoue 1962 as *Plagiochila acanthophylla* subsp. *acanthophylla*, Inoue 1984, Geissler & Bischler 1989 as *Plagiochila ciliata* and its var. *aberrans*, So & Grolle 2000c, Gradstein et al. 2010.

** *P. semidecurrans* (Lehm. et Lindenb.) Lindenb. JAV: So & Grolle 1999, So 2001a. WJ: TYPE of *Plagiochila spinosissima*, Stephani 1921 as *Plagiochila spinosissima*, Geissler & Bischler 1989 as *Plagiochila spinosissima*, So & Grolle 2000c.

** — var. *semidecurrans* JAV: Carl 1931 as *Plagiochila nidulans*.

*** *P. singularis* Schiffn. JAV: TYPE of *Jungermannia asplenoides* β** *tenera*, Nees 1830 as *Jungermannia asplenoides* β** *tenera*, Sande Lacoste 1857 as *Plagiochila trapezoidea* β *tenera*, Schiffner 1898a as *Plagiochila trapezoidea* var. β *tenera*, 1900a also as *Plagiochila stenophylla*, Stephani 1903 also as *Plagiochila stenophylla*, Dugas 1929, Carl 1931, Geissler & Bischler 1987 as *Jungermannia asplenoides* β** *tenera*, 1989, Piippo 1989a, So 2001a, 2001b. WJ: TYPE, LECTOTYPE of *Plagiochila stenophylla*, Schiffner 1900b also as *Plagiochila stenophylla*, Inoue 1984, Geissler & Bischler 1989 as *Plagiochila stenophylla*, So & Grolle 2000c.

** *P. spathulifolia* Mitt. JAV: TYPE, Sande Lacoste 1864, Schiffner 1898a, 1900a as *Plagiochila spathulifolia*, Stephani 1903, Dugas 1929, Carl 1931, Verdoorn 1932a, Inoue 1972, Miller et al. 1983, Geissler & Bischler 1989, So & Grolle 2000c. WJ: Schiffner 1900b, 1900c, Inoue 1984, Grolle & So 1999c.

* ¹⁰⁸*P. stephanii* Schiffn. JAV: Schiffner 1900a, Stephani 1904. WJ: TYPE, Schiffner 1900b, Inoue 1984, Geissler & Bischler 1989, So & Grolle 2000c.

*** *P. teysmannii* Sande Lac. JAV: TYPE, TYPE of *Plagiochila semialata*, LECTOTYPE of *Plagiochila truncatula*, Sande Lacoste 1855a, 1857 both also as *Plagiochila semialata*, 1864, Schiffner 1898a, 1900a also as *Plagiochila gottschei* and its var. *brachyphylla*, *Plagiochila oblongata* and *Plagiochila semialata*, Stephani 1903 also as *Plagiochila oblongata*, *Plagiochila gottschei* all as *Plagiochila semialata*, Dugas 1929 as *Plagiochila gottschei* var. *brachyphylla* and var. *gottschei* and *Plagiochila semialata*, Carl 1931, Verdoorn 1932a, Geissler & Bischler 1989 also as *Plagiochila gottschei* and *Plagiochila semialata*, Piippo 1989a, So & Grolle 1999. WJ: TYPE of *Plagiochila fuscorufa*, *Plagiochila gottschei*

107. *Plagiochila sancta* is a synonym of *P. fastigiata*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

108. *Plagiochila stephanii* is doubtfully distinct from *P. blepharophora*.

and *Plagiochila oblongata*, LECTOTYPE of *Plagiochila gottschei* var. *brachiphylla*, **Sande Lacoste 1864** as *Plagiochila oblongata*, **Sande Lacoste 1864** as *Plagiochila semialata*, **Schiffner 1898a** as *Plagiochila oblongata* and *Plagiochila semialata*, **1900b** also as *Plagiochila gottschei*, *Plagiochila gottschei* var. *brachiphylla* and *Plagiochila semialata*, **Stephani 1918** as *Plagiochila fuscorufa*, **Carl 1931** as *Plagiochila gottschei*, **Meijer 1954a** as *Plagiochila gottschei*, **Inoue 1984**, **Geissler & Bischler 1989** as *Plagiochila fuscorufa*, *Plagiochila gottschei* var. *brachiphylla* and *Plagiochila oblongata*, **So & Grolle 2000c**.

- *** *P. trapezoidea* Lindenb. JAV: TYPE of *Jungermannia asplenoides* β *australis* and *Plagiochila winteri*, **Reinwardt et al. 1824a** as *Jungermannia simplex*, **Nees 1830** as *Jungermannia asplenoides* β *australis*, **Sande Lacoste 1857** also as *Plagiochila heteromalla*, **1864**, **Schiffner 1898a**, **1900a** also as *Plagiochila intercedens*, **Stephani 1903** also as *Plagiochila intercedens*, **1922** as *Plagiochila winteri*, **Dugas 1929** as *Plagiochila trapezoidea* var. *heteromalla*, **Carl 1931**, **Inoue 1986**, **Geissler & Bischler 1987** as *Jungermannia asplenoides* β *australis*, **1989** as *Plagiochila asplenoides* β *australis* and *Plagiochila winteri*, **Piippo 1989a**, **Piippo & Tan 1992**, **Bapna & Kachroo 2000b**, **So & Grolle 2000a**, **So 2000**. CJ: **Sande Lacoste 1864** as *Plagiochila homomalla*. WJ: LECTOTYPE of *Plagiochila homomalla*, **Gottscche et al. 1844**, **Sande Lacoste 1864** as *Plagiochila homomalla*, **Schiffner 1898a** as *Plagiochila homomalla*, **1900b**, **Meijer 1954b**, **Inoue 1984**, **Geissler & Bischler 1989** as *Plagiochila homomalla*, **So & Grolle 2000c**.
 - ? — γ *major* Lindenb. nom. illeg. JAV: **Schiffner 1898a**, **1900a**.
 - ** — var. *trapezoidea* JAV: **Dugas 1929**.

- ** *P. ungarangana* Sande Lac. JAV: **Schiffner 1900a**, **Stephani 1903**, **Dugas 1929**, **So & Grolle 1999**. CJ: TYPE, **Sande Lacoste 1857**, **1864**, **Schiffner 1898a**, **Inoue 1984**, **Geissler & Bischler 1989**, **So & Grolle 2000c**. WJ: **Schiffner 1900b**, **Inoue 1984**.

Plagiochilion

- *** *P. braunianum* (Nees) S.Hatt. JAV: TYPE of *Jungermannia brauniana*, **Nees 1830** as *Jungermannia brauniana*, **Gottscche et al. 1844** as *Plagiochila brauniana*, **Sande Lacoste 1857**, **1864** both as *Plagiochila brauniana*, **Schiffner 1898a**, **1900a** both as *Plagiochila brauniana*, **Stephani 1904** as *Plagiochila brauniana*, **Carl 1931** as *Plagiochila brauniana*, **Miller et al. 1983** also as *Jungermannia brauniana*, *Noguchia brauniana* and *Plagiochila brauniana*, **Inoue 1984**, **Geissler & Bischler 1987** as *Jungermannia brauniana*, **1989** also as *Noguchia brauniana*, **Piippo 1989a**, **Bapna & Kachroo 2000b**. WJ: **Schiffner 1900b** as *Plagiochila brauniana*, **Meijer 1954a** as *Plagiochila brauniana*, **Inoue 1964**, **Gradstein et al. 2010**.
- *** *P. oppositum* (Reinw., Blume et Nees) S.Hatt. JAV: TYPE of *Jungermannia opposita* and *Plagiochila opposita* γ *filiformis*, **Reinwardt et al. 1824a** as *Jungermannia opposita*, **Nees 1830** as *Jungermannia conjugata* α *opposita*, **Lindenberg 1843** as *Plagiochila opposita* γ *filiformis*, **Gottscche et al. 1844** as *Plagiochila opposita*, **Meissner 1848** as *Plagiochila opposita*, **Gottscche 1853** as *Plagiochila opposita*, **Sande Lacoste 1856a** as *Plagiochila opposita*, **1857** as *Plagiochila opposita* and its γ *filiformis*, **Schiffner 1893ab** as *Plagiochila opposita*, **1898a** as *Plagiochila opposita* var. γ *filiformis*, **1900a** as *Plagiochila opposita*, **Stephani 1904** as *Plagiochila opposita*, **Dugas 1929** as *Plagiochila opposita*, **Carl 1931** as *Plagiochila opposita*, **Verdoorn 1932a** as *Plagiochila opposita*, **Inoue 1958b** as *Noguchia opposita*, **Hattori 1968**, **Miller et al. 1983** also as *Jungermannia opposita* and *Plagiochila opposita*, **Geissler & Bischler 1987** as *Jungermannia conjugata* α *opposita* and *Jungermannia opposita*, **1989** also as *Noguchia opposita* and *Plagiochila opposita* γ *filiformis*, **Piippo 1989a**, **Bapna & Kachroo 2000b**, **So & Grolle 2000c**, **Zheng et al. 2005**. WJ: **Sande Lacoste 1864** as *Plagiochila opposita*, **Schiffner 1898a**, **1900b**, **1900c** all as *Plagiochila opposita*, **Meijer 1954a** as *Plagiochila opposita*, **Inoue 1964**, **Gradstein et al. 2010**.

- ** *P. theriotanum* (Steph.) Inoue JAV: **Miller et al. 1983**, **Piippo 1989a**, **Bapna & Kachroo 2000b**. WJ: **Inoue 1964**.

Pleurozia

- *** *P. gigantea* (F.Weber) Lindb. JAV: **Reinwardt et al. 1824b** as *Jungermannia sphagnoides*, **Nees 1830** as *Jungermannia sphagnoides*, **Gottscche et al. 1845a** as *Physiotium sphagnoides*, **Sande Lacoste 1856a**, **1857** both as *Physiotium sphagnoides*, **Pócs et al. 1967**, **Bizot & Pócs 1974**, **Miller et al. 1983** also as *Physiotium sphagnoides* and *Pleurozia sphagnoides*, **Geissler & Bischler 1989** as *Physiotium sphagnoides*, **Thiers 1993**. WJ: **Sande Lacoste 1864** as *Physiotium sphagnoides*, **Schiffner 1898a**, **Renner 1932**, **Meijer 1954a**.

Plicanthus

- *** *P. hirtellus* (F.Weber) R.M.Schust. JAV: TYPE of *Chandonanthus javanicus*, **Mitten 1886** as *Chandonanthus javanicus*, **Stephani 1909a** as *Chandonanthus hirtellus*, **Sim 1926** as *Chandonanthus hirtellus*, **Arnell 1956** as *Chandonanthus hirtellus* subsp., **Bonner 1963b** as *Chandonanthus hamatus*, **Pócs 1969a** as *Chandonanthus hirtellus*, **Miller et al. 1983** as *Chandonanthus hamatus*, *Chandonanthus hirtellus* and *Chandonanthus javanicus*, **Váňa & Piippo 1989b** as *Chandonanthus hirtellus*, **Váňa 1991b** as *Chandonanthus hirtellus*, **Bapna & Kachroo 2000b** as *Chandonanthus hirtellus*. CJ: **Schiffner 1955** as *Chandonanthus hirtellus*. WJ: **Sande Lacoste 1857**, **1864** both as *Jungermannia hirtella*, **Schiffner 1898a** as *Chandonanthus hirtellus*, **Renner 1932** as *Chandonanthus hirtellus*, **Meijer 1954a**, **1954b** both as *Chandonanthus hirtellus*.

Porella

- ** *P. acutifolia* (Lehm. et Lindenb.) Trevis. JAV: TYPE of *Madotheca stracheyana* and *Porella acutifolia* var. *subligulifera*, **Sande Lacoste 1857** as *Madotheca acutifolia*, **Stephani 1910** as *Madotheca acutifolia* and *Madotheca stracheyana*, **Bonner 1963a** as *Bellincinia acutifolia*, **Hattori 1967** as *Porella stracheyana*, **1970** as *Porella acutifolia* var. *subligulifera*, **1975a**, **Miller et al. 1983**, **Piippo 1984a**, **Geissler & Bischler 1985** as *Madotheca stracheyana*, **1989** as *Porella acutifolia* var. *stracheyana* and var. *subligulifera*, *Porella plumosa* var. *stracheyana* and *Porella stracheyana*, **Bapna & Kachroo 2000b**. WJ: **Sande Lacoste 1864** as *Madotheca acutifolia*, **Schiffner 1898a**, **1900c** both as *Madotheca acutifolia*, **Pócs 1968b**.

- ** — var. *acutifolia* JAV: **Hattori 1969** as *Porella acutifolia* var. *johannis-winkleri*, Hattori 1978. WJ: **Hattori 1969** as *Porella acutifolia* var. *elbertii*.
- ** *P. javanica* (Gottsche ex Steph.) Inoue JAV: **TYPE** of *Madotheca javanica*, **Stephani 1910** as *Madotheca javanica*, **Hattori 1971b**, 1978, Miller et al. 1983, **Geissler & Bischler 1985** as *Madotheca javanica*, 1989.
- Ptychanthus**
- ? ¹⁰⁹*P. javanicus* Nees var. β *brevifolius* Gottsche WJ: **TYPE**, **Gottsche 1857**, **Schiffner 1898a**, **Geissler & Bischler 1989**.
- *** *P. striatus* (Lehm. et Lindenb.) Nees JAV: **TYPE** of *Ptychanthus grossidens*, Stephani 1912a as *Ptychanthus kurzii* and *Ptychanthus moluccensis*, **1924** as *Ptychanthus grossidens*, Verdoorn 1933b, 1934a, Mizutani 1977, 1978a, Geissler & Bischler 1987 as *Lejeunea javanica*, **1989** as *Ptychanthus grossidens*, *Ptycholejeunea intermedia* and *Ptycholejeunea javanica*, **Thiers & Gradstein 1989**, Bapna & Kachroo 2000b. EJ: **Verdoorn 1933a**. WJ: **TYPE** of *Ptychanthus kurzii*, **Verdoorn 1933a**, Mizutani 1976a, Thiers 1985, Geissler & Bischler 1989 as *Ptychanthus kurzii*, **Gradstein et al. 2010**, Haerida et al. 2010.
- ** — var. *intermedius* (Gottsche) Verd. JAV: Stephani 1912a as *Ptychanthus intermedius*, Verdoorn 1933b as *Ptychanthus intermedius*, Geissler & Bischler 1987 as *Lejeunea javanica* var. *intermedia*, 1989 as *Ptycholejeunea javanica* var. *intermedia*. WJ: **TYPE** of *Ptychanthus intermedius*, **Gottsche 1853** as *Ptychanthus intermedius*, **Sande Lacoste 1857, 1864** both as *Ptychanthus intermedius*, Schiffner 1898a as *Ptychanthus intermedius*, **Verdoorn 1933** as *Ptychanthus intermedius*, Geissler & Bischler 1989 as *Ptychanthus intermedius*.
- ** — var. *striatus* JAV: **TYPE** of *Ptychanthus javanicus*, **Gottsche et al. 1845a** as *Ptychanthus javanicus*, Sande Lacoste 1857 as *Ptychanthus javanicus*, **Stephani 1890a**, 1912a both as *Ptychanthus javanicus*, Miller et al. 1983 also as *Ptychanthus javanicus*, **Geissler & Bischler 1989** as *Ptychanthus javanicus*. WJ: **Sande Lacoste 1864** as *Ptychanthus javanicus*, Schiffner 1894, 1898a, 1900c all as *Ptychanthus javanicus*.

Pycnolejeunea

- *** *P. contigua* (Nees) Grolle JAV: **SYNTYPE** of *Pycnolejeunea bancana*, **Stephani 1896** as *Pycnolejeunea bancana*, **Schiffner 1898a** as *Pycnolejeunea bancana*, **Geissler & Bischler 1989** as *Pycnolejeunea bancana*.
- * ¹¹⁰*P. grossiloba* Steph. WJ: **Hoffman 1935**.
- ? ¹¹¹*P. imbricata* (Nees) Schiffn. var. *junghuhniana* G.Hoffm. nom. inval. EJ: **Hoffman 1935**, **Geissler & Bischler 1989**.
- ? ¹¹²*P. meyeniana* (Nees, Lindenb. et Gottsche) Steph. var. *ligulata* Hoffm. nom. inval. JAV: Verdoorn 1938. CJ: **Hoffman 1935**. WJ: **Hoffman 1935**, **Geissler & Bischler 1989**.

Radula

- * ¹¹³*R. acuminata* Steph. JAV: **SYNTYPE**, **Stephani 1910**, Tixier 1962, Castle 1969, Yamada & Piippo 1989a, **Geissler & Bischler 1990**, Bapna & Kachroo 2000b, Zhu & So 2001. WJ: **Castle 1939**, **Yamada 1979**.
- *** *R. amentulosa* Mitt. JAV: Stephani 1910, Yamada 1979, 1985, Miller et al. 1983, Yamada & Piippo 1989a.
- ** *R. anceps* Sande Lac. JAV: **TYPE**, **Sande Lacoste 1854, 1856b**, Stephani 1910, Castle 1969, **Yamada 1979**, Miller et al. 1983, **Yamada & Piippo 1989a**, **Geissler & Bischler 1990**, Bapna & Kachroo 2000b, Piippo et al. 2002. WJ: **Sande Lacoste 1855a, 1857, 1864**, Schiffner 1898a, Castle 1961.
- *** *R. campanigera* Mont. JAV: **TYPE**, **Montagne 1844**, Gottsche et al. 1847, **Sande Lacoste 1857**, Stephani 1910, Miller et al. 1983, **Geissler & Bischler 1990** also as *Stephanina campanigera*, Bapna & Kachroo 2000b. WJ: **Sande Lacoste 1864**, Schiffner 1898a, Castle 1937.
- *** — subsp. *campanigera* WJ: **Yamada 1979**.
- *** *R. cavifolia* Hampe ex Gottsche, Lindenb. et Nees JAV: **TYPE**, **Gottsche et al. 1845a**, **Sande Lacoste 1857, 1864**, Schiffner 1898a, Stephani 1910, **Castle 1963** as *Radula aneurismalis*, Miller et al. 1983, **Geissler & Bischler 1990** also as *Stephanina cavifolia*, Zhu & So 2005a, 2005b. WJ: **Yamada 1979**.
- *** *R. formosa* (C.F.W.Meissn. ex Spreng.) Nees JAV: Nees 1830 as *Jungermannia formosa*, **Gottsche et al. 1845a**, **Sande Lacoste 1857**, Stephani 1910, Grolle 1966d, Castle 1969, Yamada 1979, Miller et al. 1983 also as *Jungermannia formosa*, Yamada & Piippo 1989a, **So 2006**, **2005b**. WJ: **Sande Lacoste 1864**, Schiffner 1898a, Castle 1950.
- ** *R. gedenia* Gottsche ex Steph. JAV: Stephani 1910, Szab 1997, Zhu & So 2001, Zhu & Lai 2003. WJ: **TYPE**, **Stephani 1884**, Schiffner 1898a, Castle 1968, 1969, **Yamada 1974, 1979**, **Geissler & Bischler 1990**.
- * ¹¹⁴*R. hedingeri* K.I.Goebel JAV: **TYPE**, **Geissler & Bischler 1990**. WJ: **Goebel 1888**, Schiffner 1898a.
- *** *R. javanica* Gottsche JAV: **SYNTYPE** of *Radula colliculosa*, **Gottsche 1853**, **Sande Lacoste 1857**, Mitten 1860 as *Radula colliculosa*, **Schiffner 1893b**, Stephani 1910 as *Radula sandei*, **Yamada 1976** as *Radula sandei*, 2002 as *Radula pinnulata*, Miller et al. 1983 also as *Radula pinnulata*, Udar & Kumar 1983 as *Radula sandei*, **Yamada & Piippo 1989a**, **Geissler & Bischler 1990** as *Radula colliculosa* and *Stephanina javanica*, Bapna & Kachroo 2000b, **Renner 2005**. BA:

-
109. *Ptychanthus javanicus* is a synonym of *P. striatus*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
110. *Pycnolejeunea grossiloba* belongs to *Cheilolejeunea*, but its taxonomic status is unclear (Grolle & Piippo 1984a).
111. *Pycnolejeunea junghuhniana* is a synonym of *Cheilolejeunea trapezia*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
112. *Pycnolejeunea meyeniana* is now *Cheilolejeunea meyeniana*, but we are not sure whether these varieties also belong to the species and are worth recognizing.
113. *Radula acuminata* is very close to *R. tjibodensis*.
114. *Radula hedingeri* is taxonomically doubtful and most likely a synonym of something. It was not treated by Yamada (1979).

- Van Leeuwen 1936.** CJ: Castle 1969 as *Radula sandei*. WJ: SYNTYPE, TYPE of *Radula sandei*, Gottsche et al. 1845a, Sande Lacoste 1864, Stephani 1884 as *Radula sandei*, Schiffner 1898a also as *Radula sandei*, 1900c, Castle 1966 as *Radula sandei*, Yamada 1979 also as *Radula pinnulata*, Geissler & Bischler 1990 also as *Radula sandei*, Gradstein et al. 2010.
- *** *R. lacerata* Steph. JAV: Grolle 1965a, Castle 1969, Yamada 1979, 1985, Miller et al. 1983 as *Radula lacerata* var. *lacerata*, Yamada & Piippo 1989a, So 2006. WJ: Castle 1961.
- *** *R. lingulata* Gottsche JAV: Stephani 1910, Yamada & Piippo 1989a, Geissler & Bischler 1990 as *Stephanina lingulata*, So 2006. WJ: TYPE, Gottsche et al. 1845a, Sande Lacoste 1857, 1864, Schiffner 1898a, Castle 1962, 1969, Yamada 1975, 1979, Geissler & Bischler 1990.
- ** *R. madagascariensis* Gottsche JAV: Yamada 1979, Yamada & Piippo 1989a, Bapna & Kachroo 2000b.
- * ¹¹⁵*R. nymannii* Steph. JAV: Grolle 1965a, Castle 1969, Miller et al. 1983, Yamada & Piippo 1989a. WJ: Castle 1939, Yamada 1979.
- *** *R. protensa* Lindenb. JAV: TYPE, Meissner 1848, Gottsche 1853, Castle 1939, 1969, Yamada & Piippo 1989a, Geissler & Bischler 1990, Bapna & Kachroo 2000b, Zhu & So 2001. EJ: Sande Lacoste 1857. WJ: Schiffner 1898a, 1900c, Yamada 1979.
- ** — var. β *erectilobula* Schiffn. JAV: Schiffner 1898a, Miller et al. 1983. WJ: TYPE, Schiffner 1893ab, Geissler & Bischler 1990.
- ** — var. *protensa* JAV: Schiffner 1893b, Miller et al. 1983.
- *** *R. retroflexa* Taylor JAV: TYPE of *Radula mutata*, Stephani 1910, Kitagawa 1973b as *Radula fauciloba*, Miller et al. 1983 as *Radula miqueliana*, *Radula retroflexa* var. *fauciloba* and var. *retroflexa* and *Radula salakensis*, Yamada & Piippo 1989a as *Radula retroflexa* var. *retroflexa* and var. *fauciloba*, Geissler & Bischler 1990 as *Radula mutata* and *Stephanina miqueliana*, So 2006. BA: Van Leeuwen 1936 also as *Radula miqueliana*, Castle 1962 as *Radula miqueliana*. WJ: TYPE of *Radula miqueliana* and *Radula salakensis*, Taylor 1846 as *Radula miqueliana*, Sande Lacoste 1857, 1864 both as *Radula miqueliana*, Schiffner 1898a, 1900c both as *Radula miqueliana*, Stephani 1910 as *Radula salakensis*, Castle 1962 as *Radula miqueliana* and *Radula mutata*, 1965 as *Radula fauciloba*, 1969 as *Radula miqueliana*, Yamada 1979 as *Radula retroflexa* var. *fauciloba* and var. *retroflexa*, Geissler & Bischler 1990 as *Radula miqueliana* and *Radula salakensis*.
- ** *R. sumatrana* Steph. WJ: Yamada 1979.
- *** *R. tibodenensis* K.I.Goebel JAV: Schiffner 1893b, Stephani 1910, Grolle 1965a, Hattori 1966a, 1975c, Pócs et al. 1967, Miller et al. 1983, Yamada & Piippo 1989a, Bapna & Kachroo 2000b, Zhu & So 2001, So 2006. WJ: TYPE, Goebel 1888, Schiffner 1898a, 1900c, Renner 1932, Castle 1939, 1969, Meijer 1954a, Yamada 1979, Geissler & Bischler 1990.
- ** *R. ventricosa* Steph. JAV: LECTOTYPE of *Radula subpallens*, Stephani 1910 as *Radula subpallens*, Grolle 1968a as *Radula subpallens*, Castle 1969 also as *Radula subpallens*, Miller et al. 1983 also as *Radula subpallens*, Yamada & Piippo 1989a, Geissler & Bischler 1990 as *Radula subpallens*, Bapna & Kachroo 2000b also as *Radula subpallens*, So 2006. CJ: Castle 1959 also as *Radula subpallens*. EJ: Yamada 1975 as *Radula subpallens*. WJ: Yamada 1979 also as *Radula subpallens*.

Reboulia

- *** ¹¹⁶*R. hemisphaerica* (L.) Raddi JAV: Stephani 1898, Frye & Clark 1937, Hattori 1971a, Miller et al. 1983, Schuster 1992b as *Reboulia hemisphaerica* subsp. *hemisphaerica*, Bapna & Kachroo 2000b, Damsholt 2002. CJ: Meijer 1955.
- ** — subsp. *australis* R.M.Schust. JAV: Sande Lacoste 1857 as *Reboulia javanica* β *angustior*, Schiffner 1900a as *Reboulia hemisphaerica* var. *javanica*, Gibbs 1914 as *Reboulia hemisphaerica* var. *javanica*, Verdoorn 1938 as *Reboulia hemisphaerica* var. *javanica*, Bonner 1962 as *Asterella javanica*, Miller et al. 1983 as *Reboulia javanica*, Geissler & Bischler 1990 as *Reboulia hemisphaerica* var. *javanica* and *Reboulia javanica*, Boisselier-Dubayle et al. 1998 as *Reboulia javanica*. CJ: TYPE of *Reboulia javanica* and *Reboulia javanica* β *angustior*, Gottsche et al. 1846 as *Reboulia javanica* β *angustior* and *Reboulia javanica*, Schiffner 1898a as *Reboulia javanica*, Geissler & Bischler 1990 as *Reboulia javanica* β *angustior*. WJ: Sande Lacoste 1857 as *Reboulia javanica*, Schiffner 1898a as *Reboulia javanica* β *angustior*, 1898b as *Reboulia hemisphaerica* var. *javanica*.

Rectolejeunea

- * ¹¹⁷*R. submersa* Schiffn. CJ: Schiffner 1955.

Riccardia

- * ¹¹⁸*R. albo-marginata* (Steph.) Schiffn. JAV: Furuki 1991, 2006. WJ: Furuki 1995.
- ** *R. canaliculata* (Nees) Kuntze JAV: TYPE of *Jungermannia canaliculata*, Nees 1830 as *Jungermannia canaliculata*, Gottsche et al. 1846 as *Aneura canaliculata*, Sande Lacoste 1857 as *Aneura canaliculata*, Schiffner 1898a, 1900a, Bonner 1962 as *Aneura canaliculata*, Miller et al. 1983 also as *Aneura canaliculata* and *Jungermannia canaliculata*, Geissler & Bischler 1987 as *Jungermannia canaliculata*, 1990, Furuki 1995, 2006. WJ: Schiffner 1898b, 1900c, Stephani 1899 as *Aneura canaliculata*, Meijer 1959b.

115. *Radula nymannii* is probably a variety of *R. protensa*.

116. *Reboulia hemisphaerica* has recently been split into a number of subspecies. It is uncertain if subsp. *hemisphaerica* occurs in SE Asia although Schuster (1990) reports it.

117. *Rectolejeunea submersa* is taxonomically doubtful. It does not belong in this neotropical genus and is most likely a synonym of something.

118. *Riccardia albo-marginata* is presumably conspecific with *R. canaliculata* and differs only in being dioicious.

- *** *R. crassa* (Schwägr.) Carrington et Pearson JAV: **Stephani 1899** as *Aneura scabra* and *Aneura stolonifera*, **Schiffner 1900a** as *Riccardia scabra* and *Riccardia scabra* var. *tjiburrumensis*, Verdoorn 1938 as *Riccardia scabra*, Bonner 1962 as *Aneura scabra*, Miller *et al.* 1983 also as *Aneura scabra* and *Riccardia stolonifera*, **Brown & Braggs 1989**, Furuki 2006. WJ: **SYNTYPE** of *Riccardia scabra*, **TYPE** of *Riccardia scabra* var. *tjiburrumensis*, **Schiffner 1898b** as *Riccardia scabra* and its var. *tjiburrumensis*, **Meijer 1959b** as *Riccardia scabra*, **Geissler & Bischler 1990** as *Riccardia scabra* and its var. *tjiburrumensis*.
- ** *R. crassiretis* Schiffn. JAV: Furuki 2006. WJ: **Furuki 2001b**.
- ** *R. crenulata* Schiffn. JAV: **TYPE** of *Riccardia crenatilimbia*, **Schiffner 1900a**, **Geissler & Bischler 1990** as *Riccardia crenatilimbia*. WJ: **LECTOTYPE**, **Schiffner 1898b**, **1900c** as *Riccardia crenatilimbia*, **Meijer 1959b**, **Geissler & Bischler 1990**, **Furuki 2001b**.
- * ¹¹⁹*R. diminuta* Schiffn. JAV: **Stephani 1899** as *Aneura diminuta*, **Schiffner 1900a**, Verdoorn 1938, Bonner 1962 as *Aneura diminuta*, Miller *et al.* 1983, Lin *et al.* 1992, Furuki 2006. WJ: **SYNTYPE**, **TYPE** of *Riccardia diminuta* f. *minor*, f. *laxa*, f. *subpalmata* and f. *propagulifera*, **SYNTYPE** of *Riccardia diminuta* f. *longispica*, **Schiffner 1898b** also as *Riccardia diminuta* f. *longispica*, f. *propagulifera* and f. *subpalmata*, **Meijer 1959b**, **Geissler & Bischler 1990** also as *Riccardia diminuta* f. *minor*, f. *laxa*, f. *subpalmata*, f. *longispica* and f. *propagulifera*.
- * — var. *thermarum* Schiffn. JAV: **Schiffner 1900a**, Geissler & Bischler 1990 as *Riccardia diminuta* f. *thermarum*. WJ: **TYPE**, **TYPE** of *Riccardia diminuta* f. *thermarum*, **Schiffner 1898b**, **1955** as *Riccardia diminuta* f. *thermarum*, **Geissler & Bischler 1990**.
- ** *R. elata* (Steph.) Schiffn. JAV: **TYPE** of *Aneura elata* and *Riccardia elata* var. *a typica*, **Stephani 1893**, **1899** both as *Aneura elata*, **Schiffner 1898a**, **1900a**, **Bonner 1962** as *Aneura elata*, Miller *et al.* 1983 also as *Aneura elata*, **Geissler & Bischler 1990** also as *Riccardia elata* var. *a typica*. WJ: **TYPE** of *Riccardia elata* f. *propagulifera*, f. *laxior* and f. *densior*, **Schiffner 1898b** as *Riccardia elata* var. *a typica* and f. *propagulifera*, **1900c**, **Meijer 1959b**, **Geissler & Bischler 1990** as *Riccardia elata* f. *laxior*, f. *propagulifera* and f. *densior*.
- * —var. *angustior* Schiffn. JAV: **Schiffner 1900a**. WJ: **TYPE**, **Schiffner 1898b**, **Geissler & Bischler 1990**.
- * —var. *flaccida* Schiffn. JAV: **Schiffner 1900a**. WJ: **TYPE**, **Schiffner 1898b**, **Geissler & Bischler 1990**.
- * —var. *intercedens* Schiffn. JAV: **Schiffner 1900a**. WJ: **TYPE**, **Schiffner 1898b**, **Geissler & Bischler 1990**.
- * —var. *stephanii* Schiffn. JAV: **Schiffner 1900a**. WJ: **TYPE**, **Schiffner 1898b**, **Geissler & Bischler 1990**.
- ** *R. flacidissima* Schiffn. JAV: **Schiffner 1900a**, Bonner 1962 as *Aneura flacidissima*. WJ: **TYPE**, **Schiffner 1898b**, **Stephani 1899** as *Aneura flacidissima*, **Geissler & Bischler 1990**.
- *** *R. graeffei* (Steph.) Hewson JAV: **Stephani 1899** as *Aneura platyclada*, **Schiffner 1900a** as *Riccardia androgyna*, *Riccardia elongata* and *Riccardia platyclada*, Bonner 1962 as *Aneura androgyna* and *Aneura platyclada*, Srivastava & Udar 1976 as *Riccardia platyclada*, Miller *et al.* 1983 also as *Aneura platyclada* and *Riccardia platyclada*, Bapna & Kachroo 2000b as *Riccardia platyclada*, Furuki 2006. EJ: **SYNTYPE** of *Riccardia platyclada* var. *submersa*, **Schiffner 1955** as *Riccardia platyclada* var. *submersa*, **Geissler & Bischler 1990** as *Riccardia platyclada* var. *submersa*, **Schiffner 1955** as *Riccardia platyclada* var. *submersa*, **Furuki 1991**. JA: **SYNTYPE** of *Riccardia platyclada* var. *submersa*, **Schiffner 1955** as *Riccardia platyclada* var. *submersa*. WJ: **TYPE** of *Riccardia androgyna* and *Riccardia platyclada* f. *crenulata*, **SYNTYPE** of *Riccardia elongata* and *Riccardia platyclada* and its var. *submersa*, **Schiffner 1898b** as *Riccardia androgyna*, *Riccardia elongata* and *Riccardia platyclada* and its f. *crenulata*, **1900c** as *Riccardia platyclada* and *Riccardia platyclada* var. *cornuta*, **1955** as *Riccardia androgyna* and *Riccardia platyclada* and its var. *submersa*, **Stephani 1899** as *Aneura androgyna*, Meijer 1953 as *Riccardia platyclada*, **1960b** as *Riccardia elongata* and *Riccardia platyclada* var. *platyclada*, **Geissler & Bischler 1990** as *Riccardia androgyna*, *Riccardia elongata*, *Riccardia platyclada* and its f. *crenulata* and var. *submersa*, **Furuki 1991**.
- ** *R. heteroclada* Schiffn. JAV: **Stephani 1899** as *Aneura heteroclada*, **Schiffner 1900a** also as *Riccardia serrulata*, Verdoorn 1938 as *Riccardia serrulata*, Miller *et al.* 1983 as *Riccardia serrulata*. WJ: **SYNTYPE**, **SYNTYPE** of *Riccardia serrulata*, **Schiffner 1898b** also as *Riccardia serrulata*, **Meijer 1959b** as *Riccardia serrulata*, Bonner 1962 as *Aneura heteroclada*, **Geissler & Bischler 1990** also as *Riccardia serrulata*, **Furuki 1998**.
- ** *R. hymenophylloides* Schiffn. JAV: **Schiffner 1900a** also as *Riccardia decipiens*, Bonner 1962 as *Aneura hymenophylloides*, Miller *et al.* 1983 also as *Aneura hymenophylloides*, Furuki 2006. WJ: **TYPE** of *Riccardia decipiens*, **Schiffner 1898b** as *Riccardia decipiens*, **Stephani 1899** as *Aneura hymenophylloides*, **Geissler & Bischler 1990** as *Riccardia decipiens*.
- * —var. *flaccida* Schiffn. JAV: **Schiffner 1900a**. WJ: **TYPE**, **Schiffner 1898b**, **Geissler & Bischler 1990**.
- ** *R. jackii* Schiffn. JAV: **Stephani 1899** as *Aneura jackii*, **Schiffner 1900a** also as *Riccardia jackii* var. *crassior*, Verdoorn 1938, Bonner 1962 as *Aneura jackii*, Geissler & Bischler 1990 as *Riccardia jackii* f. *crassior*, Furuki 2006. EJ: **SYNTYPE** of *Riccardia jackii* f. *submersa*, **Schiffner 1955** as *Riccardia jackii* f. *submersa*, **Geissler & Bischler 1990** as *Riccardia jackii* f. *submersa*. WJ: **TYPE**, **SYNTYPE** of *Riccardia jackii* f. *submersa*, **TYPE** of *Riccardia jackii* var. *crassior*, **Schiffner 1898b**, **1900c** as *Riccardia jackii* f. *crassior*, **Schiffner 1955** also as *Riccardia jackii* f. *submersa*, **Meijer 1959b**, **Geissler & Bischler 1990** also as *Riccardia jackii* var. *crassior* and f. *submersa*.
- * —var. *densa* Schiffn. JAV: **Schiffner 1900a**. WJ: **TYPE**, **Schiffner 1898b**, **Geissler & Bischler 1990**.
- * ¹²⁰*R. multifidoides* Schiffn. JAV: **Stephani 1899** as *Aneura multifidoides*, **Schiffner 1900a**, Bonner 1962 as *Aneura multifidoides*, Furuki 2006. WJ: **TYPE**, **TYPE** of *Riccardia multifidoides* f. *propagulifera* and f. *subpalmata*, **Schiffner 1898b** also as *Riccardia multifidoides* f. *propagulifera* and f. *subpalmata*, **1955**, Meijer 1954b, **Geissler & Bischler 1990** also as *Riccardia multifidoides* f. *propagulifera* and f. *subpalmata*.

119. *Riccardia diminuta* is very close to *R. elata*.

120. *Riccardia multifidoides* was considered a synonym of *R. multifida* by Meijer (1958b), but that was not based on examination of type material and without study of the axial anatomy (biconvex in *R. multifida*).

- ** *R. parvula* Schiffn. JAV: **Schiffner 1900a**, Bonner 1962 as *Aneura parvula*, Furuki 2006. WJ: TYPE, TYPE of *Riccardia parvula* f. *paullum-major* and f. *propagulifera*, **Schiffner 1898b** also as *Riccardia parvula* f. *propagulifera*, 1955 as *Riccardia parvula* f. *paullum-major*, Stephani 1899 as *Aneura parvula*, **Meijer 1959b**, **Geissler & Bischler 1990** also as *Riccardia parvula* f. *paullum-major* and f. *propagulifera*, **Furuki 2001b**, **Gradstein et al. 2010**.
- ** *R. pindensis* Hewson JAV: Furuki 1991.
- ¹²¹ *R. platyclada* Schiffn.
- ? —var. *grandiretis* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, Schiffner 1898b, Geissler & Bischler 1990.
 - ? —var. *leiomitra* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, Schiffner 1898b, Meijer 1959b, Geissler & Bischler 1990.
 - ? —var. *repens* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, Schiffner 1898b, Meijer 1959b, Geissler & Bischler 1990.
- ** *R. plumosa* (Mitt.) E.O.Campb. JAV: TYPE of *Aneura zollingeri*, **Stephani 1888** as *Aneura zollingeri* and *Pseudoneura javanica*, **Schiffner 1893b** as *Aneura goebelii*, 1898a as *Riccardia zollingeri*, 1900a as *Riccardia elata* var. *zollingeri* and var. *goebelii*, Verdoorn 1938 as *Riccardia elata* var. *goebelii*, **Bonner 1962** as *Acrostolia javanica*, *Aneura zollingeri* and *Pseudoneura javanica*, Miller et al. 1983 also as *Aneura goebelii*, *Aneura zollingeri* and *Riccardia zollingeri*, **Geissler & Bischler 1989** as *Pseudoneura javanica*, *Riccardia elata* var. *goebelii* and var. *zollingeri*, *Riccardia goebelii* and *Riccardia zollingeri*, Lin et al. 1992. WJ: TYPE of *Aneura goebelii* and *Pseudoneura javanica*, Gottsche & Rabenhorst 1873 as *Pseudoneura javanica*, **Schiffner 1898a** as *Riccardia goebelii*, **Stephani 1899** *Aneura plumosa* and *Aneura zollingeri*, **Bonner 1962** as *Aneura goebelii* and *Pseudoneura javanica*, **Geissler & Bischler 1989** as *Pseudoneura javanica*.
- ** *R. subexalata* Schiffn. JAV: **Stephani 1899** as *Aneura subexalata*, **Schiffner 1900a** as *Riccardia subexalata* f. *propagulifera*, Verdoorn 1938, Bonner 1962 as *Aneura subexalata*. EJ: **Schiffner 1955**. WJ: TYPE, TYPE of *Riccardia subexalata* f. *propagulifera*, **Schiffner 1898b**, Schiffner 1898b as *Riccardia subexalata* f. *propagulifera*, 1900c, **Meijer 1959b**, **Geissler & Bischler 1990** also as *Riccardia subexalata* f. *propagulifera*.
 - * —var. *procera* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, Schiffner 1898b, Geissler & Bischler 1990.
- ** *R. tamariscina* (Steph.) Schiffn. JAV: TYPE of *Aneura tamariscina*, **Stephani 1893, 1899** both as *Aneura tamariscina*, **Schiffner 1898a, 1900a**, **Bonner 1962** as *Aneura tamariscina*, Miller et al. 1983, Geissler & Bischler 1990, **Furuki 1991**.
- ** *R. tenuicostata* Schiffn. JAV: **Stephani 1899** as *Aneura tenuicostata*, Verdoorn 1938, Bonner 1962 as *Aneura tenuicostata*, **Srivastava & Udar 1976**, 1977, Miller et al. 1983 also as *Aneura tenuicostata*, Bapna & Kachroo 2000b, Pippo et al. 2002.
- ** *R. tenuis* (Steph.) Schiffn. JAV: **Stephani 1893** as *Aneura tenuis*, **Schiffner 1898a, 1900a**, Geissler & Bischler 1990. WJ: TYPE of *Aneura tenuis*, **Schiffner 1898b, 1900c**, **Stephani 1899** as *Aneura tenuis*, **Bonner 1962** as *Aneura tenuis*.
- * ¹²² *R. tjibodensis* Schiffn. JAV: **Schiffner 1900a**, Verdoorn 1938, Bonner 1962 as *Aneura tjibodensis*. CJ: **Schiffner 1955**. WJ: TYPE, **Schiffner 1898b**, **Stephani 1899** as *Aneura tjibodensis*, **Meijer 1959b**, **Geissler & Bischler 1990**.
- ** *R. wettsteinii* Schiffn. JAV: **Stephani 1899** as *Aneura wettsteinii*, **Schiffner 1900a**, Bonner 1962 as *Aneura wettsteinii*. WJ: SYNTYPE, SYNTYPE of *Riccardia wettsteinii* f. *propagulifera*, **Schiffner 1898b** also as *Riccardia wettsteinii* f. *propagulifera*, Meijer 1954b, 1960b, **Geissler & Bischler 1990** also as *Riccardia wettsteinii* f. *propagulifera*.
 - * —var. *angustilimbia* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, Schiffner 1898b, 1955, Geissler & Bischler 1990.
 - * —var. *crassa* Schiffn. JAV: **Schiffner 1900a**. WJ: SYNTYPE, Schiffner 1898b, Geissler & Bischler 1990.
 - * —var. *procera* Schiffn. JAV: **Schiffner 1900a**. WJ: TYPE, Schiffner 1898b, Geissler & Bischler 1990.
 - * —var. *tenuiretis* Schiffn. JAV: **Schiffner 1900a**, Verdoorn 1938. WJ: SYNTYPE, Schiffner 1898b, Geissler & Bischler 1990.

Riccia

- *** *R. billardieri* Mont. et Nees JAV: TYPE, **Gottsche et al. 1846**, **Sande Lacoste 1857**, **Schiffner 1898a, 1900a**, Stephani 1898, Verdoorn 1931b, **Meijer 1958a**, **Geissler & Bischler 1990**, Bapna & Kachroo 2000b, **Jovet-Ast 2000**, 2003, Chaudhary et al. 2006. CJ: Meijer 1955. WJ: Meijer 1953.
- *** *R. fluitans* L. JAV: Verdoorn 1932a, **Meijer 1958a**, Bapna & Kachroo 2000b. CJ: **Schiffner 1955** as *R. canaliculata* Hoffm. var. *javanica*, **Geissler & Bischler 1990** as *R. canaliculata* Hoffm. var. *javanica*. WJ: Meijer 1953.
- *** *R. gangetica* Ahmad JAV: **Meijer 1958a**, Bapna & Kachroo 2000b, **Jovet-Ast 2000, 2003**, Chaudhary et al. 2006.
- *** *R. hasskarliana* Steph. JAV: TYPE, **Stephani 1898**, **Schiffner 1900a**, **Meijer 1958a**, **Geissler & Bischler 1990**, **Jovet-Ast 2003**.
- *** *R. junghuhniana* Nees et Lindenb. JAV: TYPE, **Gottsche et al. 1846**, **Sande Lacoste 1857**, **Schiffner 1898a, 1900a**, Stephani 1898, **Meijer 1958a**, Miller et al. 1983, **Geissler & Bischler 1990** also as *Ricciella junghuhniana*, **Jovet-Ast 2003**. CJ: Meijer 1955. EJ: TYPE of *Riccia applanata*, **Meijer 1958a** as *Riccia applanata*, **Geissler & Bischler 1990** as *Riccia applanata*. WJ: Meijer 1953.
 - ** —var. *simplex* Schiffn. WJ: TYPE, Schiffner 1900a, Geissler & Bischler 1990.
- * ¹²³ *R. obtusa* Meijer WJ: TYPE, **Meijer 1958a**, **Geissler & Bischler 1990**.
- * ¹²⁴ *R. prominens* Meijer CJ: TYPE, **Meijer 1958a**, **Geissler & Bischler 1990**.

121. *Riccardia platyclada* is a synonym of *R. graeffei*, but we do not know where these varieties belong.

122. *Riccardia tjibodensis* is taxonomically doubtful and most likely a synonym of something.

123. *Riccia obtusa* may be conspecific with *R. gangetica*.

** *R. treubiana* Steph. JAV: **Schiffner 1900a**, Verdoorn 1932a, **Meijer 1958a**. WJ: TYPE, Stephani 1898, Meijer 1953, **Geissler & Bischler 1990**.

* —¹²⁵var. *subrubescens* Schiffn. JAV: Verdoorn 1932a. WJ: TYPE, **Schiffner 1900a, Geissler & Bischler 1990**.

Saccogynidium

** *S. muricellum* (De Not.) Grolle JAV: Grolle & Schultze-Motel 1973, Miller et al. 1983 also as *Saccogyna rigidula* var. *laevifolia* and var. *latifolia*, Piippo 1985b, 1989b, Gao & Cao 2001. WJ: TYPE of *Saccogyna rigidula* var. *laevifolia*, var. *latifolia*, f. *major* and f. *minor*; **Schiffner 1900a** as *Saccogyna rigidula* var. *latifolia*, var. *laevifolia*, f. *major* and f. *minor*, **1900b** as *Saccogyna rigidula* f. *minor*, var. *laevifolia* and var. *latifolia*, **Geissler & Bischler 1990** as *Saccogyna rigidula* var. *latifolia*, f. *major*, var. *laevifolia* and f. *minor*.

** *S. rigidulum* (Nees) Grolle JAV: TYPE of *Jungermannia rigidula*, **Nees 1830** as *Jungermannia rigidula*, **Gott sche et al. 1845a** as *Chiloscyphus rigidulus*, **Sande Lacoste 1857** as *Chiloscyphus rigidulus*, **Schiffner 1900a** as *Saccogyna rigidula* f. *typica*, **Stephani 1908** as *Saccogyna rigidula*, Bonner 1963b as *Chiloscyphus rigidulus*, Grolle & Schultze-Motel 1973, Miller et al. 1983 also as *Chiloscyphus rigidulus*, *Jungermannia rigidula* and *Saccogyna rigidula* and its var. *latistipula*, Piippo 1985b, 1989b, **Geissler & Bischler 1987** as *Jungermannia rigidula*, 1990 also as *Saccogyna rigidula*, Gao & Cao 2001. WJ: TYPE of *Saccogyna rigidula* var. *latistipula*, **Sande Lacoste 1864** as *Chiloscyphus rigidulus*, **Schiffner 1898a** as *Chiloscyphus rigidulus*, **1900a** as *Saccogyna rigidula* var. *latistipula*, **1900b** as *Saccogyna rigidula* f. *typica* and var. *latistipula*, **1900c** as *Saccogyna rigidula*, **Grolle 1961** also as *Saccogynidium jugatum*, **Geissler & Bischler 1990** as *Saccogyna rigidula* var. *latistipula*.

Sandeothallus

** *S. radiculosus* (Schiffn.) R.M.Schust. JAV: **Schiffner 1900a** as *Calycularia radiculososa*, Grolle 1968a as *Moerckia radiculososa*, Schuster 1982, Miller et al. 1983 as *Calycularia radiculososa* and *Moerckia radiculososa*, Geissler & Bischler 1985 as *Moerckia radiculososa*, Piippo 1988, Piippo & Tan 1992.

Scapania

*** *S. javanica* Gott sche JAV: **Müller 1901b**, Stephani 1910, Geissler & Bischler 1985 as *Martinelli us javanicus*, Piippo 1985a, Potemkin 2002, Blockeel et al. 2009. WJ: TYPE, **Gott sche 1853**, **Sande Lacoste 1857, 1864**, **Schiffner 1898a, 1900c, Geissler & Bischler 1990, Gradstein et al. 2010**.

* —¹²⁶var. *scabra* Schiffn. CJ: TYPE, **Schiffner 1955**, Geissler & Bischler 1990.

*** *S. rigida* Nees JAV: TYPE, **Gott sche et al. 1844**, **Sande Lacoste 1864**, **Schiffner 1893b** as *Martinelli us rigidus*, **1898a**, Müller 1901b, Stephani 1910, Geissler & Bischler 1985 as *Martinelli us rigidus*, **1990**, Potemkin 2002. WJ: TYPE of *Scapania rigida* f. *minor*, **Schiffner 1955** as *Scapania rigida* f. *minor*, **Geissler & Bischler 1990** as *Scapania rigida* f. *minor*.

*** *S. sandei* Schiffn. ex Müll.Frib. JAV: Müller 1901b, Stephani 1910 as *Scapania sandei*, Potemkin 2002.

Schiffneria

*** *S. hyalina* Steph. JAV: Iskander 2008 as *Schiffneria* sp.

Schiffneriolejeunea

*** *S. pulopenangensis* (Gott sche) Gradst. JAV: TYPE of *Ptychocoleus nymannii*, **Schiffner 1898a** as *Acrolejeunea pulopenangensis*, **Stephani 1912b** as *Ptychocoleus nymannii*, Verdoorn 1933b as *Ptychocoleus pulopenangensis*, **Thiers 1985**, **Geissler & Bischler 1989** as *Ptychocoleus nymannii*, **Thiers & Gradstein 1989**. CJ: **Verdoorn 1933** as *Ptychocoleus pulopenangensis*. WJ: **Schiffner 1900c** as *Acrolejeunea pulopenangensis*, Renner 1932 as *Ptychocoleus pulopenangensis*, Verdoorn 1933 as *Ptychocoleus pulopenangensis*, **Haerida et al. 2010**.

*** *S. tumida* (Nees) Gradst. JAV: **Sande Lacoste 1857** as *Phragmicomma tumida*, Verdoorn 1933b as *Ptychocoleus tumidus*, Geissler & Bischler 1985 as *Marchesinia haskarliana*. WJ: TYPE of *Mastigolejeunea inflatiloba*, **Schiffner 1900c** as *Acrolejeunea tumida*, **Stephani 1924** as *Mastigolejeunea inflatiloba*, **Verdoorn 1933** as *Ptychocoleus tumidus*, **Gradstein & Terken 1981**, **Geissler & Bischler 1985** as *Mastigolejeunea inflatiloba*.

*** — var. *haskarliana* (Gott sche) Gradst. et Terken JAV: TYPE of *Phragmicomma haskarliana*, **Gott sche et al. 1845a** as *Phragmicomma haskarliana*, **Sande Lacoste 1857, 1864** both as *Phragmicomma haskarliana*, **Stephani 1890a** as *Phragmicomma hasskarliana*, **1912a** as *Mastigolejeunea javanica*, **Schiffner 1893b** as *Lejeunea hasskarliana*, Verdoorn 1933b, 1934a both as *Ptychocoleus haskarlianu s*, Bonner 1962 as *Acrolejeunea hasskarliana*, Mizutani 1977, 1978a, 1978b all as *Schiffneriolejeunea hasskarliana*, Miller et al. 1983 as *Acrolejeunea hasskarliana*, *Acrolejeunea javanica*, *Mastigolejeunea javanica*, *Phragmicomma hasskarliana* and *Schiffneriolejeunea hasskarliana*, Geissler & Bischler 1987 as *Lejeunea hasskarliana*, **1989** as *Phragmicomma hasskarliana* and *Ptychocoleus haskarlianu s*, **Thiers & Gradstein 1989**, **Gradstein et al. 2002**. CJ: **Verdoorn 1933** as *Ptychocoleus hasskarlianu s*. WJ: TYPE of *Acrolejeunea javanica* and *Mastigolejeunea javanica*, **Schiffner 1894, 1898a, 1900c** all as *Acrolejeunea hasskarliana*, **Verdoorn 1933** as *Ptychocoleus hasskarlianu s*, Bonner 1962 as *Acrolejeunea javanica*, **Geissler & Bischler 1985** as *Mastigolejeunea javanica*, **Haerida et al. 2010**.

*** — var. *tumida* JAV: TYPE of *Ptychocoleus sumatr anus*, **Sande Lacoste 1864** as *Phragmicomma peradeniensis*, **Schiffner 1898a** as *Acrolejeunea peradeniensis*, Stephani 1912b as *Ptychocoleus sumatr anus*, Miller et al. 1983 as *Schiffneriolejeunea tumida*, **Geissler & Bischler 1989** as *Ptychocoleus sumatr anus*.

124. *Riccia prominens* may be conspecific with *R. junghuhniana*.

125. *Riccia treubiana* var. *subrubescens* is taxonomically doubtful and most likely a synonym of something.

126. *Scapania javanica* var. *scabra* is taxonomically doubtful and most likely a synonym of something.

Schistochila

- ? ¹²⁷*S. aligera* (Nees) J.B.Jack et Steph. var. *γ laxa* (Nees) Schiffn. JAV: **TYPE** of *Jungermannia aligera γ laxa*, Nees 1830 as *Jungermannia aligera γ laxa*, Geissler & Bischler 1987 as *Jungermannia aligera γ laxa*.
- *** *S. blumei* (Nees) Trevis. JAV: **TYPE** of *Jungermannia blumei*, Blume & Nees 1823 as *Jungermannia blumei*, Reinwardt et al. 1824a as *Jungermannia blumei*, Nees 1830 as *Jungermannia blumii*, Gottsche et al. 1844 as *Gottschea blumii*, Gottsche 1853 as *Gottschea blumii*, Schiffner 1893b, Stephani 1909b, Buch 1939, Bonner 1966 as *Gottschea blumei*, Grolle 1966f, Kitagawa 1973b, Miller et al. 1983 also as *Gottschea blumei*, Piippo 1984a, Geissler & Bischler 1987 as *Jungermannia blumei*, 1990, So 2003a, Gao & Wu 2004. CJ: Sande Lacoste 1864 as *Gottschea blumei*, Schiffner 1898a. WJ: Sande Lacoste 1864 as *Gottschea blumei*, Schiffner 1898a, 1900c.
- *** *S. reinwardtii* (Nees) Schiffn. JAV: **TYPE** of *Jungermannia daedalea* and *Jungermannia reinwardtii*, Nees 1830 as *Jungermannia daedalea* and *Jungermannia reinwardtii*, Gottsche et al. 1844 as *Gottschea reinwardtii*, Sande Lacoste 1857 as *Gottschea reinwardtii*, Schiffner 1898a, Buch 1939, Bonner 1966 as *Gottschea reinwardtii*, Grolle 1966f, Miller et al. 1983, Geissler & Bischler 1987 as *Jungermannia daedalea* and *Jungermannia reinwardtii*, Geissler & Bischler 1990, So 2003a.
- *** *S. sciurea* (Nees) Schiffn. JAV: **TYPE** of *Gottschea javanica* and *Jungermannia sciurea*, Nees 1830 as *Jungermannia sciurea*, Gottsche et al. 1844 as *Gottschea javanica*, 1845a as *Ptilidium sciureum*, Sande Lacoste 1857 as *Ptilidium sciureum*, Stephani 1909b also as *Schistochila javanica*, Buch 1939, Bonner 1966 as *Gottschea javanica* and *Gottschea sciurea*, Grolle 1966f, Hattori 1968, Miller et al. 1983 also as *Gottschea sciurea*, *Jungermannia sciurea* and *Ptilidium sciureum*, Piippo 1984a, Geissler & Bischler 1987 as *Jungermannia sciurea*, 1989 as *Ptilidium sciureum*, 1990 as *Schistochila javanica*, So 2003a. WJ: Sande Lacoste 1864 as *Gottschea sciurea*, Schiffner 1898a, Seifriz 1924, Gradstein et al. 2010.
- ? — var. *cordata* H.Buch nom. inval. JAV: Buch 1939, Geissler & Bischler 1990.

Sendtnera

- ? ¹²⁸*S. juniperina* Nees nom. inval. *γ ramosa* Lehm. et Lindenb. WJ: Sande Lacoste 1864.

Siphonolejeunea

- ** *S. schiffneri* (Steph. ex Schiffn.) Herzog JAV: Schiffner 1893b as *Lejeunea schiffneri*, Stephani 1914 as *Pycnolejeunea schiffneri*, Herzog 1948, Grolle 1973b, Geissler & Bischler 1989 as *Pycnolejeunea schiffneri*, 1990, Pócs & Streimann 2006. WJ: **TYPE** of *Lejeunea schiffneri*, Schiffner 1898a, 1900c both as *Pycnolejeunea schiffneri*, Geissler & Bischler 1987 as *Lejeunea schiffneri*.

Solenostoma

- *** *S. appressifolium* (Mitt.) Váňa et D.G.Long JAV: Váňa & Inoue 1983 as *Jungermannia appressifolia*, Váňa & Piippo 1989a as *Jungermannia appressifolia*, Váňa 1991a as *Jungermannia appressifolia*.
- *** — var. *appressifolium* JAV: Váňa 1973c as *Jungermannia appressifolia* var. *appressifolia*, Hattori 1975c as *Jungermannia appressifolia* var. *appressifolia*, Long 1979 as *Jungermannia appressifolia* var. *appressifolia*, Long & Grolle 1990 as *Jungermannia appressifolia* var. *appressifolia*, Bapna & Kachroo 2000a as *Jungermannia appressifolia* var. *appressifolia*. JA: Amakawa 1969 as *Jungermannia decolyana*.
- *** *S. ariadne* (Taylor ex Lehm.) R.M.Schust. ex Váňa et D.G.Long JAV: Meissner 1848 as *Jungermannia ariadne*, Schiffner 1900a as *Nardia ariadne*, Stephani 1901 as *Jungermannia ariadne*, Váňa 1973b, 1975a, all as *Jungermannia ariadne*, Miller et al. 1983 as *Plectocolea ariadne*, Váňa & Piippo 1989a as *Jungermannia ariadne*, Bapna & Kachroo 2000a as *Jungermannia ariadne*. CJ: Schiffner 1955 as *Nardia ariadne*. WJ: Sande Lacoste 1857 as *Jungermannia ariadne*, Schiffner 1898a, 1898b both as *Nardia ariadne*, Meijer 1953, 1959 both as *Plectocolea ariadne*, Amakawa 1968 as *Jungermannia ariadne*, Váňa 1973c as *Jungermannia ariadne*.
- *** *S. baueri* (Schiffn.) Steph. JAV: Schiffner 1900a as *Aplozia baueri*, Stephani 1901, Verdoorn 1938 as *Haplozia baueri*, Bonner 1962 as *Aplozia baueri*, Geissler & Bischler 1987 as *Jungermannia baueri*, 1990. WJ: **TYPE** of *Aplozia baueri* and *Jungermannia miehena*, Schiffner 1898b as *Aplozia baueri*, Stephani 1917b as *Jungermannia miehena*, Meijer 1954b as *Haplozia baueri*, Amakawa 1968 as *Jungermannia baueri* and *Jungermannia miehena*, Váňa 1974a as *Jungermannia baueri*, Geissler & Bischler 1987 as *Jungermannia miehena*.
- *** *S. comatum* (Nees) C.Gao JAV: **TYPE** of *Jungermannia comata*, Nees 1830 as *Jungermannia comans*, Gottsche et al. 1844 as *Plagiochila comata*, Sande Lacoste 1856a, 1857 both as *Plagiochila comata*, Schiffner 1900a as *Nardia comata*, Stephani 1901 as *Jungermannia comata*, Verdoorn 1933b as *Eucalyx comatus*, Amakawa 1960 as *Jungermannia comata*, Bonner 1965 as *Eucalyx comatus*, Váňa 1972 as *Jungermannia comata*, Miller et al. 1983 as *Jungermannia comata*, Geissler & Bischler 1987 as *Jungermannia comata*, 1989 as *Nardia comata*, *Plagiochila comata* and *Plectocolea comata*, Bapna & Kachroo 2000a as *Jungermannia comata*, Gao & Bai 2001 as *Jungermannia comata*. CJ: Schiffner 1898a as *Nardia comata*, Váňa 1973c as *Jungermannia comata*. JA: Amakawa 1970 as *Jungermannia comata*. WJ: Schiffner 1898a, 1898b both as *Nardia comata*, Meijer 1953, 1954a 1959a all as *Plectocolea comata*, Váňa 1973c as *Jungermannia comata*.
- *** — var. *comatum* JAV: Bonner 1962 as *Alicularia junghuhniana*, Váňa 1973b as *Jungermannia comata* var. *comata*, Geissler & Bischler 1989 as *Plectocolea junghuhniana*, Váňa & Piippo 1989a as *Jungermannia comata* var. *comata*. EJ: **TYPE** of *Jungermannia junghuhniana*, Gottsche et al. 1844 as *Jungermannia*

127. *Schistochila aligera* is now *Gottschea aligera*, but we are not sure whether these varieties also belong to the species and are worth recognizing.

128. *Sendtnera juniperina* is a synonym of *Herbertus juniperioideus*. This variety is taxonomically doubtful and most likely a synonym of something.

- junghuhniana*, Geissler & Bischler 1987 as *Jungermannia junghuhniana*. WJ: TYPE of *Tylimanthus javanicus*, Sande Lacoste 1857, 1864 both as *Jungermannia junghuhniana*, Stephani 1905 as *Tylimanthus javanicus*, Geissler & Bischler 1990 as *Tylimanthus javanicus*.
- *** *S. haskarlianum* (Nees) R.M.Schust. ex Váňa et D.G.Long JAV: TYPE of *Alicularia haskarliana*, *Jungermannia polygona*, *Plectocolea flexuosa* and *Solenostoma purpurascens*, Gottsche et al. 1844 as *Alicularia haskarliana*, Sande Lacoste 1857, 1864 both as *Alicularia hasskarliana*, Schiffner 1898a, 1900a both as *Nardia haskarliana*, 1900a as *Nardia haskarliana* var. *virens*, Stephani 1901 as *Jungermannia hasskarliana*, 1917b as *Solenostoma purpurascens*, Bonner 1962 as *Alicularia haskarliana*, 1965 as *Eucalyx hasskarlianus*, Grolle 1966d as *Jungermannia hasskarliana*, Váňa 1972 as *Jungermannia hasskarliana*, 1973b as *Jungermannia hasskarliana*, 1975a as *Jungermannia hasskarliana*, Miller et al. 1983 as *Alicularia haskarliana*, *Jungermannia hasskarliana* and *Plectocolea haskarliana*, Geissler & Bischler 1985 as *Mesophylla hasskarliana*, 1987 as *Jungermannia hasskarliana* and *Jungermannia polygona*, 1989 as *Nardia haskarliana*, *Plectocolea flexuosa* and *Plectocolea haskarliana*, 1990 as *Solenostoma purpurascens*, Váňa & Piippo 1989a as *Jungermannia hasskarliana*, Váňa 1991a as *Jungermannia hasskarliana*, Bapna & Kachroo 2000a as *Jungermannia hasskarliana*, Gao & Bai 2001 as *Jungermannia hasskarliana*. EJ: Váňa 1973c as *Jungermannia hasskarliana*. WJ: TYPE of *Nardia haskarliana* f. *brevior* and var. *virens*, *Nardia tetragona* f. *gracilior*, Schiffner 1898b as *Nardia hasskarliana* and its f. *brevior* and var. *virens* and *Nardia tetragona* f. *gracilior*, Meijer 1953, 1954a, 1959a all as *Plectocolea haskarliana*, Geissler & Bischler 1989 as *Nardia haskarliana* var. *virens* and f. *brevior* and *Nardia tetragona* f. *gracilior*, Gradstein et al. 2010.
- *** *S. javanicum* (Schiffn.) Steph. JAV: TYPE of *Aplozia javanica* var. *nicholsonii*, Schiffner 1900a as *Aplozia javanica* and its var. *laxa*, Stephani 1901, Verdoorn 1933b as *Haplozia javanica*, 1938 as *Aplozia javanica* var. *nicholsonii*, Bonner 1962 as *Aplozia javanica* and its var. *laxa*, 1966 as *Haplozia javanica* var. *nicholsonii*, Váňa 1972, 1973b both as *Jungermannia herzogiana*, Geissler & Bischler 1987 as *Jungermannia herzogiana* and *Jungermannia javanica*, 1989 as *Nardia retusa*, 1990, Váňa & Piippo 1989a as *Jungermannia herzogiana*. WJ: SYNTYPE of *Aplozia javanica*, TYPE of *Aplozia javanica* var. *laxa* and *Jungermannia retusa*, Gottsche 1853 as *Jungermannia retusa*, Schiffner 1898a as *Nardia retusa*, 1898b as *Aplozia javanica* and its var. *laxa*, 1900c as *Aplozia javanica*, Meijer 1954b as *Haplozia javanica*, Váňa 1973c, 1991a both as *Jungermannia herzogiana*, Geissler & Bischler 1987 as *Jungermannia retusa*.
- *** *S. obliquifolium* (Schiffn.) R.M.Schust. ex Váňa, Hentschel et Heinrichs JAV: Váňa 1973b, 1974a, 1975a, 1991a all as *Jungermannia obliquifolia*, Váňa & Piippo 1989a as *Jungermannia obliquifolia*.
- *** *S. stephanii* (Schiffn.) Steph. JAV: Schiffner 1900a as *Aplozia stephani*, Stephani 1901, Bonner 1962 as *Aplozia stephani*, Váňa 1973b as *Jungermannia stephani*, Geissler & Bischler 1987 as *Jungermannia stephani*, 1990, Srivastava & Singh 1989 as *Jungermannia stephani*, Váňa & Piippo 1989a as *Jungermannia stephani*, Bapna & Kachroo 2000a as *Jungermannia stephani*. CJ: Schiffner 1955 as *Aplozia stephani*. WJ: SYNTYPE of *Aplozia stephani*, Schiffner 1898b as *Aplozia stephani*, Amakawa 1968 as *Jungermannia stephani*, Váňa 1973c, 1991a both as *Jungermannia stephani*, Gao & Bai 2001 as *Jungermannia stephani*.
- *** *S. strictum* (Schiffn.) Váňa, Hentschel et Heinrichs JAV: TYPE of *Jungermannia exigua* and *Jungermannia kurzii*, Schiffner 1900a as *Aplozia stricta* and its var. *radicellifera*, Stephani 1901 as *Jungermannia stricta*, Verdoorn 1931b as *Haplozia stricta* var. *radicellifera*, 1938 as *Haplozia stricta*, Bonner 1962 as *Aplozia stricta*, Geissler & Bischler 1987 as *Jungermannia exigua* and *Jungermannia kurzii*, Váňa & Piippo 1989a as *Jungermannia stricta*. CJ: Schiffner 1955 as *Aplozia stricta*, Váňa 1973c as *Jungermannia stricta*. WJ: SYNTYPE of *Aplozia stricta*, TYPE of *Aplozia stricta* var. *radicellifera*, *Jungermannia pangerangana* and *Solenostoma cinereum*, Schiffner 1898b as *Aplozia stricta* and its var. *radicellifera*, Stephani 1901 as *Solenostoma cinerea*, Bonner 1962 as *Aplozia stricta* var. *radicellifera*, Amakawa 1968 as *Jungermannia stricta*, Váňa 1973c, 1991a both as *Jungermannia stricta*, Geissler & Bischler 1987 as *Jungermannia pangerangana*, 1990 as *Solenostoma cinereum*.
- *** *S. tetragonum* (Lindenb.) R.M.Schust. ex Váňa et D.G.Long JAV: TYPE of *Jungermannia colorata* δ *decipiens*, *Jungermannia flexicaulis* γ *decipiens* and *Jungermannia tetragona*, Nees 1830 as *Jungermannia colorata* δ *decipiens*, Meissner 1848 as *Jungermannia tetragona*, Gottsche 1853 as *Jungermannia tetragona*, Schiffner 1900a as *Nardia tetragona*, 1955 as *Nardia tetragona* var. *aquatica*, Stephani 1901 as *Jungermannia tetragona*, Amakawa 1968 as *Jungermannia tetragona*, Váňa 1973b, 1974a, 1975a all as *Jungermannia tetragona*, Hattori 1975c as *Jungermannia tetragona*, Miller et al. 1983 as *Jungermannia tetragona*, Geissler & Bischler 1985 as *Nardia tetragona* and its var. *aquatica*, 1987 as *Jungermannia colorata* δ *decipiens*, *Jungermannia flexicaulis* γ *decipiens* and *Jungermannia tetragona*, 1989 as *Plectocolea tetragona*, Váňa & Piippo 1989a as *Jungermannia tetragona*, Bapna & Kachroo 2000a as *Jungermannia tetragona*, Gao & Bai 2001 as *Jungermannia tetragona*. EJ: Schiffner 1898a as *Nardia tetragona*. WJ: TYPE of *Nardia tetragona* f. *brevior*, Sande Lacoste 1857 as *Jungermannia tetragona*, Schiffner 1898a as *Nardia tetragona*, Schiffner 1898b as *Nardia tetragona* and its f. *brevior*, Meijer 1953, 1954a, 1959a all as *Plectocolea tetragona*, Amakawa 1960 as *Jungermannia tetragona*, Váňa 1973c, 1991a both as *Jungermannia tetragona*, Geissler & Bischler 1985 as *Nardia tetragona* f. *brevior*, Gradstein et al. 2010.
- *** *S. truncatum* (Nees) R.M.Schust. ex Váňa et D.G.Long JAV: TYPE of *Jungermannia truncata* and its β *tenerrima*, Nees 1830 as *Jungermannia truncata* and its β *tenerrima*, Gottsche et al. 1844 as *Jungermannia truncata*, Sande Lacoste 1857 as *Jungermannia polyrhiza* and *Jungermannia truncata* and its β *tenerrima*, 1864 as *Jungermannia truncata* β *tenerrima*, Schiffner 1898a as *Nardia polyrhiza* and *Nardia truncata* var. β *tenerrima*, 1900a as *Nardia truncata* and its var. *crassiretis*, Stephani 1901 as *Jungermannia polyrhiza* and *Jungermannia truncata*, Verdoorn 1938 as *Eucalyx truncatus* and its var. *crassiretis*, Bonner 1965 as *Eucalyx truncatus* and its var. *crassiretis*, Hattori 1968 as *Jungermannia polyrhiza*, Váňa 1972, 1973b both as *Jungermannia truncata*, Hattori 1975c as *Jungermannia truncata*, Geissler & Bischler 1985 as *Nardia truncata* var. β *tenerrima*, 1987 as *Jungermannia truncata* and its var. β *crassiretis*, β *tenerrima* and f. *transitoriae*,

1989 as *Nardia truncata* and its var. *elongata* and *Plectocolea truncata*, Váňa & Piippo 1989a as *Jungermannia truncata*, Bapna & Kachroo 2000a as *Jungermannia truncata*, Gao & Bai 2001 as *Jungermannia truncata*, Easa 2003 as *Jungermannia truncata*, CA: Váňa 1991a as *Jungermannia truncata*. JA: Amakawa 1972 as *Jungermannia truncata* var. *truncata*. WJ: TYPE of *Nardia truncata* var. *crassiretis*, f. *transitoria* and f. *subaquatica*, Sande Lacoste 1864 as *Jungermannia truncata*, Schiffner 1898a as *Nardia truncata*, 1898b as *Nardia truncata* and its f. *transitoria* and var. *crassiretis*, Meijer 1953, 1954a 1959 all as *Plectocolea truncata*, Schiffner 1955 as *Nardia truncata* f. *subaquatica*, Amakawa 1972 as *Jungermannia truncata* var. *truncata*, Geissler & Bischler 1989 as *Nardia truncata* f. *transitoria* and var. *crassiretis*.

*** *S. vulcanicola* (Schiffn.) Nyushko ex Potemkin et Sofronova JAV: TYPE of *Jungermannia vulcanicola*, Sande Lacoste 1857 as *Chiloscyphus stygius*, Schiffner 1900a as *Nardia vulcanicola* and its var. *tenuiretis*, Stephani 1901 as *Jungermannia vulcanicola*, Amakawa 1960 as *Jungermannia vulcanica*, Bonner 1965 as *Eucalyx stygius*, Geissler & Bischler 1987 as *Jungermannia vulcanicola*. CJ: Váňa 1974a as *Jungermannia vulcanicola*. EJ: Verdoorn 1933b as *Eucalyx stygius*. WJ: TYPE of *Chiloscyphus stygius*, *Nardia vulcanicola* and its f. *cavifolia* and var. *tenuiretis*, Gottsche et al. 1845a as *Chiloscyphus stygius*, Schiffner 1898a as *Chiloscyphus stygius*, 1898b as *Nardia vulcanicola* and its f. *cavifolia* and var. *tenuiretis*, Verdoorn 1933b as *Eucalyx stygius*, Bonner 1963b as *Chiloscyphus stygius*, Váňa 1974a as *Jungermannia vulcanicola*, Geissler & Bischler 1989 as *Nardia vulcanicola* and its var. *tenuiretis* and f. *cavifolia*.

Spruceanthus

*** *S. polymorphus* (Sande Lac.) Verd. JAV: TYPE of *Phragmicomma polymorpha* and its α *undulifolia*, Sande Lacoste 1854, 1856b both as *Phragmicomma polymorpha*, 1857 as *Phragmicomma polymorpha* α *undulifolia*, 1864 as *Phragmicomma polymorpha* β *planifolia*, Schiffner 1893b as *Lejeunea polymorpha* var. *undulifolia*, 1898a as *Thysananthus polymorphus*, Verdoorn 1933b, 1934a both as *Thysananthus polymorphus*, Mizutani 1961, 1977, 1978a, Pócs et al. 1967, Miller et al. 1983 also as *Phragmicomma polymorpha*, *Phragmicomma polymorpha* β *planifolia*, *Phragmiclejeunea polymorpha*, *Thysanolejeunea polymorpha*, Geissler & Bischler 1987 as *Lejeunea polymorpha* and its var. *undulifolia*, Geissler & Bischler 1990 also as *Thysananthus polymorphus* and its var. β *planifolia*, Thiers & Gradstein 1989 as *Archilejeunea polymorpha*, Zhu & So 1999b as *Archilejeunea polymorpha*, Bapna & Kachroo 2000b as *Archilejeunea polymorpha*, Gradstein et al. 2002. BA: Haerida et al. 2010. EJ: Verdoorn 1933 as *Thysananthus polymorphus*. WJ: TYPE of *Phragmicomma polymorpha* β *planifolia*, Sande Lacoste 1857 as *Phragmicomma polymorpha* β *planifolia*, Schiffner 1898a as *Thysananthus polymorphus* var. β *planifolia*, Verdoorn 1933 as *Thysananthus polymorphus*, Geissler & Bischler 1989 as *Phragmicomma polymorpha* β *planifolia*, Haerida et al. 2010.

*** *S. semirepandus* (Nees) Verd. JAV: TYPE of *Jungermannia semirepanda*, Nees 1830 as *Jungermannia semirepanda*, Gottsche et al. 1845a as *Phragmicomma semirepanda*, Sande Lacoste 1857 as *Phragmicomma semirepanda*, Schiffner 1894 as *Ptychanthus semirepandus*, Stephani 1912a as *Ptychanthus semirepandus*, Verdoorn 1933b as *Ptychanthus semirepandus*, Mizutani 1961, 1977, 1978a, Pócs et al. 1967, Kitagawa 1981, Geissler & Bischler 1985 as *Marchesinia semirepanda*, 1987 as *Jungermannia semirepanda* and *Lejeunea semirepanda*, 1989 as *Phragmicomma semirepanda* and *Ptychanthus semirepandus*, 1990 also as *Thysananthus semirepandus*, Bapna & Kachroo 2000b, Zhu & So 2001. WJ: Sande Lacoste 1864 as *Phragmicomma semirepanda*, Schiffner 1898a as *Ptychanthus semirepandus*, Verdoorn 1933 as *Ptychanthus semirepandus*, Gradstein et al. 2010, Haerida et al. 2010.

*** *S. sulcatus* (Nees) Gradst. JAV: TYPE of *Jungermannia sulcata*, Nees 1830 as *Jungermannia sulcata*, Gottsche et al. 1845a as *Ptychanthus sulcatus*, Sande Lacoste 1864 as *Ptychanthus sulcatus*, Schiffner 1894 as *Ptychanthus sulcatus*, Stephani 1912a as *Ptychanthus sulcatus*, Verdoorn 1933b as *Ptychanthus sulcatus*, Thiers 1986, Geissler & Bischler 1987 as *Jungermannia sulcata* and *Lejeunea sulcata*, 1989 as *Ptychanthus sulcatus* and *Ptycholejeunea sulcata*, Hürlimann 1991. WJ: Sande Lacoste 1857 as *Ptychanthus sulcatus*, Stephani 1890a as *Ptychanthus sulcatus*, Schiffner 1898a as *Ptychanthus sulcatus*, Verdoorn 1933 as *Ptychanthus sulcatus*.

Stictolejeunea

*** *S. balfourii* (Mitt.) E.W.Jones. BA: Haerida & Gradstein, in press.

Strepsilejeunea

? *S. heterophylla* Steph. JAV: TYPE, Stephani 1923, Geissler & Bischler 1990. WJ: Meijer 1954b.

Symphyogyna

** *S. similis* Grolle WJ: Grolle & Piippo 1986.

* ¹²⁹*S. ulvoides* (Reinw., Blume et Nees) Gottsche, Lindenb. et Nees JAV: TYPE of *Jungermannia ulvoides*, Reinwardt et al. 1824a as *Jungermannia ulvoides*, Nees 1830 as *Jungermannia ulvoides*, Gottsche et al. 1846, Sande Lacoste 1857, Schiffner 1898a, Geissler & Bischler 1987 as *Jungermannia ulvoides*, Geissler & Bischler 1990.

Symphyogynopsis

*** *S. gottscheana* (Mont. et Nees) Grolle JAV: Schiffner 1900a as *Pallavicinia levieri* var. *imperfecta*, Wigginton & Porley 2001. WJ: TYPE of *Pallavicinia levieri* var. *imperfecta*, Schiffner 1898b as *Pallavicinia levieri* var. *imperfecta*, Grolle & Piippo 1986 as *Sympyogynopsis silicina*, Geissler & Bischler 1989 as *Pallavicinia levieri* var. *imperfecta*, Gradstein et al. 2010.

Syzygiella

** *S. securifolia* (Nees ex Lindenb.) Inoue JAV: TYPE of *Jungermannia subintegerrima* α *oblongifolia*, *Plagiochila commutata*, *Plagiochila ligulifolia*, *Plagiochila variabilis* and *Plagiochila variegata*, Nees 1830 as *Jungermannia subintegerrima* α *oblongifolia*, Gottsche et al. 1844 as *Plagiochila variegata*, Sande Lacoste 1854, 1855a, 1856b all as *Plagiochila*

129. *Sympyogynopsis ulvoides* is probably a filmy fern (Schiffner 1900), but the type material was not seen.

variabilis, 1857 as *Plagiochila variegata*, 1864 as *Plagiochila subintegerrima* α *oblongifolia*, Schiffner 1893b as *Syzygiella variegata* and its f. *laxior*, 1898a as *Plagiochila securifolia*, 1900a as *Plagiochila commutata*, *Syzygiella variabilis* and *Syzygiella variegata*, Stephani 1902 as *Syzygiella variabilis* and *Syzygiella variegata*, 1918 as *Plagiochila ligulifolia*, Verdoorn 1932a as *Syzygiella variegata*, Grolle 1967 as *Syzygiella variegata*, Miller et al. 1983 as *Plagiochila variegata* and *Syzygiella variegata*, Inoue 1984, Geissler & Bischler 1987 as *Jungermannia subintegerrima* α *oblongifolia*, 1989 as *Plagiochila commutata*, *Plagiochila ligulifolia*, *Plagiochila subintegerrima* α *oblongifolia*, *Plagiochila variabilis* and *Plagiochila variegata*, 1990 as *Syzygiella variabilis*, *Syzygiella variegata* and its f. *laxior*, Váňa & Piippo 1989b, Váňa 1991b, So & Grolle 2000c also as *Syzygiella variabilis*. WJ: TYPE of *Syzygiella variegata* f. *rubescens*, f. *laxior* and f. *latifolia*, Sande Lacoste 1857, 1864 both as *Plagiochila variabilis*, 1864 as *Plagiochila variegata*, Schiffner 1898a as *Syzygiella variabilis* and *Syzygiella variegata*, Schiffner 1900b as *Syzygiella variabilis* and *Syzygiella variegata* and its f. *laxior*, f. *latifolia* and f. *rubescens*, 1900c as *Syzygiella variegata*, Inoue 1966b, 1967b both as *Syzygiella variegata*, Geissler & Bischler 1990 as *Syzygiella variegata* f. *latifolia* and f. *rubescens*.

- *** *S. subintegerrima* (Reinw., Blume et Nees) Spruce JAV: TYPE of *Jungermannia subintegerrima* and its β *maior*, Reinwardt et al. 1824a as *Jungermannia subintegerrima*, Nees 1830 as *Jungermannia subintegerrima* β *maior*, Sande Lacoste 1857 as *Plagiochila subintegerrima* and its β *maior*, Schiffner 1900a as *Plagiochila subintegerrima*, Stephani 1903 as *Plagiochila subintegerrima*, Grolle 1967, Inoue 1968, 1984, Miller et al. 1983, Geissler & Bischler 1987 as *Jungermannia subintegerrima* and its β *maior*, 1989 as *Plagiochila subintegerrima* and its β *maior*, Váňa & Piippo 1989b, Geissler & Bischler 1990, Váňa 1991b, So & Grolle 2000c, Eggers 2006. WJ: Gottsche et al. 1844 as *Plagiochila subintegerrima* and its β *maior*, Sande Lacoste 1864 as *Plagiochila subintegerrima* β *maior*, Schiffner 1898a as *Plagiochila subintegerrima*, Inoue 1966b, Gradstein et al. 2010.

Targionia

- * ¹³⁰*T. dioica* Schiffn. JAV: Schiffner 1900a, Bischler-Causse et al. 2005 as *Targionia hypophylla*. WJ: TYPE, Schiffner 1898b, Geissler & Bischler 1990.

¹³¹Taxilejeunea

- * *T. aptycata* (Gottsche) Schiffn. JAV: TYPE of *Lejeunea aptycata*, Gottsche et al. 1845b as *Lejeunea aptycata*, Sande Lacoste 1857 as *Lejeunea aptycata*, Schiffner 1898a, Stephani 1914, Geissler & Bischler 1987 as *Lejeunea aptycata*, Geissler & Bischler 1990.
- * *T. compressiuscula* Lindenb. ex Steph. JAV: TYPE, Stephani 1914, Geissler & Bischler 1987 as *Lejeunea compressiuscula*, 1990. WJ: Eifrig 1937.
- * *T. dipterota* Eifrig JAV: SYNTYPE, Geissler & Bischler 1990. WJ: Eifrig 1937.
- * *T. grandistipula* Steph. JAV: TYPE, Stephani 1914, Eifrig 1937, Geissler & Bischler 1990.
- * *T. immersa* Eifrig JAV: Geissler & Bischler 1990. WJ: TYPE, Eifrig 1937.
- * *T. laxa* (Nees) Steph. JAV: TYPE of *Jungermannia thymifolia* δ *laxa*, Nees 1830 as *Jungermannia thymifolia* δ *laxa*, Gottsche et al. 1845b as *Lejeunea laxa*, Sande Lacoste 1857 as *Lejeunea laxa*, Stephani 1890b as *Lejeunea laxa*, 1914, Geissler & Bischler 1987 as *Jungermannia thymifolia* δ *laxa* and *Lejeunea laxa*, 1990. WJ: Schiffner 1898a as *Eulejeunea laxa*.
- * *T. parvibracteata* Steph. WJ: Eifrig 1937.
- * *T. splendida* Eifrig WJ: TYPE, Eifrig 1937, Geissler & Bischler 1990.
- * *T. tjibodensis* (Steph.) Eifrig JAV: Stephani 1914 as *Hygrolejeunea tjibodensis*, Geissler & Bischler 1990. WJ: TYPE of *Hygrolejeunea tjibodensis*, Eifrig 1937, Bonner 1966 as *Hygrolejeunea tjibodensis*.

Telaranea

- *** *T. neesii* (Lindenb.) Fulford JAV: Gottsche 1853 as *Lepidozia neesii*, Stephani 1909a as *Lepidozia neesii*, Mizutani 1974, 1976b, Engel 1978, Piippo 1984b, Geissler & Bischler 1985 as *Lepidozia javanica* and *Mastigophora javanica*, 1987 as *Jungermannia javanica*, 1990, Engel & Smith Merrill 2004. BA: Geissler & Bischler 1987 as *Jungermannia capillaris* β *javanica*. WJ: TYPE of *Jungermannia capillaris* β *javanica*, SYNTYPE of *Lepidozia neesii*, Nees 1830 as *Jungermannia capillaris* β *javanica*, Gottsche et al. 1845a as *Lepidozia neesii*, Sande Lacoste 1857, 1864 both as *Lepidozia neesii*, Schiffner 1898a, 1900c both as *Lepidozia neesii*, Meijer 1954a as *Lepidozia neesii*, Grolle 1966g, Amakawa 1968 as *Jungermannia javanica*, Geissler & Bischler 1985 as *Lepidozia neesii*.
- *** *T. papulosa* (Steph.) J.J.Engel et G.L.Merr. JAV: TYPE of *Lepidozia paucidens*, Stephani 1922 as *Lepidozia paucidens*, Kitagawa 1973b as *Lepidozia papulosa*, Miller et al. 1983 as *Lepidozia papulosa*, Geissler & Bischler 1985 as *Lepidozia paucidens*, Engel & Smith Merrill 2004.
- *** *T. trisetosa* (Steph.) Grolle JAV: SYNTYPE of *Lepidozia trisetosa*, Stephani 1909a as *Lepidozia trisetosa*, Geissler & Bischler 1985 as *Lepidozia trisetosa*, 1990. WJ: Herzog 1932 as *Lepidozia trisetosa*.
- *** *T. wallichiana* (Gottsche) R.M.Schust. JAV: TYPE of *Lepidozia tenera*, Sande Lacoste 1857 as *Lepidozia wallichiana*, Stephani 1909a as *Lepidozia tenera*, Hattori & Mizutani 1958 as *Lepidozia wallichiana*, Mizutani 1974, 1976b both as *Lepidozia wallichiana*, Miller et al. 1983 as *Lepidozia tenera*, *Lepidozia wallichiana* and *Neolepidozia wallichiana*, Piippo 1984b as *Lepidozia wallichiana*, Geissler & Bischler 1985 as *Lepidozia tenera*, Sharma & Srivastava 1993 as *Lepidozia wallichiana*, Bapna & Kachroo 2000a as *Lepidozia wallichiana*, Engel & Smith Merrill 2004. WJ: Sande Lacoste 1864 as *Lepidozia wallichiana*, Schiffner 1898a as *Lepidozia wallichiana*, Gradstein et al. 2010 as *Lepidozia wallichiana*.

130. *Targionia dioica* is probably a synonym of *T. hypophylla* L. described by Schiffner (1900) as dioicous, otherwise identical to *T. hypophylla*. We assume that the record by Bischler-Causse (2005) includes *T. dioica* as a synonym although not clearly stated.

131. Asiatic spp. of *Taxilejeunea* generally belong to *Lejeunea* (see papers by Mizutani). The following species were, however, not revised by Mizutani and it is doubtful where they belong.

Tenmoma

- *** *T. setigerum* (Lindenb.) R.M.Schust. JAV: TYPE of *Jungermannia setigera*, **Gottsche et al. 1844** as *Jungermannia setigera*, **Sande Lacoste 1857** as *Jungermannia setigera*, **Stephani 1909a** as *Blepharostoma setigerum*, Bonner 1963a as *Blepharostoma setigerum*, Inoue 1966a, Kitagawa 1966, Grolle 1967, Piippo 1984a, **Geissler & Bischler 1987** as *Jungermannia setigera*, 1990, Long & Grolle 1990, Bapna & Kachroo 2000. WJ: **Sande Lacoste 1864** as *Jungermannia setigera*, **Schiffner 1898a** as *Blepharostoma setigerum*, Meijer 1954b.
** — var. *setigerum* JAV: Miller et al. 1983.

Thysananthus

- *** *T. comosus* Lindenb. ex Lehm. JAV: Verdoorn 1933b, Pócs et al. 1967, Miller et al. 1983. WJ: **Verdoorn 1933a**.
*** *T. convolutus* Lindenb. JAV: TYPE, **Gottsche et al. 1845a**, Schiffner 1894, Verdoorn 1933b, Mizutani 1977, 1978a, Geissler & Bischler 1985 as *Mastigolejeunea convoluta*, 1990, **Gradstein et al. 2002**. CJ: **Verdoorn 1933a**. WJ: **Sande Lacoste 1857, 1864, Stephani 1890a, 1898a, 1900c, Verdoorn 1932a, 1933a**, Meijer 1954a, **Haerida et al. 2010**.
* ¹³²*T. minor* Verd. WJ: **Haerida et al. 2010**.
*** *T. retusus* (Reinw., Blume et Nees) B.M.Thiers et Gradst. JAV: TYPE of *Jungermannia retusa* and *Thysananthus planus*, **Reinwardt et al. 1824a** as *Jungermannia retusa*, Nees 1830 as *Jungermannia retusa*, **Gottsche et al. 1845a** as *Ptychanthus retusus*, **Sande Lacoste 1854, 1855a, 1856b** all as *Thysananthus planus*, 1857 as *Ptychanthus retusus*, **Stephani 1890a**, 1912a both as *Ptychanthus retusus*, Schiffner 1894 as *Ptychanthus retusus* and *Thysananthus planus*, Verdoorn 1933b, 1934a both as *Thysananthus planus*, Mizutani 1977, 1978a, **1987b** all as *Thysananthus planus*, Miller et al. 1983 as *Caudalejeunea stephanii*, *Thysananthus planus* and *Thysanolejeunea plana*, **Geissler & Bischler 1987** as *Jungermannia retusa*, *Lejeunea plana* and *Lejeunea retusa*, 1989 as *Phragmicomma plana*, *Ptychanthus retusus* and *Ptychanthus striatus* var. *retusus*, Hürlimann 1989 as *Thysananthus planus*, 1990 as *Thysananthus planus* and *Thysanolejeunea plana*, **Thiers & Gradstein 1989, Gradstein et al. 2002**. WJ: **Sande Lacoste 1857** as *Jungermannia retusa* and *Thysananthus planus*, **1864** as *Thysananthus planus*, **Schiffner 1898a** as *Thysananthus planus*, **Verdoorn 1933** as *Caudalejeunea stephanii*, *Ptychanthus retusus* and *Thysananthus planus*, **Haerida et al. 2010**.
*** *T. spathulistipus* (Reinw., Blume et Nees) Lindenb. JAV: TYPE of *Jungermannia spathulistipa* β* *subpinnata* and α *minor*, **Reinwardt et al. 1824a** as *Jungermannia spathulistipa*, **Gottsche 1853, Sande Lacoste 1857**, Schiffner 1894 also as *Jungermannia spathulistipa* β* *subpinnata*, Verdoorn 1933b, 1934a, Grolle 1965a, Mizutani 1977, 1978a, Miller et al. 1983 also as *Jungermannia spathulistipa* and *Thysanolejeunea spathulistipa*, **Geissler & Bischler 1987** as *Jungermannia spathulistipa* α *minor* and β* *subpinnata* and *Lejeunea spathulistipa*, 1989 as *Phragmicomma spathulistipa*, Geissler & Bischler 1990 also as *Thysanolejeunea spathulistipa*, **Thiers & Gradstein 1989**, Bapna & Kachroo 2000b. BA: **Gradstein et al. 2002**. CJ: **Sande Lacoste 1864, Verdoorn 1933a**. EJ: Verdoorn 1933a. WJ: TYPE of *Jungermannia spathulistipa*, Nees 1830 as *Jungermannia spathulistipa* α *minor*, **Gottsche et al. 1845a, Sande Lacoste 1864, Stephani 1890a, Schiffner 1898a, 1900c, Verdoorn 1933a**, Meijer 1954a, Kitagawa 1973b, **Geissler & Bischler 1987** as *Jungermannia spathulistipa*, **Haerida et al. 2010**.

Treubia

- *** *T. insignis* K.I.Goebel JAV: **Schiffner 1900a, Stephani 1900**, Grolle 1967, Higuchi 2005. WJ: TYPE, Goebel 1891, **Schiffner 1898a, 1898b, Verdoorn 1931b, Renner 1932**, Meijer 1954a, **Geissler & Bischler 1990**.
** — subsp. *insignis* JAV: Miller et al. 1983, Piippo 1988, Akiyama et al. 2001. WJ: **Schuster & Scott 1969**.

Triandrophyllosum

- *** *T. heterophyllum* (Steph.) Grolle JAV: TYPE of *Lepicolea flaccida* and *Mastigophora heterophylla*, **Stephani 1922** as *Lepicolea flaccida* and *Mastigophora heterophylla*, Schuster 1968, Grolle 1969, Piippo 1984a, **Geissler & Bischler 1985** as *Lepicolea flaccida* and *Mastigophora heterophylla*, 1990. WJ: **Grolle 1965c**.

Trichocolea

- ** *T. obconica* Steph. JAV: SYNTYPE, **Stephani 1923**, Miller et al. 1983, **Geissler & Bischler 1990**.
* ¹³³*T. pluma* (Reinw., Blume et Nees) Mont. JAV: **Reinwardt et al. 1824a** as *Jungermannia pluma*, Gottsche et al. 1845a as *Trichocolea tomentella* δ *pluma*, **Sande Lacoste 1857** as *Trichocolea tomentella* δ *pluma*, Grolle 1977c, Miller et al. 1983, Geissler & Bischler 1987 as *Jungermannia tomentella* var. δ *pluma*, 1990 also as *Trichocolea tomentella* δ *pluma*. BA: **Nees 1830** as *Jungermannia tomentella* var. δ *pluma*, Van Leeuwen 1936, Kitagawa 1973b. WJ: TYPE of *Jungermannia pluma*, **Sande Lacoste 1864** as *Trichocolea tomentella* δ *pluma*, **Schiffner 1898a** as *Trichocolea tomentella* var. δ *pluma*, Renner 1932, Geissler & Bischler 1987 as *Jungermannia pluma*.
*** *T. tomentella* (Ehrh.) Dumort. JAV: TYPE of *Jungermannia tomentella* var. β *javanica*, **Reinwardt et al. 1824a** as *Jungermannia tomentella* var. β *javanica*, Nees 1830 as *Jungermannia tomentella* var. β *javanica*, Gottsche et al. 1845a as *Trichocolea tomentella* γ *javanica*, **Gottsche 1853, Sande Lacoste 1857** as *Trichocolea tomentella* γ *javanica*, Hattori 1966a, Hattori 1975c, Miller et al. 1983 as *Trichocolea tomentella*, **Geissler & Bischler 1987** as *Jungermannia tomentella* var. β *javanica*, 1990 as *Trichocolea tomentella* var. γ *javanica* and f. γ *javanica*, Bapna & Kachroo 2000. WJ: **Sande Lacoste 1864** also as *Trichocolea tomentella* γ *javanica*, **Schiffner 1898a** also as *Trichocolea tomentella* var. β *javanica*, 1900c, **Gradstein et al. 2010**.
* — ε *subsimplex* (Nees) Gottsche, Lindenb. et Nees JAV: TYPE of *Jungermannia tomentella* ε *subsimplex*, Nees 1830 as *Jungermannia tomentella* ε *subsimplex*, Gottsche et al. 1845a, **Sande Lacoste 1857, 1864, Schiffner 1898a** as *Trichocolea tomentella* var. δ *subsimplex*, **Geissler & Bischler 1987** as *Jungermannia tomentella* ε *subsimplex*, 1990 also as *Trichocolea tomentella* f. ε *subsimplex*.

132. *Thysananthus minor* is possibly just a small form of *T. spathulistipus*.

133. *Trichocolea pluma* is almost inseparable from *T. tomentella* and often included in the latter.

* — var. *tomentella* JAV: Gottsche *et al.* 1845a.

Tuyamaella

** *T. angulistipa* (Steph.) R.M.Schust. et Kachroo JAV: Verdoorn 1938 as *Pycnolejeunea angulistipa*, Bapna & Kachroo 2000b. WJ: Hoffman 1935 as *Pycnolejeunea angulistipa*.

Wettsteinia

*** *W. inversa* (Sande Lac.) Schiffn. JAV: Stephani 1908, Verdoorn 1931b, Grolle 1969, Bonner 1977 as *Adelanthus inversus*, Inoue 1984, Pippo 1984b, Schuster 1984, Geissler & Bischler 1990 also as *Tylimanthus inversus* and *Tylimanthus scaber*, Gao 2003. CJ: Grolle 1965b. WJ: TYPE of *Plagiochila inversa* and *Plagiochila scabra*, Sande Lacoste 1864 as *Plagiochila inversa* and *Plagiochila scabra*, Schiffner 1898a as *Tylimanthus inversus* and *Tylimanthus scaber*, Grolle 1965b, Geissler & Bischler 1989 as *Plagiochila inversa* and *Plagiochila scabra*.

Wiesnerella

*** *W. denudata* (Mitt.) Steph. JAV: Stephani 1899, Schiffner 1900a as *Wiesnerella javanica*, Verdoorn 1932a, Hattori 1966a, Miller *et al.* 1983 also as *Wiesnerella javanica*, Bapna & Kachroo 2000b, Koponen *et al.* 2000. EJ: Schiffner 1898a as *Wiesnerella javanica*. WJ: TYPE of *Wiesnerella javanica*, Schiffner 1896 as *Wiesnerella javanica*, 1898a as *Wiesnerella javanica*, 1898b as *Wiesnerella javanica*, 1900c, Herzog 1932, Meijer 1954b, Geissler & Bischler 1990 as *Wiesnerella javanica*.

Zoopsis

** *Z. liukuensis* Horik. JAV: Miller *et al.* 1983, Grolle & Pippo 1984a.

EXCLUDED AND DOUBTFUL RECORDS

Anthocerotophyta

Anthoceros

*** *A. agrestis* Paton JAV: Schuster 1992b as *Aspiromitus punctatus* subsp. *agrestis*, Damsholt 2002 as *Anthoceros punctatus* subsp. *agrestis*, Bakalin *et al.* 2007. EXCLUDED. There are no confirmed reports from SE Asia (D. C. Cargill, 2010).

Dendroceros

*** *D. granulatus* Mitt. JAV: Hasegawa 1986a. EXCLUDED. This is a Pacific species that must have been erroneously reported.

*** *D. validus* Steph. JAV: TYPE, Stephani 1917a. EXCLUDED. Stephani (1917) in his original description cited the distribution of *D. validus* as "Java but according to Hasegawa (1980), who studied the holotype material, the species is from Sumatra (Mt. Singalang, leg. Schiffner). Therefore, we assume that the citation "Java is an error and exclude the species from Java.

Phaeoceros

*** *P. laevis* (L.) Prosk. JAV: Sande Lacoste 1857 as *Anthoceros laevis*, Schiffner 1898a as *Anthoceros laevis*, Meijer 1954c, 1957 both as *Anthoceros laevis*, Miller *et al.* 1983. CJ: Meijer 1955 as *Anthoceros laevis*. WJ: Meijer 1953, 1954a, 1958b all as *Anthoceros laevis*, Gradstein *et al.* 2010. EXCLUDED. All reports refer to *Phaeoceros carolinianus* (D. C. Cargill, pers. comm.).

Marchantiophyta

Alobiellopsis

*** *A. parvifolia* (Steph.) R.M.Schust. JAV: Bonner 1962 as *Alobiella parvifolia*, 1977. EXCLUDED. We are not aware of any first hand reports from Java of this E Asiatic species and thus reject it.

Anastrophyllum

*** *A. assimile* (Mitt.) Steph. JAV: Long & Grolle 1990. DOUBTFUL. We are not aware of any first hand report although its occurrence on the island is possible.

Anoplolejeunea

*** *A. conferta* (C.F.W.Meissn. ex Spreng.) A.Evans JAV: Gottsche *et al.* 1845b as *Lejeunea conferta*, Sande Lacoste 1857 as *Lejeunea conferta*, Schiffner 1898a as *Archilejeunea conferta*, Evans 1908 (questioning the reports). EXCLUDED. This is a neotropical taxon.

Asterella

*** *A. tenella* (L.) P.Beauv. JAV: Reinwardt *et al.* 1824b as *Fimbraria tenella*, Nees 1830 as *Fimbriaria tenella*. EXCLUDED. This is a North American taxon erroneously reported from many areas (cf. Long 2006).

*** *A. venosa* (Lehm. et Lindenb.) A.Evans JAV: Meissner 1848 as *Fimbriaria venosa*, Gottsche 1853 as *Fimbriaria venosa*. EJ: Sande Lacoste 1857 as *Fimbriaria venosa*, Schiffner 1898a as *Hypenantron venosum*. EXCLUDED. This is an American taxon. The report from Java is *A. khasyana* (cf. Long 2006).

Bazzania

** *B. erosa* (Reinw., Blume et Nees) Trevis. var. δ *pulopenangensis* (Lindenb.) Schiffn. JAV: Bonner 1963a. DOUBTFUL. We do not know of any first hand report of this variety. The species itself is frequently reported.

** *B. intermedia* (Gottsche ex Lindenb.) Trevis. var. β *sarawakiana* (De Not.) Schiffn. JAV: Bonner 1963a. DOUBTFUL. We do not know about any first hand report of this variety. The species itself is frequently reported.

Blasia

*** *B. pusilla* L. JAV: Damsholt 2002. EXCLUDED. This is a holarctic taxon with its closest known location in the Himalayas.

Bryopteris

- *** *B. filicina* (Sw.) Nees JAV: **Reinwardt et al. 1824a** as *Jungermannia filicina*, **Gottsché et al. 1845a** as *Bryopteris filicina* β *arguta*, Sande Lacoste 1857 as *Bryopteris filicina* β *arguta*, Fulford & Sharp 1990. WJ: **Nees 1830** as *Jungermannia filicina*. EXCLUDED. The record from Java is probably based on misidentified *Ptychanthus striatus*. *B. filicina* is not known outside the Neotropics (Gradstein 1994).

- ** *B. gaudichaudii* Gottsche JAV: Schiffner 1894, **Schiffner 1898a**. EXCLUDED. This is an African taxon.

Calypogeia

- *** *C. bidentula* (F.Weber) Nees JAV: **Nees 1830** as *Jungermannia bidentula*, **Gottsché et al. 1845a**, **Sande Lacoste 1857**, **Schiffner 1898a** as *Kantia bidentula*. EXCLUDED. This is an African taxon.

Cephalozia

- *** *C. bicuspidata* (L.) Dumort. JAV: **Nees 1830** as *Jungermannia bicuspidata*, **Sande Lacoste 1857** as *Jungermannia bicuspidata*, **1864** as *Jungermannia bicuspidata* A *a vulgaris* **Schiffner 1898a** as *Eucephalozia bicuspidata*. EXCLUDED. Reports from SE Asia belong to *C. hamatiloba*.

Cephalziella

- *** *C. divaricata* (Sm.) Schiffn. WJ: **Sande Lacoste 1864** as *Jungermannia divaricata* *a laxa*. EXCLUDED. Schiffner (1898) excluded this species from Java.

Ceratolejeunea

- *** *C. cornuta* (Lindenb.) Steph. WJ: **Sande Lacoste 1864** as *Lejeunea ceratantha*, **Schiffner 1898a** as *Ceratolejeunea ceratantha*. EXCLUDED. This is a neotropical species.

- *** *C. desciscens* (Sande Lac.) Schiffn. JAV: Bonner 1963b. EXCLUDED: This is a neotropical species. The material, on which the record was based, was described as *C. inflata* (Mizutani 1981).

- * *C. tahitensis* Steph. JAV: Bonner 1963b, Miller et al. 1983. EXCLUDED. We are not aware of any first hand report from Java. Moreover, the species has not been critically revised and is most likely a synonym of something.

Cheilolejeunea

- *** *C. lineata* (Lehm. et Lindenb.) Schiffn. JAV: **Sande Lacoste 1857** as *Lejeunea lineata*, **Schiffner 1898a**. EXCLUDED. This is a neotropical species and Evans (1906) rejects it from Java.

- *** *C. mariana* (Gottsché) B.M.Thiers et Gradst. JAV: Mizutani 1977, 1978a both as *Spruceanthus marianus*, Miller et al. 1983 as *Spruceanthus marianus*. EXCLUDED. This is a Pacific species. Reports from Java belong to *Archilejeunea planiuscula*.

- ** *C. orientalis* (Gottsché) Mizut. JAV: Bonner 1965 as *Euosmolejeunea orientalis*, Bapna & Kachroo 2000b. EXCLUDED. Mizutani (1972) rejected it from Java.

Chiloscyphus

- *** *C. pallescens* (Ehrh. ex Hoffm.) Dumort. JAV: **Nees 1830** as *Jungermannia pallescens*, **Gottsché et al. 1845a**, **Sande Lacoste 1857**, Schiffner 1898a, Frye & Clark 1944. EXCLUDED. This is a boreal taxon with its nearest occurrence in the Himalayas.

Cololejeunea

- * *C. decliviloba* Steph. JAV: Stephani 1916 as *Physocolea decliviloba*, Miller et al. 1983 also as *Physocolea decliviloba*. DOUBTFUL. We only know that Stephani mentions this taxon from Java. It is a taxonomically doubtful taxon described from New Caledonia and most likely a synonym of something.

- ** *C. denticulata* (Horik.) S.Hatt. JAV: Eggers et al. 1998. DOUBTFUL. We are not aware of any first hand report from Java.

- ** *C. marginata* (Lehm. et Lindenb.) Schiffn. JAV: Bonner 1963b. WJ: **Sande Lacoste 1864** as *Lejeunea marginata*, **Schiffner 1898a, 1900c**. EXCLUDED. This is an African taxon.

- * *C. spinosa* (Horik.) Pand et R.N.Misra JAV: Bapna & Kachroo 2000b. EXCLUDED. This is a species from China and Japan, very similar to *C. haskarliana* and the record from Java should be the latter.

- *** *C. vesicaria* (Sande Lac.) Benedix JAV: Schiffner 1893b, Bonner 1963a as *Campylolejeunea vesicaria*. EXCLUDED. Benedix (1953) considered the record from Java as erroneous.

Colura

- *** *C. karstenii* K.I.Goebel JAV: Bonner 1963b as *Colurolejeunea superba* var. β *latifolia*. EXCLUDED. The identity of the variety *latifolia* remains doubtful. According to Schiffner (1898) who studied the plant, the specimen from Java do not belong to *C. karstenii* (even though this Malesian species may well occur there). However, the type of the variety is from Bismarck Archipelago and Grolle & Piippo (1984b) synonymized it with *C. karstenii*.

Cyathodium

- *** *C. aureonitens* (Griff.) Schiffn. JAV: Stephani 1898, Arnell 1963, Miller et al. 1983, Srivastava & Dixit 1996, Bapna & Kachroo 2000b. DOUBTFUL. The species was recorded from Java in the monograph of *Cyathodium* by Srivastava & Dixit (1996) but no Javanese material was examined.

Cyclolejeunea

- *** *C. peruviana* (Lehm. et Lindenb.) A.Evans JAV: SYNTYPE of *Cyclolejeunea mirabilis*, **Stephani 1913** as *Cyclolejeunea mirabilis*, **Bonner 1963b** as *Cyclolejeunea mirabilis*. EXCLUDED: The syntype of this neotropical species, but it is certainly not from Java (Grolle 1988).

Diplasiolejeunea

- *** *D. pellucida* (C.F.W.Meissn. ex Spreng.) Schiffn. JAV: **Sande Lacoste 1857** as *Lejeunea pellucida*, **Schiffner 1898a**, Miller et al. 1983. WJ: **Schiffner 1900c**. EXCLUDED. This is a neotropical species excluded from paleotropics by Grolle (1966a).

Drepanolejeunea

- ** *D. foliicola* Horik. JAV: Onraedt 1991 as *Leptolejeunea foliicola*. DOUBTFUL. We do not know about any first hand report of this species.
- *** *D. inchoata* (C.F.W.Meissn. ex Lehm. et Lindenb.) Schiffn. JAV: **Sande Lacoste 1856a, 1857** both as *Lejeunea inchoata*, Miller *et al.* 1983. EXCLUDED: This is a neotropical species.
- ** *D. longicurvis* (Steph.) Grolle et R.L.Zhu JAV: Szab 1997 as *Rhaphidolejeunea longicurvis*. WJ: **Bischler 1968b** as *Rhaphidolejeunea longicurvis*. EXCLUDED. The Java record is erroneous (Grolle 1974).
- *** *D. polyrhiza* (Nees) Grolle et R.L.Zhu WJ: **Sande Lacoste 1864** as *Lejeunea polyrhiza*, **Schiffner 1898a** as *Leptolejeunea polyrhiza*. EXCLUDED. Rejected as *Leptolejeunea foliicola* by Bischler 1968b. This is a neotropical species.

Fossumbronia

- *** *F. angulosa* (Dicks.) Raddi JAV: **TYPE** of *Jungermannia javanensis*, Jolyclerc 1799 as *Jungermannia javanensis*, **Geissler & Bischler 1987** as *Jungermannia javanensis*. EXCLUDED. The reference that Jolyclerc (1799) referred to is exactly the same page and image that Dickson (1785) used when describing his *Jungermannia angulosa* and the occurrence of this European species in tropical Asia is very unlikely.
- *** *F. cristula* Austin JAV: Inoue 1973 as *Fossumbronia foveolata* var. *cristula*, Piippo 1991a, Schuster 1992a as *Fossumbronia foveolata* var. *cristula*. EXCLUDED. This is an eastern North American species (Scott & Crandall-Stotler 2002, Krayesky *et al.* 2005).

Frullania

- ** *F. diptera* (Lehm.) Lehm. et Lindenb. JAV: **Sande Lacoste 1857**, **Schiffner 1898a**. EXCLUDED. This is an African species.
- *** *F. falciloba* Taylor ex Lehm. JAV: **Sande Lacoste 1857**, Schiffner 1898a. EXCLUDED. This is an Australian species.
- *** *F. lobulata* (Hook.) Dumort. JAV: **Reinwardt *et al.* 1824****Reinwardt *et al.* 1824a** as *Jungermannia lobulata*, **Nees 1830** as *Jungermannia lobulata* a minor. EXCLUDED: This is a taxon from southern South America and the reports from Java probably belong to *F. junghuhniana* (M. von Konrat, pers. comm.).
- ** *F. semivillosa* Lindenb. et Gottsche JAV: **Sande Lacoste 1857**, Clark 1955a. EXCLUDED. This is an American species.

Gottschea

- ** *G. neesii* Mont. JAV: **Sande Lacoste 1857**, **Schiffner 1898a** as *Schistochila neesii*, Buch 1939 as *Schistochila neesii*. EXCLUDED. This is an African species and the records from Java belong to *Gottschea aligera* (So 2003).

Herbertus

- *** *H. aduncus* (Dicks.) Gray JAV: **Nees 1830** as *Jungermannia juniperina* var. β. WJ: **Schiffner 1898a**. EXCLUDED. Not occurring South of the Himalayas (Juslén 2006).
? —subsp. *hutchinsiae* R.M.Schust. nom. inval. JAV: **Gottsche *et al.* 1845a** as *Sendtnera juniperina* β, **Sande Lacoste 1857** as *Sendtnera juniperina* β. EXCLUDED. This subspecies is European.
- ** *H. gracilis* (Mont.) Steph. JAV: Miller *et al.* 1983. EXCLUDED. This is a Hawaiian species.
- *** *H. juniperoides* (Sw.) Grolle WJ: **Sande Lacoste 1864** as *Sendtnera juniperina*, **Renner 1932** as *Herberta juniperina*. EXCLUDED. All reports probably belong to *H. dicranus*.

Heteroscyphus

- ** *H. combinatus* (Nees) Schiffn. JAV: **Gottsche *et al.* 1845a** as *Chiloscyphus combinatus*, **Sande Lacoste 1857** as *Chiloscyphus combinatus*, **Sande Lacoste 1864** as *Chiloscyphus combinatus*, **Schiffner 1898a** as *Chiloscyphus combinatus*. EXCLUDED. This is a neotropical species.

Isotachis

- *** *I. aubertii* (Schwägr.) Mitt. JAV: **Nees 1830** as *Jungermannia uncinata*. EXCLUDED. This is an African-American species.

Jubula

- ** *J. hutchinsiae* (Hook.) Dumort. subsp. *hutchinsiae* JAV: **Sande Lacoste 1857** as *Frullania hutchinsiae* a *hutchinsiae*. EXCLUDED. This is a European subspecies and only subsp. *javanica* occurs in SE Asia.
- *** *J. pennsylvanica* (Steph.) A.Evans JAV: **Schiffner 1893b** as *Jubula hutchinsiae* var. *sullivantii*. EXCLUDED. This is an American species.

Kurzia

- *** *K. capillaris* (Sw.) Grolle JAV: **Reinwardt *et al.* 1824a** as *Jungermannia capillaris*. EXCLUDED. This is an African-American species.
- *** *K. pauciflora* (Dicks.) Grolle WJ: **Sande Lacoste 1864** as *Jungermannia setacea*. EXCLUDED. This is a boreal species rejected from Java already by Schiffner (1898a).

Lejeunea

- *** *L. anisophylla* Mont. WJ: Gradstein *et al.* 2010. DOUBTFUL. The material that this report is based on is rather poorly developed and the identification therefore remains uncertain. *Lejeunea anisophylla* is a very common and widespread species in tropical Asia but has surprisingly not been recorded from Java.
- ** *L. patens* Lindb. JAV: **Sande Lacoste 1857** as *Lejeunea serpyllifolia*, **Stephani 1890b** as *Lejeunea serpyllifolia*, WJ: **Sande Lacoste 1864** as *Lejeunea serpyllifolia*. EXCLUDED. This is a mainly western Euro-Asiatic species occurring closest in the Himalayas. It was rejected from Java already by Schiffner (1898a).
- ** *L. tenella* Taylor JAV: Stephani 1914 as *Euosmolejeunea tenella*, Bonner 1965 as *Euosmolejeunea tenella*, Miller *et al.* 1983 as *Euosmolejeunea tenella*. EXCLUDED. All reports belong to *Cheilolejeunea serpentina* (Zhu 2006b).

Lepicolea

- *** *L. ochroleuca* (Spreng.) Spruce JAV: Gottsche *et al.* 1845a as *Sendtnera ochroleuca*, Miller *et al.* 1983 also as *Sendtnera ochroleuca*. CJ: **Sande Lacoste 1864** as *Sendtnera ochroleuca*. WJ: **Sande Lacoste 1864** as *Sendtnera ochroleuca*, **Schiffner 1898a, 1900c**. EXCLUDED. This is an African-American species.

*** *L. scolopendra* (Hook.) Dumort. ex Trevis. WJ: **Seifriz 1924**. EXCLUDED. This is an Australasian species.

Lepidolejeunea

*** *L. involuta* (Gottsche) Grolle JAV: **TYPE** of *Ceratolejeunea cuspidata*, **Bonner 1963b** as *Ceratolejeunea cuspidata*, **Mizutani 1981** as *Ceratolejeunea cuspidata*, **Piippo 1986**. EXCLUDED. *Lepidolejeunea involuta* is a neotropical species and the type of *Ceratolejeunea cuspidata* must be mislabeled.

Lepidozia

*** *L. microphylla* (Hook.) Lindenb. JAV: **Reinwardt et al. 1824a** as *Jungermannia microphylla*. WJ: **Nees 1830** as *Jungermannia microphylla*. EXCLUDED. This is a species from Tasmania and New Zealand.

*** *L. reptans* (L.) Dumort. JAV: **Nees 1830** as *Jungermannia reptans*, Gottsche *et al.* 1845a as *Lepidozia reptans* ♂ *tenera*, Sande Lacoste 1857 as *Lepidozia reptans* ♂ *tenera*, **Sande Lacoste 1864** as *Lepidozia reptans* ♂ *tenera*, Frye & Clark 1946, Bapna & Kachroo 2000. EXCLUDED. This is a boreal species already excluded from Java by Schiffner (1898a).

Leptoscyphus

*** *L. infuscatus* (Mitt.) E.W.Jones ex Grolle JAV: **Stephani 1906** as *Leioscyphus motleyi*, Bizot & Pócs 1974. WJ: **TYPE** of *Leioscyphus motleyi*, **Mitten 1886** as *Leioscyphus motleyi*, **Geissler & Bischler 1987** as *Leioscyphus motleyi*. EXCLUDED. This is an African taxon and the type material of *L. motleyi* was presumably erroneously labeled (Grolle 1963).

Marchantia

*** *M. chenopoda* L. JAV: Sprengel 1827. EXCLUDED. This is an American taxon and reports from Java belong to *M. geminata* (Bischler-Causse 1989).

*** *M. pappeana* Lehm. subsp. *robusta* (Steph. ex Bonner) Bischl. JAV: **TYPE** of *Marchantia robusta*, Bonner 1953 as *Marchantia robusta*, **Geissler & Bischler 1985** as *Marchantia robusta*, **Bischler-Causse 1993**. EXCLUDED. The type material of *Marchantia robusta* probably originated from Sri Lanka and was erroneously labeled (Bischler 1989).

Mastigolejeunea

* *M. frauenfeldii* (Reichardt) Verd. JAV: Miller *et al.* 1983. EXCLUDED. This is a Pacific species of doubtful taxonomic status.

Metacalyptogea

*** *M. alternifolia* (Nees) Grolle JAV: **Stephani 1908** as *Calypogeia alternifolia*, Bonner 1963a as *Bazzania alternifolia* and *Calypogeia alternifolia*, Miller *et al.* 1983 also as *Bazzania alternifolia*, *Calypogeia alternifolia*, *Kantius alternifolius* and *Mastigobryum alternifolium*. WJ: **Sande Lacoste 1864** as *Mastigobryum alternifolium*, **Schiffner 1898a** as *Kantia alternifolia*. EXCLUDED. This is a species from China, Japan and the Himalayas and known from tropical Asia.

Metzgeria

*** *M. albinea* Spruce JAV: Kuwahara 1984, Kuwahara 1985, Piippo 1991a, Koponen *et al.* 2000. EXCLUDED. This is an African-American species.

*** *M. myriopoda* Lindb. JAV: **Schiffner 1898a**. EXCLUDED. This is an American taxon.

*** *M. procera* Mitt. JAV: **Stephani 1899** as *Metzgeria hamata*, Pagán 1939 as *Metzgeria hamata*. WJ: **Schiffner 1900c** as *Metzgeria hamata*, Verdoorn 1935 as *Metzgeria hamata*. EXCLUDED. This is an American species reported due to nomenclatural confusion with *Metzgeria hamata*.

Micropterygium

*** *M. carinatum* (Grev.) Reimers JAV: Miller *et al.* 1983 as *Micropterygium cymbiforme*. EXCLUDED. This is an American taxon.

*** *M. pterygophyllum* (Nees) Trevis. JAV: **Sande Lacoste 1857** as *Micropterygium vulgare* β. EXCLUDED. This is an American species. The report was rejected by Schiffner (1898).

Monosolenium

*** *M. tenerum* Griff. JAV: Miller *et al.* 1983. EXCLUDED. The report of this rare eastern Asian species is almost certainly an error.

Nardia

*** *N. succulenta* (A.Rich. ex Lehm.) Spruce WJ: **Sande Lacoste 1857** as *Jungermannia succulenta*. EXCLUDED. This neotropical species was rejected already by Schiffner (1898).

Nowellia

*** *N. borneensis* (De Not.) Schiffn. JAV: Bonner 1963a as *Cephalozia borneensis*, Miller *et al.* 1983. WJ: **Schiffner 1898a, 1900c**, Meijer 1954a. EXCLUDED. The record from Java is misidentified *N. curvifolia* (Grolle 1968c).

Odontoschisma

*** *O. prostratum* (Sw.) Trevis. JAV: **Nees 1830** as *Jungermannia prostrata*. EXCLUDED. This is an American taxon rejected from Java already by Schiffner (1898).

Phaeolejeunea

*** *P. latistipula* (Schiffn.) Mizut. JAV: **TYPE** of *Lejeunea latistipula* var. *minor*, **Schiffner 1893b** as *Lejeunea latistipula* var. *minor*, **1898a** as *Lopholejeunea latistipula*, Geissler & Bischler 1985 as *Lopholejeunea latistipula* var. β *minor*, **1987** as *Lejeunea latistipula* var. *minor*, Gradstein *et al.* 2002, **Zhu & Gradstein 2005** as *Lopholejeunea latistipula* var. β *minor*, Pócs 2008a. DOUBTFUL. The type specimen and label needs to be checked before the occurrence on Java of this Pacific species can be accepted.

Plagiochila

*** *P. assamica* Steph. JAV: SYNTYPE, Bapna & Kachroo 2000b. EJ: **Carl 1931**. EXCLUDED. The report from Java (syntype) is *P. spathulifolia* (Inoue 1968) or *P. frondescens* (Inoue 1984).

*** *P. cristata* (Sw.) Lindenb. JAV: **Nees 1830** as *Jungermannia cristata*. EXCLUDED. This is an American species.

- *** *P. dichotoma* (P.Beauv.) Nees et Mont. JAV: **Reinwardt et al. 1824a** as *Jungermannia dichotoma*, **Sande Lacoste 1856a, 1857**, Schiffner 1898a. EXCLUDED. This is an African species.
- ** *P. gaudichaudii* Mont. et Gottsche JAV: Miller et al. 1983 as *Plagiochila tenuis*. EXCLUDED. This is a Pacific taxon.
- ** *P. geniculata* Lindenb. WJ: **Sande Lacoste 1857**. EXCLUDED. This is a neotropical species.
- * *P. gigantea* Lindenb. JAV: Nees 1830 as *Jungermannia gigantea*. EXCLUDED. This is a species from New Zealand of uncertain value.
- *** *P. gymnocalyrina* (Lehm. et Lindenb.) Mont. JAV: **Sande Lacoste 1857** as *Plagiochila rutilans* β laxa. EXCLUDED. This is a neotropical species.
- *** *P. macrostachya* Lindenb. JAV: **Sande Lacoste 1857** as *Plagiochila flaccida*. EXCLUDED. This is a neotropical species.
- *** *P. nepalensis* Lindenb. JAV: **Dugas 1929**, Hattori 1966a, Long & Grolle 1990. EXCLUDED. Malesian specimens are rejected as *P. celebica* (Inoue 1984, Grolle & So 1999d).
- ** *P. peradenyensis* Schiffn. JAV: **Stephani 1903**, Miller et al. 1983. EXCLUDED. Reports from Java belong to *P. parvifolia* (Grolle & So 1999a).
- *** *P. repanda* (Schwärz.) Lindenb. JAV: **Sande Lacoste 1857, 1864, Schiffner 1898a, 1900a**. EXCLUDED. This is an African species.
- *** *P. rutilans* Lindenb. JAV: **Sande Lacoste 1857**. EXCLUDED. This is a neotropical species. Specimens from Java are *P. nobilis* (Inoue 1984).
- *** *P. simplex* (Sw.) Lindenb. JAV: **Sande Lacoste 1857** as *Plagiochila simplex* var. *a minor*. EXCLUDED. This is a neotropical species. Records from Java belong to *P. spathulifolia* (Sande Lacoste 1864).
- ** *P. tenuis* Lindenb. JAV: Miller et al. 1983. WJ: **Sande Lacoste 1864, Schiffner 1898a**. EXCLUDED. This is a neotropical species.
- *** *P. terebrans* Nees et Mont. ex Lindenb. JAV: **Sande Lacoste 1857**. CJ: **Schiffner 1898a**. EXCLUDED. This is an African species. Reports from Java are *P. javanica* (Inoue 1984).

Plicanthus

- * *P. birmensis* (Steph.) R.M.Schust. JAV: Bonner 1963b as *Chandonanthus birmensis*, Hattori 1966a as *Chandonanthus birmensis*, Miller et al. 1983 as *Chandonanthus birmensis*, Bapna & Kachroo 2000b as *Chandonanthus birmensis*. DOUBTFUL. We are not aware of any first hand report from Java. Grolle (2005) thinks it is a depauperate form of *Plicanthus hirtellus*.

Podomitrium

- ** *P. malaccense* (Steph.) Campb. JAV: Miller et al. 1983. EXCLUDED. Grolle & Piippo (1986) reject all reports from Java.
- ** *P. phyllanthus* (Hook.) Mitt. JAV: **Sande Lacoste 1857** as *Blyttia phyllanthus*, **Schiffner 1898a** as *Hymenophytum phyllanthus*. EXCLUDED. This is an Australian taxon (Troll 1930).

Porella

- ** *P. caespitans* (Steph.) S.Hatt. var. *intermedia* (S.Hatt.) S.Hatt. JAV: SYNTYPE of *Porella acutifolia* var. *intermedia*, **Hattori 1969** as *Porella acutifolia* var. *intermedia*, Hattori 1978 as *Porella acutifolia* var. *intermedia*, **Geissler & Bischler 1989** as *Porella acutifolia* var. *intermedia*. DOUBTFUL. The specimen from Java (a syntype) are from an unknown locality and of doubtful identity (Hattori 1969).
- ** *P. campylophylla* (Lehm. et Lindenb.) Trevis. var. *ligulifera* (Taylor ex Lehm.) S.Hatt. JAV: **Sande Lacoste 1864** as *Madotheca ligulifera*, **Schiffner 1898a** as *Madotheca ligulifera*, Stephani 1910 as *Madotheca ligulifera*, Grolle 1966c as *Porella ligulifera*, Hattori 1966a as *Porella ligulifera*, Bapna & Kachroo 2000b. EXCLUDED. The Java material is misidentified *P. acutifolia* var. *subligulifera* (Hattori 1970).
- ** *P. gracillima* Mitt. JAV: Bapna & Kachroo 2000b as *Porella gracillima* subsp. *gracillima*. EXCLUDED. This is a temperate species from E Asia and N America.
- ** *P. nitens* (Steph.) S.Hatt. JAV: Long & Grolle 1990. EXCLUDED. Excluded from Java by Hattori (1978).
- ** *P. plumosa* (Mitt.) Parihar JAV: Pócs 1968b. EXCLUDED. Excluded from Java by Hattori (1978).

Radula

- *** *R. aneurismalis* (Hook.f. et Taylor) Gottsche, Lindenb. et Nees JAV: **Castle 1963**, 1969. EXCLUDED. This is an Australian species.
- *** *R. boryana* (F.Weber) Nees ex Mont. JAV: **Reinwardt et al. 1824a** as *Jungermannia boryana*. WJ: **Nees 1830** as *Jungermannia boryana*. EXCLUDED. Rejected by Castle (1937) as *R. campanigera*.
- *** *R. campanulata* Lindenb. et Gottsche JAV: **Castle 1959**, Bapna & Kachroo 2000b. EXCLUDED. A neotropic taxon.
- ** *R. gracilis* Mitt. ex Steph. JAV: Miller et al. 1983. EXCLUDED. This is a neotropical species (Yamada 1979).

Rectolejeunea

- ** *R. olivacea* (Steph.) S.C.Srivast. et A.Agarwal JAV: Bapna & Kachroo 2000b. EXCLUDED. We do not know of any first hand report from Java of this species. *Rectolejeunea olivacea* is probably a member of *Lejeunea* subgen. *Heterolejeunea*, characterized by caduceus leaves. *Rectolejeunea* as currently defined (Grolle 1995) is a neotropical genus.

Riccardia

- * *R. baumannii* Hürl. JAV: Furuki 1991. DOUBTFUL. This is a dubious record, recorded from Java by Furuki (1991) without citation of material. *Riccardia baumannii* differs from *R. grossitexta* and *R. tenuicostata* (older names) presumably only in sex distribution (being autoicous; Furuki 1991).
- *** *R. chamedryfolia* (With.) Grolle JAV: **Nees 1830** as *Jungermannia pinnatifida*, **Gott sche et al. 1846** as *Aneura pinnatifida* f. β *denticulata*, **Gott sche 1853** as *Aneura pinnatifida*, **Sande Lacoste 1857** as *Aneura pinnatifida*, **Engel 1978** as *Riccardia pinnatifida*. WJ: Schiffner 1898a as *Riccardia pinnatifida*. EXCLUDED. There is no confirmed record from Java of this holarctic species.

- *** *R. fucoidea* (Sw.) Schiffn. JAV: **Nees 1830** as *Jungermannia fucoidea*, **Gottsche et al. 1846** as *Metzgeria fucoidea*, **Gottsche 1853** as *Metzgeria fucoidea*. EXCLUDED. This neotropical species was excluded from Java already by Schiffner (1898a).
- *** *R. multifida* (L.) Gray JAV: **Gottsche et al. 1846** as *Aneura multifida*, **Sande Lacoste 1857** as *Aneura multifida*, **Schiffner 1898a** as *Riccardia multifida* var. *ambrosioides*, Bonner 1962 as *Aneura crenulata*, Geissler & Bischler 1990 as *Riccardia multifida* var. *ambrosioides*. WJ: **Nees 1830** as *Jungermannia multifida*, **Schiffner 1898a**, **Meijer 1959b**. DOUBTFUL. The Java records are unconfirmed and may all be *R. multifidoides* that Meijer (1958b) considered as a synonym of *R. multifida* (see note under *R. multifidoides*).

Riccia

- *** *R. canaliculata* Hoffm. JAV: **Schiffner 1900a**. EXCLUDED. This is a holarctic taxon. The record from Java is probably a land form of *R. fluitans* (Meijer 1958a).
- *** *R. huebeneriana* Lindenb. JAV: Jovet-Ast 2003. EXCLUDED. We do not know of any first hand report of this species from Java. Possibly, there has been a confusion with *R. haskarliana*, which according to Meijer (1958a) is narrowly related to *R. huebeneriana*.

Scapania

- *** *S. ciliatospinosa* Horik. JAV: Hattori 1971a as *Scapania schiffneri*, Long & Grolle 1990, Bapna & Kachroo 2000b. EXCLUDED. Reports from Java are probably erroneous (A. Potemkin, pers. comm.)
- *** *S. ferruginea* (Lehm. et Lindenb.) Gottsche, Lindenb. et Nees JAV: Amakawa 1964 as *Scapania ferruginea* var. *ferruginea*, Long 1979, Pippo et al. 1997, Bapna & Kachroo 2000b as *Scapania ferruginea* var. *ferruginea*. WJ: **Sande Lacoste 1857, 1864**, **Schiffner 1898a**, Meijer 1954b. EXCLUDED. Reports from Java are *S. sandei* according to Grolle (1965h)
- *** *S. griffithii* Schiffn. JAV: TYPE of *Scapania indica*, **Müller 1901b** as *Scapania indica*, **Geissler & Bischler 1990** as *Scapania indica*. EXCLUDED. It is unclear whether Müller ever had any authentic material from Java.
- *** *S. nemorea* (L.) Grolle JAV: **Nees 1830** as *Jungermannia nemorosa*, Gottsche et al. 1844 as *Scapania nemorosa*, Sande Lacoste 1857 as *Scapania nemorosa*. EXCLUDED. This is a boreal species excluded from Java already by Schiffner (1898a).

Schiffneriolejeunea

- *** *S. cumingiana* (Mont.) Gradst. JAV: Verdoorn 1933b, 1934a both as *Ptychocoleus cumingianus*, Miller et al. 1983, Bapna & Kachroo 2000b. WJ: **Verdoorn 1933** as *Ptychocoleus cumingianus*. EXCLUDED. The report from Java is based on misidentified *S. tumida* var. *haskarliana*.

Steereella

- *** *S. linearis* (Sw.) Kuwah. JAV: SYNTYPE of *Metzgeria furcata* β2 minor, **Nees 1830** as *Jungermannia furcata* γ *linearis*, Nees 1838 as *Metzgeria furcata* β2 minor, **Sande Lacoste 1857** as *Metzgeria furcata* β2 minor, **Geissler & Bischler 1985** as *Metzgeria furcata* β2 minor. EXCLUDED. This is a neotropical species (Costa 2008) and the syntype of *M. furcata* β2 minor must either be mislabeled or does not belong here.

Stictolejeunea

- *** *S. squamata* (Willd. ex F.Weber) Schiffn. JAV: Miller et al. 1983 as *Lejeunea squamata*. EXCLUDED. This is a neotropical species (Gradstein 1994).

Symphyogyna

- *** *S. brasiliensis* Nees et Mont. JAV: **Nees 1830** as *Jungermannia brasiliensis*. EXCLUDED. This is an African-American species excluded from Java already by Schiffner (1900).
- *** *S. podophylla* (Thunb.) Mont. et Nees JAV: **Meissner 1848**, **Gottsche 1853**. WJ: **Sande Lacoste 1857**. EXCLUDED. This does not occur in Asia.

Syzygiella

- *** *S. autumnalis* (DC.) K.Feldberg, Váňa, Hentschel et Heinrichs JAV: Schuster 1969 as *Jamesoniella autumnalis* var. *autumnalis*, Bapna & Kachroo 2000b as *Jamesoniella autumnalis*. EXCLUDED. This is a holarctic-neotropical species never reported from Java based on specimens cited.

Taxilejeunea

- *** *T. conformis* (Nees et Mont.) Steph. WJ: **Thiers 1986** as *Lejeunea conformis*. EXCLUDED: This is an African taxon and we think the report from Java is based on a misidentification.

Trocholejeunea

- *** *T. sandvicensis* (Gottsche) Mizut. JAV: Schiffner 1894, 1898a both as *Brachiolejeunea gottschei*. EXCLUDED. No genuine records from Malesia exist for this E Asian species. The record from Java was strongly questioned by Verdoorn (1934).

Zoopsis

- *** *Z. argentea* (Hook.f. et Taylor) Hook.f. ex Gottsche, Lindenb. et Nees JAV: **Schiffner 1893b** as *Cephalozia argentea*, Stephani 1908, Miller et al. 1983. WJ: **Sande Lacoste 1864**, Goebel 1888, Schiffner 1898a, Schiffner 1900c, Verdoorn 1931b, Schiffner 1955, Meijer 1958b. EXCLUDED. This is an Australasian species.

Synonyms

Acolea lutescens (Lehm. et Lindenb.) Trevis. ≡ *Notoscyphus lutescens*

Acrolejeunea cucullata (Gottsche ex Steph.) Steph. nom. inval. = *Acrolejeunea pycnoclada* subsp. *pycnoclada*

Acrolejeunea haskarliana (Gottsche) Spruce ex Schiffn. ≡ *Schiffneriolejeunea tumida* var. *haskarliana*

Acrolejeunea javanica Steph. ex Bonner nom. inval. = *Schiffneriolejeunea tumida* var. *haskarliana*

Acrolejeunea peradeniensis (Mitt.) Steph. = *Schiffnerolejeunea tumida* var. *tumida*
Acrolejeunea pulopenangensis (Gottsche) Trevis. ≡ *Schiffnerolejeunea pulopenangensis*
Acrolejeunea pycnoclada var. *rostrata* Schiffn. = *Acrolejeunea pycnoclada*
Acrolejeunea tumida (Nees) Schiffn. ≡ *Schiffnerolejeunea tumida*
Acrolejeunea wichurae Schiffn. = *Acrolejeunea fertilis*
Acrostolia javanica (Gottsche et Rabenh.) Trevis. = *Riccardia plumosa*
Adelanthus inversus (Sande Lac.) E.A.Hodgs. ≡ *Wettsteinia inversa*
Alicularia haskarliana Nees ≡ *Solenostoma haskarlianum*
Alicularia junghuhniana (Nees) Steph. ex Bonner nom. inval. = *Solenostoma comatum* var. *comatum*
Alicularia notoscyphoidea (Schiffn.) Steph. = *Notoscyphus lutescens*
Alicularia scalaris (Gray) Corda ≡ *Nardia scalaris*
Alicularia scalaris a rigens (Nees) Nees = *Nardia scalaris* subsp. *scalaris*
Allorgella noertana Tixier = *Otolejeunea semperiana*
Alobiella parvifolia Steph. ≡ *Alobiellopsis parvifolia*
Anastrophyllum cephalozioides Schiffn. = *A. bidens* var. *bidens*
Anastrophyllum contractum (Reinw., Blume et Nees) Steph. ≡ *Cuspidatula contracta*
Anastrophyllum contractum var. *virescens* Schiffn. = *Cuspidatula contracta*
Anastrophyllum flexicaule (Nees) Steph. ≡ *Jamesoniella flexicaulis*
Anastrophyllum graeffei J.B.Jack et Steph. = *Denotarisia linguifolia*
Anastrophyllum imbricatum (Wilson ex Gottsche, Lindenb. et Nees) Steph. = *Anastrophyllum piligerum*
Anastrophyllum incumbens (Lehm. et Lindenb.) Steph. = *Anastrophyllum piligerum*
Anastrophyllum integrerrimum Steph. = *Gottschelia schizopleura*
Anastrophyllum piligerum var. β *minor* (Nees) Schiffn. = *Anastrophyllum piligerum*
Anastrophyllum piligerum f. *tenuior* Schiffn. = *Anastrophyllum piligerum*
Anastrophyllum piligerum var. γ *tenerrimum* (Nees) Schiffn. = *Anastrophyllum bidens*
Anastrophyllum puniceum (Nees) Steph. ≡ *Andrewsianthus puniceus*
Anastrophyllum recurvifolium (Nees) Steph. ≡ *Andrewsianthus recurvifolius*
Anastrophyllum sundaicum Schiffn. ≡ *Andrewsianthus sundaicus*
Anastrophyllum vernicosum Schiffn. = *Anastrophyllum revolutum*
Andrewsianthus cephalozioides (Schiffn.) R.M.Schust. = *Anastrophyllum bidens* var. *bidens*
Aneura androgyna (Schiffn.) Steph. = *Riccardia graeffei*
Aneura canaliculata (Nees) Nees ≡ *Riccardia canaliculata*
Aneura crenulata Steph. nom. illeg. = *Riccardia multifida* subsp. *multifida*
Aneura diminuta (Schiffn.) Steph. ≡ *Riccardia diminuta*
Aneura elata Steph. ≡ *Riccardia elata*
Aneura flaccidissima (Schiffn.) Steph. ≡ *Riccardia flaccidissima*
Aneura goebelii Schiffn. = *Riccardia plumosa*
Aneura heteroclada (Schiffn.) Steph. ≡ *Riccardia heteroclada*
Aneura hymenophylloides (Schiffn.) Steph. ≡ *Riccardia hymenophylloides*
Aneura jackii (Schiffn.) Steph. ≡ *Riccardia jackii*
Aneura lobata (Schiffn.) Steph. = *Lobatiriccardia coronopus*
Aneura multifida (L.) Dumort. ≡ *Riccardia multifida*
Aneura multifidoides (Schiffn.) Steph. ≡ *Riccardia multifidoides*
Aneura parvula (Schiffn.) Steph. ≡ *Riccardia parvula*
Aneura pinguis var. *pinnatifolia* Schiffn. = *Lobatiriccardia coronopus*
Aneura pinnatifida (Weber) Dumort. = *Riccardia chamedryfolia*
Aneura pinnatifida (Weber) Nees = *Riccardia chamedryfolia*
Aneura pinnatifida f. β *denticulata* Nees = *Riccardia chamedryfolia*
Aneura platyclada (Schiffn.) Steph. = *Riccardia graeffei*
Aneura plumosa (Mitt.) Steph. ≡ *Riccardia plumosa*
Aneura scabra (Schiffn.) Steph. = *Riccardia crassa*
Aneura stolonifera Steph. = *Riccardia crassa*
Aneura subexalata (Schiffn.) Steph. ≡ *Riccardia subexalata*
Aneura tamariscina Steph. ≡ *Riccardia tamariscina*
Aneura tenuicostata (Schiffn.) Steph. ≡ *Riccardia tenuicostata*
Aneura tenuis Steph. ≡ *Riccardia tenuis*
Aneura tjibodensis (Schiffn.) Steph. ≡ *Riccardia tjibodensis*
Aneura viridissima (Schiffn.) Steph. = *Aneura pinguis*
Aneura wettsteinii (Schiffn.) Steph. ≡ *Riccardia wettsteinii*
Aneura zollingeri Steph. = *Riccardia plumosa*
Anthoceros amboinensis Schiffn. ≡ *Folioceros amboinensis*
Anthoceros appendiculatus Steph. = *Folioceros glandulosus*
Anthoceros crispulus (Mont.) Douin = *Anthoceros punctatus*
Anthoceros doposchegianus K.I.Goebel = *Folioceros glandulosus*

Anthoceros falsinervius Lindenb. ex Meissner = *Folioceros fuciformis*
Anthoceros falsinervius var. β *lyratus* (Gottsche) Schiffn. = *Folioceros fuciformis*
Anthoceros falsinervius β *lyratus* Gottsche = *Folioceros fuciformis*
Anthoceros glandulosus Lehm. et Lindenb. = *Folioceros glandulosus*
Anthoceros hirticalyx (Steph.) Meijer = *Paraphymatoceros hirticalyx*
Anthoceros javanicus Nees = *Dendroceros javanicus*
Anthoceros javanicus Steph. nom. illeg. = *Anthoceros javanicoides*
Anthoceros laevis L. = *Phaeoceros laevis*
Anthoceros laevis subsp. *carolinianus* (Michx.) Prosk. = *Phaeoceros carolinianus*
Anthoceros polyander K.I.Goebel = *Folioceros glandulosus*
Anthoceros polyandrus Steph. = *Paraphymatoceros hirticalyx*
Anthoceros punctatus subsp. *agrestis* (Paton) Damsh. nom. inval. = *Anthoceros agrestis*
Anthoceros silvaticus Steph. = *Phaeoceros carolinianus*
Anthoceros spinisporus (Steph.) Steph. ex Joshi, Wani et Chavan = *Folioceros amboinensis*
Anthoceros stahlii Steph. = *Megaceros flagellaris*
Anthoceros tjibodensis (Steph.) Meijer = *Paraphymatoceros hirticalyx*
Anthoceros validus Steph. = *Phaeoceros carolinianus*
Anthoceros vesiculosus Austin = *Folioceros fuciformis*
Anthoscyphus tjiwideiensis (Sande Lac.) Trevis. = *Acrosyphella tjiwideiensis*
Anthoscyphus trapezoides (Sande Lac.) Trevis. = *Conoscyphus trapezoides*
Aplozia baueri Schiffn. = *Solenostoma baueri*
Aplozia javanica Schiffn. = *Solenostoma javanicum*
Aplozia javanica var. *laxa* Schiffn. = *Solenostoma javanicum*
Aplozia javanica Schiffn. var. *nicholsonii* Schiffn. = *Solenostoma javanicum*
Aplozia stephanii Schiffn. = *Solenostoma stephanii*
Aplozia stricta Schiffn. = *Solenostoma strictum*
Aplozia stricta var. *radicellifera* Schiffn. = *Solenostoma strictum*
Apothomanthus succulentus (A.Rich. ex Lehm.) Schiffn. = *Nardia succulenta*
Archilejeunea caramuensis Steph. = *Archilejeunea planiuscula*
Archilejeunea conferta (C.F.W.Meissn. ex Spreng.) Steph. = *Anoplolejeunea conferta*
Archilejeunea falcata Steph. = *Archilejeunea planiuscula*
Archilejeunea owahuensis Gottsche ex Steph. = *Archilejeunea planiuscula*
Archilejeunea polymorpha (Sande Lac.) B.M.Thiers et Gradst. = *Spruceanthus polymorphus*
Archilejeunea xanthocarpa (Lehm. et Lindenb.) Steph. = *Leucolejeunea xanthocarpa*
Aspiromitus argillaceus Steph. = *Anthoceros argillaceus*
Aspiromitus buitenzorgius Steph. = *Anthoceros argillaceus*
Aspiromitus falsinervius (Lindenb. ex Meissner) Steph. = *Folioceros fuciformis*
Aspiromitus fontinalis Steph. = *Phaeoceros carolinianus*
Aspiromitus glandulosus (Lehm. et Lindenb.) Steph. = *Folioceros glandulosus*
Aspiromitus kajumas K.I.Goebel = *Anthoceros kajumas*
Aspiromitus lobatus f. *thermalis* Schiffn. = *Aspiromitus lobatus*
Aspiromitus preangeranus Steph. = *Phaeoceros carolinianus*
Aspiromitus punctatus subsp. *agrestis* (Paton) R.M.Schust. = *Anthoceros agrestis*
Aspiromitus striatus Steph. = *Folioceros glandulosus*
Aspiromitus vesiculosus (Austin) Steph. = *Folioceros fuciformis*
Asterella javanica (Nees) Trevis. = *Reboulia hemisphaerica* subsp. *australis*
Asterella vulcanica (Schiffn.) Pand, K.P.Srivast. et Sultan Khan nom. inval. = *Asterella vulcanica*
Asterella zollingeri (Steph.) Verd. = *Asterella khasyana*
Bazzania alternifolia (Nees) Trevis. = *Metacalypogeia alternifolia*
Bazzania alternifolia var. β *confertior* (Gottsche, Lindenb. et Nees) Schiffn. = *Mnioloma fuscum*
Bazzania australis (Mont.) Trevis. = *Bazzania tridens*
Bazzania australis Gottsche, Lindenb. et Nees = *Bazzania tridens*
Bazzania divaricata (Nees) Trevis. = *Acromastigum divaricatum*
Bazzania erosa var. β (Nees) Schiffn. = *Bazzania spiralis*
Bazzania erosa var. γ (Lindenb.) Schiffn. = *Bazzania desciscens*
Bazzania gibba (Sande Lac.) Schiffn. = *Bazzania uncigera* var. *gibba*
Bazzania intermedia auct. nom. inval. = *Bazzania tridens* var. *tridens*
Bazzania miqueliania (Lehm.) Schiffn. = *Bazzania commutata*
Bazzania oblonga (Mitt.) Schiffn. = *Bazzania tridens* var. *tridens*
Bellincinia acutifolia (Lehm. et Lindenb.) Kuntze = *Porella acutifolia*
Blasia javanica Sande Lac. = *Notothylas javanicus*
Blepharostoma setigerum (Lindenb.) Steph. = *Temnoma setigerum*
Blytia levieri Steph. nom. inval. = *Pallavicinia levieri*
Blytia lyellii (Hook.) Endl. mut. Gottsche, Lindenb. et Nees = *Pallavicinia lyellii*

Blyttia phyllanthus (Hook.) Nees ≡ *Podomitrium phyllanthus*
Blyttia radiculosa Sande Lac. = *Pallavicinia lyellii*
Brachiolejeunea gottschei Schiffn. = *Trocholejeunea sandvicensis*
Bryopteris filicina β *arguta* Gottsche, Lindenb. et Nees = *Bryopteris filicina*
Bryopteris filicina γ *fruticosa* Gottsche, Lindenb. et Nees nom. inval. = *Dendrolejeunea fruticosa*
Bryopteris fruticosa Lindenb. et Gottsche = *Dendrolejeunea fruticosa*
Byssolejeunea abnormis Herzog = *Lejeunea exilis*
Calobryum blumii (Nees) Gottsche, Lindenb. et Nees = *Haplomitrium blumei*
Calycularia radiculosa (Sande Lac.) Steph. = *Pallavicinia lyellii*
Calycularia radiculosa Steph. nom. illeg. = *Sandeothallus radiculosus*
Calycularia radiculosa Steph. ex Schiffn. nom. illeg. = *Sandeothallus radiculosus*
Calypogeia alternifolia (Nees) Steph. ≡ *Metacalypogeia alternifolia*
Calypogeia alternifolia var. *confertior* (Gottsche, Lindenb. et Nees) Bonner = *Mnioloma fuscum*
Calypogeia baldwinii Austin = *Mnioloma fuscum*
Calypogeia distans (Nees) Steph. ≡ *Bazzania distans*
Calypogeia furcata Steph. = *Calypogeia arguta*
Calypogeia fusca (Lehm.) Steph. ≡ *Mnioloma fuscum*
Campylolejeunea ciliatilobula (Schiffn.) S.Hatt. = *Cololejeunea inflectens*
Campylolejeunea inflectens (Mitt.) Mizut. ≡ *Cololejeunea inflectens*
Campylolejeunea peculiaris (Herzog) Amakawa = *Cololejeunea inflectens*
Campylolejeunea vesicaria (Sande Lac.) S.Hatt. ≡ *Cololejeunea vesicaria*
Cardiolejeunea cardiantha R.M.Schust. et Kachroo = *Lejeunea papilionacea*
Caudalejeunea circinata Steph. = *Caudalejeunea recurvistipula*
Caudalejeunea reniloba (Gottsche) Steph. = *Caudalejeunea recurvistipula*
Caudalejeunea renistipula Steph. = *Caudalejeunea recurvistipula*
Caudalejeunea serrata Steph. = *Caudalejeunea recurvistipula*
Caudalejeunea stephanii Spruce ex Steph. = *Thysananthus retusus*
Cephalozia argentea (Hook.f. et Taylor) Lindb. ≡ *Zoopsis argentea*
Cephalozia bicuspidata var. *blepharostoma* Schiffn. nom. inval. = *Cephalozia hamatiloba*
Cephalozia borneensis (De Not.) J.B.Jack et Steph. ≡ *Nowellia borneensis*
Cephalozia boschiana (Sande Lac.) Spruce ≡ *Hygrolembidium boschianum*
Cephalozia capillaris Steph. ≡ *Cephaloziella capillaris*
Cephaloziella pentagona (Schiffn. ex Douin) Schiffn. nom. inval. = *Cephaloziella kiaeri*
Cephaloziella pentagona var. *serratiflora* Schiffn. ex Douin = *Cephaloziella kiaeri*
Cephaloziella willisiana (Steph.) C.M.Cooke = *Cephaloziella kiaeri*
Cephaloziella willisiana (Steph.) N.Kitag. = *Cephaloziella kiaeri*
Ceratolejeunea ceratantha (Nees et Mont.) Steph. = *Ceratolejeunea cornuta*
Ceratolejeunea cuspidata Steph. = *Lepidolejeunea involuta*
Ceratolejeunea oceanica (Mitt.) Horik. = *Ceratolejeunea belangeriana*
Ceratolejeunea renistipula Steph. = *Ceratolejeunea belangeriana*
Cesiusa lutescens (Lehm. et Lindenb.) Kuntze ≡ *Notoscyphus lutescens*
Chandonanthus birmensis Steph. ≡ *Plicanthes birmensis*
Chandonanthus hamatus Steph. = *Plicanthes hirtellus*
Chandonanthus hirtellus (F.Weber) Mitt. ≡ *Plicanthes hirtellus*
Chandonanthus hirtellus var. β *tener* (Nees) Schiffn. ≡ *Jungermannia hirtella* β *tenera*
Chandonanthus javanicus Mitt. = *Plicanthes hirtellus*
Cheilolejeunea bidentula (Steph.) Inoue ≡ *Lepidolejeunea bidentula*
Cheilolejeunea excisula (Steph.) Mizut. = *Cheilolejeunea incisa*
Cheilolejeunea imbricata (Nees) R.M.Schust. et Kachroo = *Cheilolejeunea trapezia*
Cheilolejeunea imbricata (Nees) S.Hatt. = *Cheilolejeunea trapezia*
Cheilolejeunea inaequitexta Schiffn. nom. inval. = *Lejeunea micholitzii*
Cheilolejeunea inaequitexta Schiffn. ex Steph. = *Lejeunea micholitzii*
Cheilolejeunea longiloba (Steph. ex G.Hoffm.) J.J Engel et B.C.Tan = *Cheilolejeunea trapezia*
Cheilolejeunea longiloba (Steph. ex G.Hoffm.) Kachroo et R.M.Schust. nom. illeg. = *Cheilolejeunea trapezia*
Cheilolejeunea luerssenii (Steph.) Mizut. = *Cheilolejeunea lindenbergii*
Cheilolejeunea zollingeri Steph. ≡ *Lejeunea mizutanii*
Chiloscyphus acutangulus Schiffn. ≡ *Heteroscyphus acutangulus*
Chiloscyphus argutus (Reinw., Blume et Nees) Nees ≡ *Heteroscyphus argutus*
Chiloscyphus argutus f. *typica* Schiffn. nom. inval. = *Heteroscyphus argutus*
Chiloscyphus argutus var. *brevidens* Schiffn. ≡ *Heteroscyphus argutus* var. *brevidens*
Chiloscyphus argutus var. *ciliatistipus* Schiffn. = *Heteroscyphus argutus* var. *ciliatistipulus*
Chiloscyphus argutus var. β *amphigastriis-obsoletis* (Nees) Schiffn. = *Heteroscyphus argutus*
Chiloscyphus argutus var. γ *subtilis* (Nees) Schiffn. = *Heteroscyphus argutus*
Chiloscyphus argutus ε *subtilis* Nees = *Heteroscyphus argutus*

Chiloscyphus aselliformis (Reinw., Blume et Nees) Nees ≡ *Heteroscyphus aselliformis*
Chiloscyphus aselliformis f. *typica* Schiffn. nom. inval. = *Heteroscyphus aselliformis*
Chiloscyphus aselliformis var. *neesii* Schiffn. = *Heteroscyphus aselliformis*
Chiloscyphus baduinus (Nees) Nees ≡ *Heteroscyphus baduinus*
Chiloscyphus caesius Schiffn. ≡ *Heteroscyphus caesius*
Chiloscyphus coalitus (Hook.) Nees ≡ *Heteroscyphus coalitus*
Chiloscyphus coalitus f. *pusillus* Schiffn. = *Heteroscyphus coalitus*
Chiloscyphus coalitus f. *remotifolius* Schiffn. = *Heteroscyphus coalitus*
Chiloscyphus coalitus f. *typicus* Schiffn. nom. inval. = *Heteroscyphus coalitus*
Chiloscyphus coalitus var. β *affinis* (Reinw., Blume et Nees) Schiffn. = *Heteroscyphus coalitus*
Chiloscyphus coalitus β *affinis* (Reinw., Blume et Nees) Nees = *Heteroscyphus coalitus*
Chiloscyphus combinatus (Nees) Nees ≡ *Heteroscyphus combinatus*
Chiloscyphus communis Steph. = *Heteroscyphus coalitus*
Chiloscyphus decurrens (Reinw., Blume et Nees) Nees = *Heteroscyphus splendens*
Chiloscyphus decurrens f. *typica* Schiffn. nom. inval. = *Heteroscyphus splendens*
Chiloscyphus decurrens Mitt. nom. illeg. = *Heteroscyphus splendens*
Chiloscyphus javanicus Steph. = *Heteroscyphus aselliformis*
Chiloscyphus obtusus Steph. = *Heteroscyphus succulentus*
Chiloscyphus parvulus Schiffn. ≡ *Heteroscyphus parvulus*
Chiloscyphus porrigens Schiffn. = *Heteroscyphus coalitus*
Chiloscyphus rigidulus (Nees) Gottsche, Lindenb. et Nees ≡ *Saccogynidium rigidulum*
Chiloscyphus sandei (Sande Lac.) Steph. = *Heteroscyphus knightii*
Chiloscyphus stygius Nees = *Solenostoma vulcanicola*
Chiloscyphus succulentus Gottsche ≡ *Heteroscyphus succulentus*
Chiloscyphus tjiwideiensis Sande Lac. ≡ *Acroschypella tjiwideiensis*
Chiloscyphus trapezoides Sande Lac. ≡ *Conoscyphus trapezoides*
Chiloscyphus tridentatus (Sande Lac.) Schiffn. nom. illeg. = *Heteroscyphus knightii*
Chiloscyphus tridentatus Mitt. = *Heteroscyphus knightii*
Chiloscyphus wettsteinii Schiffn. ≡ *Heteroscyphus wettsteinii*
Chiloscyphus zollingeri Gottsche ≡ *Heteroscyphus zollingeri*
Clasmatocolea tjiwideiensis (Sande Lac.) Grolle ≡ *Acroschypella tjiwideiensis*
Cololejeunea androgyna Benedix = *Cololejeunea obliqua*
Cololejeunea baueriana Schiffn. nom. inval. = *Cololejeunea haskarliana* var. *haskarliana*
Cololejeunea benedixii Tixier nom. inval. = *Cololejeunea schmidtii*
Cololejeunea bolombensis (Steph.) Vanden Berghe = *Cololejeunea lanciloba*
Cololejeunea campanulata Benedix = *Cololejeunea obliqua*
Cololejeunea ciliatilobula (Schiffn.) Schiffn. = *Cololejeunea inflectens*
Cololejeunea estipulata (Steph.) Tixier = *Cololejeunea raduliloba*
Cololejeunea falcatoidea Benedix = *Cololejeunea falcata*
Cololejeunea goebelii (Gottsche ex Schiffn.) Schiffn. = *Cololejeunea trichomanis*
Cololejeunea goebelii f. *brevifolia* Schiffn. nom. inval. = *Cololejeunea trichomanis*
Cololejeunea goebelii var. γ *acrotremae* (Schiffn.) Schiffn. = *Cololejeunea obliqua*
Cololejeunea hispidissima (Steph.) Pand, K.P.Srivast. et Sultan Khan = *Cololejeunea haskarliana* var. *haskarliana*
Cololejeunea imperfecta Benedix nom. inval. = *Cololejeunea sigmoidea*
Cololejeunea javanica (Steph.) Mizut. = *Cololejeunea angustiflora*
Cololejeunea karstenii (Steph.) Benedix = *Cololejeunea cordiflora*
Cololejeunea leonidens Benedix = *Cololejeunea ocelloides*
Cololejeunea leonidens var. *saccata* Benedix = *Cololejeunea ocelloides*
Cololejeunea marginata var. *alimbia* Schiffn. nom. inval. = *Cololejeunea zangii*
Cololejeunea mariana Tixier = *Cololejeunea obliqua*
Cololejeunea mutabilis f. *javanica* Benedix nom. inval. = *Cololejeunea mutabilis*
Cololejeunea nymanii (Steph.) Benedix = *Cololejeunea obliqua*
Cololejeunea oshimensis (Horik.) Benedix = *Cololejeunea inflata*
Cololejeunea papilligera Schiffn. nom. inval. = *Cololejeunea filidens*
Cololejeunea peculiaris (Herzog) Benedix = *Cololejeunea inflectens*
Cololejeunea pseudopellucida Schiffn. nom. inval. = *Cololejeunea triapiculata*
Cololejeunea scabriflora Gottsche ex Steph. = *Cololejeunea obliqua*
Cololejeunea scabrifolia Schiffn. nom. inval. = *Cololejeunea obliqua*
Cololejeunea simulans Schiffn. nom. inval. = *Cololejeunea peponiformis*
Cololejeunea subaloba Schiffn. nom. inval. = *Cololejeunea sigmoidea*
Cololejeunea ungulata Schiffn. nom. inval. = *Cololejeunea filidens*
Cololejeunea venusta (Sande Lac.) Schiffn. = *Cololejeunea haskarliana* var. *haskarliana*
Cololejeunea yulensis (Steph.) Benedix = *Cololejeunea aquabilis*
Colura apiculata Schiffn. ex Steph. = *Colura leratii*

Colura corynephora K.I.Goebel nom. illeg. = *Colura acroloba*
Colura javanica Steph. = *Colura ari*
Colura vitrea (Nees) Trevis. ≡ *Leptolejeunea vitrea*
Colurolejeunea acroloba (Mont. ex Steph.) Mont. ex Steph. nom. inval. ≡ *Colura acroloba*
Colurolejeunea- *acroloba* var. *acuta* Schiffn. nom. inval. = *Colura acroloba*
Colurolejeunea apiculata Schiffn. nom. inval. = *Colura leratii*
Colurolejeunea conica (Sande Lac.) Schiffn. ≡ *Colura conica*
Colurolejeunea junguhuhniana (Steph.) Steph. ≡ *Colura junguhuhniana*
Colurolejeunea junguhuhniana Steph. nom. inval. = *Colura junguhuhniana*
Colurolejeunea leratii Steph. ≡ *Colura leratii*
Colurolejeunea ornata (K.I.Goebel) Schiffn. ≡ *Colura ornata*
Colurolejeunea superba var. β *latifolia* Schiffn. = *Colura karstenii*
Conoscyphus inflexifolius Mitt. = *Conoscyphus trapezoides*
Conoscyphus tjiwideiensis (Sande Lac.) Schiffn. ≡ *Acrosocyphella tjiwideiensis*
Crossogyna flexicaulis (Nees) Schljakov ≡ *Jamesoniella flexicaulis*
Crossotolejeunea schiffneri (Herzog) R.M.Schust. ≡ *Lejeunea propagulifera*
Cyclolejeunea fleischeri Steph. = *Acanthocoleus javanicus*
Cyclolejeunea mirabilis Steph. = *Cyclolejeunea peruviana*
Cystolejeunea lineata (Lehm. et Lindenb.) A.Evans ≡ *Cheirolejeunea lineata*
Dendroceros angustus Steph. = *Dendroceros subplanus*
Dendroceros elegans Steph. = *Dendroceros javanicus*
Dendroceros integrerrimus Steph. = *Dendroceros subplanus*
Dicranolejeunea javanica Steph. ≡ *Acanthocoleus javanicus*
Diplasiolejeunea brachyclada A.Evans = *Diplasiolejeunea cavifolia*
Diplasiolejeunea conica (Sande Lac.) Steph. ≡ *Colura conica*
Diplasiolejeunea cyclops (Sande Lac.) Steph. ≡ *Drepanolejeunea cyclops*
Diplasiolejeunea javanica Steph. = *Diplasiolejeunea cavifolia*
Diplolaena lyelli (Hook.) Dumort. ≡ *Pallavicinia lyelli*
Diplomitrium lyelli (Hook.) Corda ≡ *Pallavicinia lyelli*
Drepanolejeunea filicuspis Steph. ≡ *Harpalejeunea filicuspis*
Drepanolejeunea haskarliana (Lehm. et Lindenb.) Steph. ≡ *Cololejeunea haskarliana*
Drepanolejeunea karstenii Steph. = *Leptolejeunea maculata*
Drepanolejeunea micholitzii f. *acanthantha* Herzog = *Drepanolejeunea pentadactyla*
Drepanolejeunea micholitzii f. *contorta* Herzog nom. inval. = *Drepanolejeunea pentadactyla*
Drepanolejeunea micholitzii f. *lonchoceras* Herzog = *Drepanolejeunea pentadactyla*
Drepanolejeunea micholitzii f. *verdoornii* Herzog = *Drepanolejeunea pentadactyla*
Drepanolejeunea micholitzii Steph. = *Drepanolejeunea pentadactyla*
Drepanolejeunea micholitzii var. *dactylophoroides* Herzog = *Drepanolejeunea pentadactyla*
Drepanolejeunea micholitzii var. *genuina* Herzog nom. illeg. = *Drepanolejeunea pentadactyla*
Drepanolejeunea muricata (Gottsche) Steph. ≡ *Dactylophorella muricata*
Drepanolejeunea setistipa Steph. = *Drepanolejeunea thwaitesiana*
Drepanolejeunea tenera f. *goebelii* Herzog = *Drepanolejeunea tenera*
Drepanolejeunea tenera var. *genuina* Herzog nom. illeg. = *Drepanolejeunea tenera*
Drepanolejeunea tenera var. *goebelii* Herzog = *Drepanolejeunea tenera*
Drepanolejeunea tenuioides Horik. = *Drepanolejeunea pentadactyla*
Drepanolejeunea tenuis (Nees) Steph. = *Drepanolejeunea angustifolia*
Drepanolejeunea tenuis var. *brevifolia* Herzog = *Drepanolejeunea angustifolia*
Drepanolejeunea ternatensis var. *lancispina* Herzog = *Drepanolejeunea ternatensis*
Drepanolejeunea vesiculosula subsp. *affinis* Schiffn. ex Herzog nom. inval. = *Drepanolejeunea vesiculosula*
Dumortiera hirsuta a latior Gottsche, Lindenb. et Nees = *Dumortiera hirsuta*
Dumortiera hirsuta β angustior Gottsche, Lindenb. et Nees = *Dumortiera hirsuta*
Dumortiera hirsuta subsp. *nepalensis* (Taylor) R.M.Schust. = *Dumortiera hirsuta*
Dumortiera nepalensis (Taylor) Nees = *Dumortiera hirsuta*
Dumortiera trichocephala (Hook.) Nees = *Dumortiera hirsuta*
Dumortiera velutina f. *exigua* Schiffn. nom. inval. = *Dumortiera hirsuta*
Dumortiera velutina Schiffn. = *Dumortiera hirsuta*
Dumortiera velutina var. *subnuda* Schiffn. nom. inval. = *Dumortiera hirsuta*
Eucalyx comatus (Nees) Verd. ≡ *Solenostoma comatum*
Eucalyx hasskarlianus (Nees) Verd. ex Váňa nom. inval. ≡ *Solenostoma hasskarlianum*
Eucalyx stygius (Nees) Verd. = *Solenostoma vulcanicola*
Eucalyx truncatus (Nees) Verd. ≡ *Solenostoma truncatum*
Eucalyx truncatus var. *crassiretis* (Schiffn.) Verd. = *Solenostoma truncatum*
Eucephalozia bicuspidata (L.) Schiffn. ≡ *Cephalozia bicuspidata*
Eulejeunea aloba (Sande Lac.) Schiffn. ≡ *Lejeunea aloba*

Eulejeunea apiculata (Sande Lac.) Schiffn. ≡ *Lejeunea apiculata*
Eulejeunea caviloba Steph. ≡ *Lejeunea caviloba*
Eulejeunea cucullata (Reinw., Blume et Nees) Schiffn. ≡ *Metalejeunea cucullata*
Eulejeunea cucullata var. β *exilis* (Reinw., Blume et Nees) Nees ex Schiffn. ≡ *Lejeunea exilis*
Eulejeunea decursiva (Sande Lac.) Schiffn. ≡ *Cheilolejeunea decursiva*
Eulejeunea fissistipula Steph. ≡ *Lejeunea fissistipula*
Eulejeunea flava (Sw.) Steph. ≡ *Lejeunea flava*
Eulejeunea flava var. β *indica* (Nees et Blandow) Schiffn. = *Lejeunea flava* subsp. *orientalis*
Eulejeunea laxa (Nees) Steph. ≡ *Taxilejeunea laxa*
Eulejeunea microstipula (Steph.) Schiffn. ≡ *Lejeunea microstipula*
Eulejeunea patersonii Steph. = *Lejeunea patersonii*
Eulejeunea serpyllifolia (Dicks.) Schiffn. = *Lejeunea patens*
Eulejeunea wichurae Steph. ≡ *Lejeunea wichurae*
Euosmolejeunea heterophylla (Sande Lac.) Schiffn. = *Cheilolejeunea trifaria*
Euosmolejeunea lindenbergii (Gottsche) Steph. ≡ *Cheilolejeunea lindenbergii*
Euosmolejeunea luerssenii Steph. = *Cheilolejeunea lindenbergii*
Euosmolejeunea orientalis (Gottsche) Steph. ≡ *Cheilolejeunea orientalis*
Euosmolejeunea tenella (Taylor) Steph. ≡ *Lejeunea tenella*
Euosmolejeunea teretiuscula (Lindenb.) Schiffn. = *Cheilolejeunea trifaria*
Euosmolejeunea trifaria (Reinw., Blume et Nees) Schiffn. nom. illeg. ≡ *Cheilolejeunea trifaria*
Euosmolejeunea trifaria (Reinw., Blume et Nees) Spruce ≡ *Cheilolejeunea trifaria*
Euosmolejeunea trifaria (Reinw., Blume et Nees) Steph. ≡ *Cheilolejeunea trifaria*
Fimbraria blumeana Nees ≡ *Asterella blumeana*
Fimbraria tenella (L.) Nees ≡ *Asterella tenella*
Fimbraria venosa Lehm. et Lindenb. ≡ *Asterella venosa*
Fimbraria vulcanica (Schiffn.) Steph. ≡ *Asterella vulcanica*
Fimbraria zollingeri Steph. = *Asterella khasiana*
Folioceros appendiculatus (Steph.) J.Haseg. = *Folioceros glandulosus*
Folioceros buitenzorgius (Steph.) D.C.Bharadwaj = *Anthoceros argillaceus*
Folioceros spinisporus (Steph.) D.C.Bharadwaj = *Folioceros amboinensis*
Folioceros vesiculosus (Austin) D.C.Bharadwaj = *F. fuciformis*
Fossombronia cristula var. *verdoornii* Chalaud = *Fossombronia japonica*
Fossombronia foveolata var. *cristula* (Austin) R.M.Schust. ≡ *Fossombronia cristula*
Frullania acutiloba var. *schiffneri* Verd. ≡ *Frullania monocera* var. *schiffneri*
Frullania aeolotis α *auriculata* Mont. nom. illeg. = *Frullania ericoides*
Frullania apiculata var. β *nodulosa* (Nees) Schiffn. = *Frullania apiculata*
Frullania apiculata var. γ *obscura* (Nees) Schiffn. = *Frullania apiculata*
Frullania apiculata β *nodulosa* (Nees) Nees nom. inval. = *Frullania apiculata* β *laxa*
Frullania apiculata γ *obscura* Nees = *Frullania apiculata*
Frullania apiculiloba Steph. = *Frullania grandistipula*
Frullania breviramea Steph. = *Frullania moniliata*
Frullania commutata Steph. = *Frullania riojaneirensis*
Frullania cordistipula var. δ *mucronata* Nees nom. inval. = *Frullania serrata*
Frullania dapitana Steph. = *Frullania nodulosa*
Frullania diversifolia Steph. = *Frullania junghuhniana*
Frullania ericoides var. *planescens* (Verd.) S.Hatt. = *Frullania ericoides*
Frullania fleischeri Steph. = *Frullania ericoides*
Frullania fusco-purpurea Steph. = *Frullania gracilis*
Frullania galeata (Reinw., Blume et Nees) Dumort. = *Frullania riojaneirensis*
Frullania gracilis subsp. *minor* (Sande Lac.) S.Hatt. = *Frullania gracilis*
Frullania gracilis var. *lacerifolia* (Steph.) Verd. = *Frullania gracilis*
Frullania gracilis var. *subapiculata* Schiffn. nom. inval. = *Frullania gracilis*
Frullania gracilis var. *subapiculata* Schiffn. ex Verd. = *Frullania gracilis*
Frullania grandistipula var. *rugosa* (Mitt.) S.Hatt. = *Frullania grandistipula*
Frullania hampeana Nees = *Frullania monocera*
Frullania hampeana var. *acutiloba* (Mitt.) S.Hatt. = *Frullania acutiloba*
Frullania hasskarliana f. *integribractea* Verd. = *Frullania hasskarliana*
Frullania hasskarliana var. *integribractea* (Verd.) S.Hatt. = *Frullania hasskarliana*
Frullania hians β *javanica* Gottsche, Lindenb. et Nees = *Frullania arecae*
Frullania hutchinsiae (Hook.) Nees ≡ *Jubula hutchinsiae*
Frullania hutchinsiae β (Nees) Nees = *Jubula hutchinsiae* subsp. *javanica*
Frullania integrastipula var. *reflexistipuloides* Verd. = *Frullania integrastipula*
Frullania intermedia var. *non-apiculata* S.Hatt. = *Frullania intermedia*
Frullania javanica Steph. = *Frullania ericoides*

Frullania junghuhniana var. *minutissima* Schiffn. ex Verd. nom. inval. = *Frullania junghuhniana* var. *tenella*
Frullania lacerifolia Steph. = *Frullania gracilis*
Frullania laciniosa Lehm. = *Frullania ericoides*
Frullania latistipula Steph. = *Frullania serrata*
Frullania lauterbachii Steph. = *Frullania neurota*
Frullania longispica Steph. = *Frullania ericoides*
Frullania luzonensis Steph. = *Frullania ericoides*
Frullania macrostipula Steph. = *Frullania nigricaulis*
Frullania malesiaca Verd. = *Frullania campanulata* var. *malesiaca*
Frullania meteoroides Mitt. = *Frullania serrata*
Frullania minor Sande Lac. = *Frullania gracilis*
Frullania minor var. *exorta* Verd. = *Frullania gracilis*
Frullania minor var. *subsinuata* Schiffn. ex Verd. = *Frullania gracilis*
Frullania minutissima Schiffn. nom. inval. = *Frullania junghuhniana* var. *tenella*
Frullania moniliata subsp. *breviramea* (Steph.) Verd. = *Frullania moniliata*
Frullania mundiana Lindenb. et Gottsche = *Frullania arecae*
Frullania nigricans Steph. = *Frullania apiculata*
Frullania nodulosa f. *dapitana* (Steph.) Verd. = *Frullania nodulosa*
Frullania nymanii Steph. = *Frullania ericoides*
Frullania ornithocephala f. *teres* (Sande Lac.) Verd. = *Frullania ornithocephala* var. *pilosa*
Frullania pallens Steph. = *Frullania meyeniana* var. *meyeniana*
Frullania pallida Steph. = *Frullania apiculata* var. *goebelii*
Frullania perversa Steph. = *Frullania junghuhniana* var. *tenella*
Frullania picta Steph. = *Frullania trichodes*
Frullania piligera Austin = *Jubula hutchinsiae* subsp. *javanica*
Frullania recurvata Lehm. et Lindenb. = *Frullania gaudichaudii*
Frullania rugosa Mitt. = *Frullania grandistipula*
Frullania sebastianopolitana Lindenb. = *Frullania riojaneirensis*
Frullania sebastianopolitana β *galeata* (Reinw., Blume et Nees) Gottsche, Lindenb. et Nees = *Frullania riojaneirensis*
Frullania serrata f. *crispulo-dentata* Verd. = *Frullania serrata* var. *serrata*
Frullania sinuata β *tenella* (Sande Lac.) Sande Lac. = *Frullania junghuhniana* var. *tenella*
Frullania solmsiana Steph. = *Frullania cordistipula*
Frullania squarrosa (Nees) Nees nom. illeg. = *Frullania ericoides*
Frullania squarrosa f. *campanuloides* Verd. = *Frullania ericoides*
Frullania squarrosa f. *chonanthelioides* Verd. = *Frullania ericoides*
Frullania squarrosa f. *ericoides* (Nees) Verd. = *Frullania ericoides*
Frullania squarrosa var. *ericoides* (Nees) Schiffn. ex Bonner nom. illeg. = *Frullania ericoides*
Frullania squarrosa var. *ericoides* (Nees) Schiffn. = *Frullania ericoides*
Frullania squarrosa var. *planescens* Verd. = *Frullania ericoides*
Frullania tamarisci subsp. *moniliata* (Reinw., Blume et Nees) Kamim. = *Frullania moniliata*
Frullania tamarisci subsp. *obscura* (Verd.) S.Hatt. = *Frullania moniliata*
Frullania tamarisci var. *breviramea* (Steph.) S.Hatt. = *Frullania moniliata*
Frullania tenella Sande Lac. = *Frullania junghuhniana* var. *tenella*
Frullania teres Sande Lac. = *Frullania ornithocephala* var. *pilosa*
Frullania tortuosa Verd. = *Frullania monocera*
Frullania vesiculosus Steph. = *Frullania ericoides*
Frullania vethii Sande Lac. = *Frullania trichodes*
Frullania wallichiana Mitt. = *Frullania arecae*
Gamoscyphus aselliformis (Reinw., Blume et Nees) Trevis. = *Heteroscyphus aselliformis*
Gamoscyphus puniceus (Nees) Trevis. = *Andrewsianthus puniceus*
Gottschaea blumei (Nees) Nees = *Schistochila blumei*
Gottschaea javanica Nees = *Schistochila sciurea*
Gottschaea philippinensis Mont. = *Gottschaea aligera*
Gottschaea reinwardtii (Nees) Nees = *Schistochila reinwardtii*
Gottschaea sciurea (Nees) Sande Lac. = *Schistochila sciurea*
Grimaldia geminata (Reinw., Blume et Nees) Nees = *Marchantia geminata*
Grimaldia geminata β Lehm. et Lindenb. = *Marchantia geminata*
Gymnomitrion belangerianum (Lehm. et Lindenb.) Gottsche = *Notoscyphus lutescens*
Gymnomitrion lutescens (Lehm. et Lindenb.) Gottsche = *Notoscyphus lutescens*
Herbertia javanica (Steph.) H.A.Mill. = *Herbertus ramosus*
Herbertia ramosa (Steph.) H.A.Mill. = *Herbertus ramosus*
Herbertia fissa (Nees) Kuntze = *Mastigophora diclados*
Herbertus javanicus (Steph.) Schiffn. = *Herbertus ramosus*
Herbertus javanicus f. *major* Schiffn. nom. inval. = *Herbertus ramosus*

Herbertus javanicus f. *minor* Schiffn. nom. inval. = *Herbertus ramosus*
Herbertus juniperinus Trevis. 1877 nom. illeg. = *Herbertus juniperoides*
Herpetium australe Mont. = *Bazzania tridens*
Herpetium erosum (Reinw., Blume et Nees) Mont. ≡ *Bazzania erosa*
Herpetium obliquatum (Nees) Mont. ≡ *Bazzania praerupta* var. *obliquata*
Herpetium trichodes var. *major* Nees nom. inval. = *Lepidozia subintegra*
Heterolejeunea javanica f. *aquatica* Schiffn. = *Lopholejeunea nigricans*
Heterolejeunea javanica Schiffn. = *Lopholejeunea nigricans*
Heterolejeunea javanica var. *aquatica* Schiffn. = *Lopholejeunea nigricans*
Heteroscyphus bifidus (Schiffn.) Schiffn. ≡ *Chiloscyphus bifidus*
Heteroscyphus communis (Steph.) Schiffn. = *Heteroscyphus coalitus*
Heteroscyphus decurrens (Reinw., Blume et Nees) Schiffn. = *Heteroscyphus splendens*
Heteroscyphus integerimus (Schiffn.) Schiffn. ≡ *Chiloscyphus integerimus*
Heteroscyphus porrigens (Schiffn.) Schiffn. = *Heteroscyphus coalitus*
Heteroscyphus propagulifer (Schiffn.) Schiffn. ≡ *Chiloscyphus propagulifer*
Heteroscyphus sandei (Steph.) Schiffn. = *Heteroscyphus knightii*
Heteroscyphus tridentatus (Sande Lac.) Grolle = *Heteroscyphus knightii*
Hygrolejeunea apiculata (Sande Lac.) Steph. ≡ *Lejeunea apiculata*
Hygrolejeunea decurrens Steph. ≡ *Leucolejeunea decurrens*
Hygrolejeunea discreta (Lindenb.) Schiffn. ≡ *Lejeunea discreta*
Hygrolejeunea discreta (Lindenb.) Steph. ≡ *Lejeunea discreta*
Hygrolejeunea fleischeri Steph. ≡ *Lejeunea fleischeri*
Hygrolejeunea javanica Steph. = *Lejeunea sordida*
Hygrolejeunea lindenbergii (Gottsche) Steph. ≡ *Cheilolejeunea lindenbergii*
Hygrolejeunea luteola Steph. ≡ *Lejeunea mimula*
Hygrolejeunea molkenboeriana Steph. = *Lejeunea molkenboeriana*
Hygrolejeunea parkinsonii Steph. = *Lejeunea sordida*
Hygrolejeunea patersonii Steph. ≡ *Lejeunea patersonii*
Hygrolejeunea sordida (Nees) Steph. ≡ *Lejeunea sordida*
Hygrolejeunea tjibodensis Steph. ≡ *Taxilejeunea tjibodensis*
Hygrolejeunea umbilicata (Nees) Steph. ≡ *Lejeunea umbilicata*
Hymenophyton phyllanthus (Hook.) Steph. ≡ *Podomitrium phyllanthus*
Hypenantron blumeanum (Nees) Trevis. ≡ *Asterella blumeana*
Hypenantron javanicum Schiffn. = *Asterella wallichiana*
Hypenantron venosum (Lehm. et Lindenb.) Trevis. ≡ *Asterella venosa*
Hypenantron vulcanicum Schiffn. ≡ *Asterella vulcanica*
Hypenantron zollingeri (Steph.) Schiffn. = *Asterella khasyana*
Hypenantron zollingeri f. *purpurascens* Schiffn. nom. inval. = *Asterella khasyana*
Hypenantron zollingeri f. *typica* Schiffn. nom. inval. = *Asterella khasyana*
Jackiella javanica f. *typica* Schiffn. nom. inval. = *Jackiella javanica*
Jamesoniella affinis Schiffn. = *Denotarisia linguifolia*
Jamesoniella autumnalis (DC.) Steph. ≡ *Syzygiella autumnalis*
Jamesoniella contracta (Reinw., Blume et Nees) N.Kitag. ≡ *Cuspidatula contracta*
Jamesoniella fleischeri Steph. = *Gottschelia schizopleura*
Jamesoniella flexicaulis f. *virescens* Schiffn. = *Jamesoniella flexicaulis*
Jamesoniella flexicaulis var. β *microphylla* (Nees) Schiffn. = *Gottschelia schizopleura*
Jamesoniella microphylla (Nees) Schiffn. = *Gottschelia schizopleura*
Jamesoniella microphylla var. *gracilis* Schiffn. = *Gottschelia schizopleura*
Jamesoniella microphylla var. *minuta* Schiffn. = *Gottschelia schizopleura*
Jamesoniella ovifolia (Schiffn.) Schiffn. = *Denotarisia linguifolia*
Jamesoniella ovifolia f. *virescens* Schiffn. = *Denotarisia linguifolia*
Jamesoniella ovifolia var. *latifolia* Schiffn. = *Denotarisia linguifolia*
Jamesoniella ovifolia var. *minor* Schiffn. = *Denotarisia linguifolia*
Jamesoniella ruttneri Schiffn. = *Jungermannia pumila*
Jamesoniella verdoornii Schiffn. nom. inval. = *Jackiella javanica*
Jensenia zollingeri (Gottsche) Grolle = *Jensenia decipiens*
Jubula hutchinsiae var. *integrifolia* (Steph.) S.Hatt. = *Jubula hutchinsiae* subsp. *javanica*
Jubula hutchinsiae var. *javanica* (Steph.) Renner 1932 nom. inval. = *Jubula hutchinsiae* subsp. *javanica*
Jubula hutchinsiae var. *sullivantii* Spruce = *Jubula pennsylvanica* subsp. *pennsylvanica*
Jubula javanica Steph. ≡ *Jubula hutchinsiae* subsp. *javanica*
Jungermannia abietina Nees ≡ *Plagiochila abietina*
Jungermannia affinis Reinw., Blume et Nees = *Heteroscyphus coalitus*
Jungermannia affinis Schiffn. = *Denotarisia linguifolia*
Jungermannia algera Nees ≡ *Gottschea algera*

Jungermannia algera γ *laxa* Nees ≡ *Schistochila algera* var. *laxa*
Jungermannia algera δ *exalbida* Nees = *Gottschea algera*
Jungermannia apiculata Nees ≡ *Frullania apiculata*
Jungermannia apiculata β *nodulosa* Nees = *Frullania apiculata* β *laxa*
Jungermannia applanata Reinw., Blume et Nees ≡ *Lopholejeunea applanata*
Jungermannia applanata β *monstrosa* Nees ≡ *Lopholejeunea nigricans* var. *monstrosa*
Jungermannia appressifolia Mitt. ≡ *Solenostoma appressifolium*
Jungermannia arbuscula Brid. ex Lehm. et Lindenb. ≡ *Plagiochila arbuscula*
Jungermannia arcuata Nees ≡ *Acrolejeunea arcuata*
Jungermannia arguta Reinw., Blume et Nees ≡ *Heteroscyphus argutus*
Jungermannia ariadne Taylor ex Lehm. ≡ *Solenostoma ariadne*
Jungermannia armata Nees ≡ *Isotachis armata*
Jungermannia armata β *elongata* Sande Lac. ≡ *Isotachis armata* var. *elongata*
Jungermannia aselliformis Reinw., Blume et Nees ≡ *Heteroscyphus aselliformis*
Jungermannia asplenoides β *australis* Nees ≡ *Plagiochila trapezoidea*
Jungermannia asplenoides β** *tenera* Nees = *Plagiochila singularis*
Jungermannia baduina Nees ≡ *Heteroscyphus baduinus*
Jungermannia bantamensis Reinw., Blume et Nees ≡ *Plagiochila bantamensis*
Jungermannia baueri (Schiffn.) Amakawa nom. illeg. ≡ *Solenostoma baueri*
Jungermannia bicuspidata A α *vulgaris* (Nees) Gottsche, Lindenb. et Nees nom. illeg. = *Cephalozia bicuspidata* subsp. *bicuspidata*
Jungermannia bicuspidata L. ≡ *Cephalozia bicuspidata*
Jungermannia bidens Reinw., Blume et Nees ≡ *Anastrophyllum bidens*
Jungermannia bidentata L. = *Chiloscyphus coadunatus*
Jungermannia bidentula F. Weber ≡ *Calypogeia bidentula*
Jungermannia blepharophora Nees ≡ *Plagiochila blepharophora*
Jungermannia blumei Nees ≡ *Schistochila blumei*
Jungermannia boryana F. Weber ≡ *Radula boryana*
Jungermannia boschiana Sande Lac. ≡ *Hygrolebodium boschianum*
Jungermannia brasiliensis (Nees et Mont.) Nees ≡ *Symphyogyna brasiliensis*
Jungermannia brauniiana Nees ≡ *Plagiochilion brauniianum*
Jungermannia calcarata Reinw., Blume et Nees = *Mastigophora diclados*
Jungermannia calva Nees = *Plagiochila javanica*
Jungermannia canaliculata Nees ≡ *Riccardia canaliculata*
Jungermannia capillaris Sw. ≡ *Kurzia capillaris*
Jungermannia capillaris β *javanica* Nees = *Telaranea neesii*
Jungermannia ciliolata Nees ≡ *Chiloscyphus ciliolatus*
Jungermannia cladorhiza Reinw., Blume et Nees ≡ *Lepidozia cladorhiza*
Jungermannia coalita β *affinis* (Reinw., Blume et Nees) Nees = *Heteroscyphus coalitus*
Jungermannia coalita γ *tenera* Nees ≡ *Chiloscyphus coalitus* var. *tener*
Jungermannia colorata γ *microphylla* Nees = *Gottschelia schizopleura*
Jungermannia colorata δ *decipiens* Nees = *Solenostoma tetragonum*
Jungermannia comans Nees = *Solenostoma comatum*
Jungermannia comata Nees ≡ *Solenostoma comatum*
Jungermannia conjugata α *opposita* (Reinw., Blume et Nees) Nees ≡ *Plagiochilion oppositum*
Jungermannia conjugata γ *falcata* Nees ≡ *Plagiochila conjugata* var. *falcata*
Jungermannia contracta Reinw., Blume et Nees ≡ *Cuspidatula contracta*
Jungermannia cordistipula Reinw., Blume et Nees ≡ *Frullania cordistipula*
Jungermannia cordistipula β *regularis* Nees ≡ *Frullania cordistipula* γ *regularis*
Jungermannia cordistipula γ *pertenuis* Nees ≡ *Frullania serrata* var. *pertenuis*
Jungermannia costata Nees ≡ *Chiloscyphus costatus*
Jungermannia cristata Sw. ≡ *Plagiochila cristata*
Jungermannia cucullata Reinw., Blume et Nees ≡ *Metalejeunea cucullata*
Jungermannia cucullata α *major* Nees nom. inval. = *Metalejeunea cucullata*
Jungermannia cucullata β *exilis* (Reinw., Blume et Nees) Nees ≡ *Lejeunea exilis*
Jungermannia cucullata γ *tenuis* Nees = *Drepanolejeunea angustifolia*
Jungermannia curvifolia var. β *baueri* (Mart.) Lindenb. = *Nowellia curvifolia*
Jungermannia daedalea Nees = *Schistochila reinwardtii*
Jungermannia decolyana Schiffn. ex Steph. = *Solenostoma appressifolium* var. *appressifolium*
Jungermannia decurrens Reinw., Blume et Nees nom. illeg. = *Heteroscyphus splendens*
Jungermannia dendroides Nees ≡ *Chiastocaulon dendroides*
Jungermannia dichotoma (P. Beauv.) Steud. ≡ *Plagiochila dichotoma*
Jungermannia diclados α *scorpioides* (Reinw., Blume et Nees) Nees = *Mastigophora diclados*
Jungermannia diclados α* *major* Nees = *Mastigophora diclados*
Jungermannia diclados α** *tenerior* Nees = *Mastigophora diclados*

Jungermannia diclados β *calcarata* (Reinw., Blume et Nees) Nees nom. illeg. = *Mastigophora diclados*
Jungermannia diclados β* *conferta* Nees = *Mastigophora diclados*
Jungermannia diclados β** *rhzobola* Nees = *Mastigophora diclados*
Jungermannia diclados β*** *nana* Nees = *Mastigophora diclados*
Jungermannia distans Nees nom. illeg. ≡ *Bazzania distans*
Jungermannia divaricata Nees nom. illeg. ≡ *Acromastigum divaricatum*
Jungermannia divaricata α *laxa* Nees = *Cephaloziella divaricata*
Jungermannia erosa Reinw., Blume et Nees ≡ *Bazzania erosa*
Jungermannia erosa α Nees nom. inval. = *Bazzania erosa*
Jungermannia erosa β Nees = *Bazzania spiralis*
Jungermannia exigua Gottsche ex Váňa nom. inval. = *Solenostoma strictum*
Jungermannia exilis Reinw., Blume et Nees ≡ *Lejeunea exilis*
Jungermannia fertilis Reinw., Blume et Nees ≡ *Acrolejeunea fertilis*
Jungermannia filicina Sw. ≡ *Bryopteris filicina*
Jungermannia fissa Nees nom. illeg. = *Mastigophora diclados*
Jungermannia fissa β *laxior-et-tenuis* Nees ≡ *Mastigophora fissa* var. *laxior-et-tenuis*
Jungermannia flexicaulis Nees ≡ *Jamesoniella flexicaulis*
Jungermannia flexicaulis β *microphylla* Gottsche, Lindenb. et Nees = *Gottschelia schizopleura*
Jungermannia flexicaulis γ *decipiens* Gottsche, Lindenb. et Nees = *Solenostoma tetragonum*
Jungermannia formosa C.F.W.Meissn. ex Spreng. ≡ *Radula formosa*
Jungermannia frondescens (Nees) Nees = *Plagiochila frondescens*
Jungermannia fucoidea Sw. ≡ *Riccardia fucoidea*
Jungermannia furcata var. β *elongata* Hook. nom. illeg. = *Metzgeria conjugata*
Jungermannia furcata var. β *maxima* Weber = *Metzgeria conjugata*
Jungermannia furcata γ *linearis* (Sw.) Nees ≡ *Steereella linearis*
Jungermannia galeata Reinw., Blume et Nees = *Frullania riojaneirensis*
Jungermannia gigantea Hook. nom. illeg. = *Plagiochila gigantea*
Jungermannia gigantea β *laxior* Nees ≡ *Plagiochila gigantea* var. *laxior*
Jungermannia gracilis Reinw., Blume et Nees = *Frullania gracilis*
Jungermannia hasskarliana (Nees) Steph. = *Solenostoma hasskarlianum*
Jungermannia herzogiana (Schiffn.) Váňa ≡ *Solenostoma javanicum*
Jungermannia hirtella F.Weber ≡ *Plicanthus hirtellus*
Jungermannia holorhiza Reinw., Blume et Nees ≡ *Lepidozia holorhiza*
Jungermannia holorhiza β *laxa* Nees ≡ *Lepidozia holorhiza* var. *laxa*
Jungermannia hutchinsiae Hook. ≡ *Jubula hutchinsiae*
Jungermannia integrifolia Nees ≡ *Frullania integrifolia*
Jungermannia intermedia Reinw., Blume et Nees ≡ *Frullania intermedia*
Jungermannia javanensis Jolycl. nom. illeg. = *Fossombronia angulosa*
Jungermannia javanica (Nees) Taylor et Hook.f. nom. illeg. = *Telaranea neesii*
Jungermannia javanica (Schiffn.) Amakawa nom. illeg. ≡ *Solenostoma javanicum*
Jungermannia javanica Nees nom. illeg. = *Plagiochila frondescens*
Jungermannia javanica Sw. ≡ *Plagiochila javanica*
Jungermannia javanica α *tenerrima* Nees = *Plagiochila frondescens*
Jungermannia javanica β *diffusa* Nees = *Plagiochila frondescens*
Jungermannia javanica γ *rigida* Nees = *Plagiochila frondescens*
Jungermannia junghuhniana Nees = *Solenostoma comatum* var. *comatum*
Jungermannia juniperina var. β Hook. = *Herbertus aduncus*
Jungermannia kurzii Gottsche ex Váňa nom. inval. = *Solenostoma strictum*
Jungermannia lobulata Hook. ≡ *Frullania lobulata*
Jungermannia lobulata α *minor* Nees nom. illeg. = *Frullania lobulata*
Jungermannia loricata Reinw., Blume et Nees ≡ *Bazzania loricata*
Jungermannia lumbrocoidea Nees ≡ *Lejeunea lumbrocoidea*
Jungermannia lycopodioides Wallr. ≡ *Barbilophozia lycopodioides*
Jungermannia microphylla Hook. ≡ *Lepidozia microphylla*
Jungermannia miehena Steph. = *Solenostoma baueri*
Jungermannia mollis Nees = *Chiloscyphus mollis*
Jungermannia moniliata Reinw., Blume et Nees ≡ *Frullania moniliata*
Jungermannia multifida L. ≡ *Riccardia multifida*
Jungermannia nemorosa L. nom. illeg. = *Scapania nemorea*
Jungermannia nigricaulis Reinw., Blume et Nees ≡ *Frullania nigricaulis*
Jungermannia nodulosa Reinw., Blume et Nees ≡ *Frullania nodulosa*
Jungermannia obliquata Nees ≡ *Bazzania praerupta* var. *obliquata*
Jungermannia obliquifolia (Schiffn.) Váňa ≡ *Solenostoma obliquifolium*
Jungermannia obscura Sw. = *Frullania riojaneirensis*

Jungermannia ochroleuca β *tenuior* Nees = *Lepicolea rara*
Jungermannia ochroleuca γ *nana* Nees = *Lepicolea rara*
Jungermannia ochroleuca δ *viridis* Nees ≡ *Lepicolea ochroleuca* var. *viridis*
Jungermannia opposita Reinw., Blume et Nees ≡ *Plagiochilion oppositum*
Jungermannia ornithocephala Reinw., Blume et Nees ≡ *Frullania ornithocephala*
Jungermannia ornithocephala α *minor* Nees ≡ *Frullania ornithocephala* α *minor*
Jungermannia ornithocephala β *major* Nees ≡ *Frullania ornithocephala* var. *major*
Jungermannia pallescens Ehrh. ex Hoffm. ≡ *Chiloscyphus pallescens*
Jungermannia pangerangana Gottsche ex Váňa nom. inval. = *Solenostoma strictum*
Jungermannia piligera Nees ≡ *Anastrophyllum piligerum*
Jungermannia piligera α *major* Nees nom. inval. = *Anastrophyllum piligerum*
Jungermannia piligera β *minor* Nees ≡ *Anastrophyllum piligerum*
Jungermannia piligera γ *tenerrima* Nees = *Anastrophyllum bidens*
Jungermannia pinnatifida (Weber) Nees = *Riccardia chamedryfolia*
Jungermannia pluma Reinw., Blume et Nees ≡ *Trichocolea pluma*
Jungermannia polygona Mitt. ex Váňa nom. inval. = *Solenostoma haskarlianum*
Jungermannia polyrhiza Hook. ex Lehm. = *Solenostoma truncatum*
Jungermannia praerupta Reinw., Blume et Nees ≡ *Bazzania praerupta*
Jungermannia prostrata Sw. ≡ *Odontoschisma prostratum*
Jungermannia punicea Nees ≡ *Andrewsianthus puniceus*
Jungermannia quadridens Nees ≡ *Lepidozia quadridens*
Jungermannia radicellosa (Mitt.) Steph. ≡ *Solenostoma radicellosum*
Jungermannia ramuligera Nees ≡ *Frullania ramuligera*
Jungermannia recurvifolia Nees ≡ *Andrewsianthus recurvisolius*
Jungermannia reinwardtii Nees ≡ *Schistochila reinwardtii*
Jungermannia renitens Nees ≡ *Plagiochila renitens*
Jungermannia reptans L. ≡ *Lepidozia reptans*
Jungermannia retusa Gottsche nom. illeg. = *Solenostoma javanicum*
Jungermannia retusa Reinw., Blume et Nees ≡ *Thysananthus retusus*
Jungermannia rhizophora Reinw., Blume et Nees = *Metzgeria furcata*
Jungermannia rigidula Nees ≡ *Saccogynidium rigidulum*
Jungermannia sciurea Nees ≡ *Schistochila sciurea*
Jungermannia scorpioides Reinw., Blume et Nees = *Mastigophora diclados*
Jungermannia semirepanda Nees ≡ *Spruceanthus semirepandus*
Jungermannia serpentina Nees ≡ *Bazzania serpentina*
Jungermannia serpyllifolia Wilson et Hook. nom. illeg. = *Lejeunea flava*
Jungermannia setacea Weber = *Kurzia pauciflora*
Jungermannia setigera Lindenb. ≡ *Temnoma setigerum*
Jungermannia simplex Weber nom. illeg. = *Plagiochila trapezoidea*
Jungermannia sordida Nees ≡ *Lejeunea sordida*
Jungermannia sordida var. β *tenerrima* Nees ≡ *Euosmolejeunea tenerrima*
Jungermannia spathulistipa Reinw., Blume et Nees ≡ *Thysananthus spathulistipus*
Jungermannia spathulistipa α *minor* Nees nom. illeg. = *Thysananthus spathulistipus*
Jungermannia spathulistipa β* *subpinnata* Nees ex Schiffn. nom. inval. = *Thysananthus spathulistipus*
Jungermannia sphagnoides A.Rich. ex Hook. nom. illeg. = *Pleurozia gigantea*
Jungermannia spiralis Reinw., Blume et Nees ≡ *Bazzania spiralis*
Jungermannia squamata Reinw., Blume et Nees nom. illeg. = *Jamesoniella flexicaulis*
Jungermannia squamata var. γ *apiculata* Nees ex Sande Lac. nom. inval. = *Cuspidatula contracta*
Jungermannia squarrosa Nees nom. illeg. = *Frullania ericoides*
Jungermannia stephanii (Schiffn.) Amakawa ≡ *Solenostoma stephanii*
Jungermannia stricta (Schiffn.) Steph. ≡ *Solenostoma strictum*
Jungermannia subfuscata Nees ≡ *Lopholejeunea subfuscata*
Jungermannia subintegerrima Reinw., Blume et Nees ≡ *Syzygiella subintegerrima*
Jungermannia subintegerrima α *oblongifolia* Nees = *Syzygiella securifolia*
Jungermannia subintegerrima β *maior* Nees nom. illeg. = *Syzygiella subintegerrima*
Jungermannia succulenta A.Rich. ex Lehm. ≡ *Nardia succulenta*
Jungermannia sulcata Nees ≡ *Spruceanthus sulcatus*
Jungermannia tenuis (Nees) Reinw., Blume et Nees nom. illeg. = *Drepanolejeunea angustifolia*
Jungermannia tetragona Lindenb. ≡ *Solenostoma tetragonum*
Jungermannia thymifolia Nees = *Lejeunea flava*
Jungermannia thymifolia α *imbricata* Nees = *Cheilolejeunea trapezia*
Jungermannia thymifolia β *discreta* Nees = *Lejeunea flava* subsp. *orientalis*
Jungermannia thymifolia γ *intertexta* Nees = *Lejeunea flava*
Jungermannia thymifolia δ *laxa* Nees ≡ *Taxilejeunea laxa*

Jungermannia tomentella var. β *javanica* Reinw., Blume et Nees = *Trichocolea tomentella*
Jungermannia tomentella var. δ *pluma* (Reinw., Blume et Nees) Lindenb. = *Trichocolea pluma*
Jungermannia tomentella ε *subsimplex* Nees = *Trichocolea tomentella* ε *subsimplex*
Jungermannia trapezia Nees = *Cheilolejeunea trapezia*
Jungermannia trichodes Reinw., Blume et Nees = *Lepidozia trichodes*
Jungermannia tricuspidata Nees = *Cephalozia tricuspidata*
Jungermannia tridens Reinw., Blume et Nees = *Bazzania tridens*
Jungermannia tridens α Nees = *Bazzania tridens*
Jungermannia tridens β Nees = *Bazzania pectinata*
Jungermannia trifaria Reinw., Blume et Nees = *Cheilolejeunea trifaria*
Jungermannia trisubulata Nees = *Lepicolea rara*
Jungermannia truncata f. *transitoriae* (Schiffn.) Amakawa nom. inval. = *Solenostoma truncatum*
Jungermannia truncata Nees = *Solenostoma truncatum*
Jungermannia truncata var. β *crassiretis* (Schiffn.) Amakawa nom. inval. = *Solenostoma truncatum*
Jungermannia truncata β *tenerrima* Nees = *Nardia truncata*
Jungermannia ulvoides Reinw., Blume et Nees = *Symphyogyna ulvoides*
Jungermannia umbilicata Nees = *Lejeunea umbilicata*
Jungermannia uncigera Reinw., Blume et Nees = *Bazzania uncigera*
Jungermannia uncinata F. Weber = *Isotachis aubertii*
Jungermannia vaginata Sw. = *Frullania vaginata*
Jungermannia vitrea Nees = *Leptolejeunea vitrea*
Jungermannia vulcanicola (Schiffn.) Steph. = *Solenostoma vulcanicola*
Kantius alternifolius (Nees) Spruce = *Metacalypogeia alternifolia*
Kantius alternifolius var. β *confertior* (Gottsche, Lindenb. et Nees) Schiffn. = *Mnioloma fuscum*
Kantius apiculatus Steph. = *Calypogeia apiculata*
Kantius bidentulus (F. Weber) Trevis. = *Calypogeia bidentula*
Kantius goebelii f. *thermarum* Schiffn. nom. inval. = *Calypogeia goebelii*
Kantius goebelii Schiffn. = *Calypogeia goebelii*
Kurzia crenacanthoidea Mart. = *Kurzia gonyotricha*
Leioscyphus motleyi Mitt. = *Leptoscyphus infuscatus*
Lejeunea abnormis (Herzog) Inoue nom. illeg. = *Lejeunea exilis*
Lejeunea abnormis (Herzog) R.M.Schust. nom. illeg. = *Lejeunea exilis*
Lejeunea acroloba Mont. ex Steph. = *Colura acroloba*
Lejeunea aequabilis Sande Lac. = *Cololejeunea aequabilis*
Lejeunea apiculata Horik. = *Lopholejeunea nigricans*
Lejeunea applanata (Reinw., Blume et Nees) Nees = *Lopholejeunea applanata*
Lejeunea applanata β^* Gottsche, Lindenb. et Nees = *Lopholejeunea applanata*
Lejeunea aptycta Gottsche = *Taxilejeunea aptycta*
Lejeunea arcuata (Nees) Steph. = *Acrolejeunea arcuata*
Lejeunea belangeriana Gottsche = *Ceratolejeunea belangeriana*
Lejeunea byssiformis (Herzog) Grolle et Mizut. = *Lejeunea exilis*
Lejeunea cardiocalyx Schiffn. nom. inval. = *Cololejeunea cardiocalyx*
Lejeunea ceratantha Nees et Mont. = *Ceratolejeunea cornuta*
Lejeunea ciliatilobula Schiffn. = *Cololejeunea inflectens*
Lejeunea compressiuscula Lindb. ex Steph. nom. inval. = *Taxilejeunea compressiuscula*
Lejeunea conferta (C.F.W.Meissn. ex Spreng.) Gottsche, Lindenb. et Nees = *Anoplolejeunea conferta*
Lejeunea conica Sande Lac. = *Colura conica*
Lejeunea corynophora Nees, Lindenb. et Gottsche = *Colura corynophora*
Lejeunea cucullata (Reinw., Blume et Nees) Nees = *Metalejeunea cucullata*
Lejeunea cucullata var. δ *parasitica* Gottsche, Lindenb. et Nees = *Metalejeunea cucullata*
Lejeunea cucullata α *major* Nees nom. illeg. = *Metalejeunea cucullata*
Lejeunea cucullata β *exilis* (Reinw., Blume et Nees) Nees = *Lejeunea exilis*
Lejeunea cyclops Sande Lac. = *Drepanolejeunea cyclops*
Lejeunea dactylophora Nees, Lindenb. et Gottsche = *Drepanolejeunea dactylophora*
Lejeunea decursiva Sande Lac. = *Cheilolejeunea decursiva*
Lejeunea dozyana Sande Lac. = *Cololejeunea dozyana*
Lejeunea elliptica (Lehm. et Lindenb.) Mont. = *Leptolejeunea elliptica*
Lejeunea elliptica α *conferta* (Lehm. et Lindenb.) Gottsche, Lindenb. et Nees = *Leptolejeunea elliptica*
Lejeunea erectifolia Spruce ex Spruce = *Metalejeunea cucullata*
Lejeunea falsinervis Sande Lac. = *Cheilolejeunea falsinervis*
Lejeunea fertilis (Reinw., Blume et Nees) Mitt. = *Acrolejeunea fertilis*
Lejeunea floccosa (Lehm. et Lindenb.) Lehm. et Lindenb. = *Cololejeunea floccosa*
Lejeunea fruticosa (Lindenb. et Gottsche) Spruce = *Dendrolejeunea fruticosa*
Lejeunea goebelii f. *normalis* Schiffn. nom. inval. = *Cololejeunea trichomanis*

Lejeunea goebelii Gottsche ex K.I.Goebel nom. inval. = *Cololejeunea trichomanis*
Lejeunea goebelii Gottsche ex Schiffn. = *Cololejeunea trichomanis*
Lejeunea goebelii var. β *cardiocalyx* Schiffn. = *Cololejeunea goebelii* var. *cardiocalyx*
Lejeunea hampeana Steph. nom. illeg. = *Drepanolejeunea hampeana*
Lejeunea haskarliana Lehm. et Lindenb. = *Cololejeunea haskarliana*
Lejeunea hasskarliana (Gottsche) Spruce = *Schiffnerolejeunea tumida* var. *hasskarliana*
Lejeunea heterophylla Sande Lac. = *Cheilolejeunea trifaria*
Lejeunea humilis (Gottsche) Spruce = *Mastigolejeunea auriculata*
Lejeunea imbricata (Nees) Nees = *Cheilolejeunea trapezia*
Lejeunea inchoata (C.F.W.Meissn. ex Lehm. et Lindenb.) Nees nom. illeg. = *Drepanolejeunea inchoata*
Lejeunea incisa Gottsche = *Cheilolejeunea incisa*
Lejeunea intermedia Lindenb. = *Lopholejeunea nigricans*
Lejeunea javanica (Nees) Spruce nom. illeg. = *Ptychanthus striatus*
Lejeunea javanica Nees = *Lopholejeunea nigricans*
Lejeunea javanica var. *intermedia* (Gottsche) Spruce = *Ptychanthus striatus* var. *intermedius*
Lejeunea junghuhniana Steph. = *Colura junghuhniana*
Lejeunea latistipula var. *minor* Schiffn. = *Phaeolejeunea latistipula*
Lejeunea laxa (Nees) Lindenb. = *Taxilejeunea laxa*
Lejeunea leratii (Steph.) Mizut. = *Lejeunea patersonii*
Lejeunea lindenbergii Gottsche = *Cheilolejeunea lindenbergii*
Lejeunea lineata (Lehm. et Lindenb.) Nees = *Cheilolejeunea lineata*
Lejeunea luteola (Steph.) Mizut. nom. illeg. = *Lejeunea mimula*
Lejeunea maculata Mitt. = *Leptolejeunea maculata*
Lejeunea marginata (Lehm. et Lindenb.) Gottsche, Lindenb. et Nees = *Cololejeunea marginata*
Lejeunea mitracalyx (Eifrig) Mizut. = *Lejeunea alata*
Lejeunea muricata Gottsche = *Dactylophorella muricata*
Lejeunea nigricans Lindenb. = *Lopholejeunea nigricans*
Lejeunea nigricans β *monstrosa* (Nees) Gottsche, Lindenb. et Nees = *Lopholejeunea nigricans* var. *monstrosa*
Lejeunea novoguineensis Schiffn. = *Lejeunea umbilicata*
Lejeunea ornata (K.I.Goebel) Schiffn. = *Colura ornata*
Lejeunea parvisaccata (Steph.) Steph. = *Lejeunea micholitzii*
Lejeunea pellucida (C.F.W.Meissn. ex Spreng.) Gottsche, Lindenb. et Nees = *Diplasiolejeunea pellucida*
Lejeunea peraffinis Schiffn. = *Cololejeunea peraffinis*
Lejeunea plana (Sande Lac.) Steph. = *Thysananthus retusus*
Lejeunea polymorpha (Sande Lac.) Schiffn. = *Spruceanthus polymorphus*
Lejeunea polymorpha var. *undulifolia* (Sande Lac.) Schiffn. = *Spruceanthus polymorphus*
Lejeunea polyrhiza Nees = *Drepanolejeunea polyrhiza*
Lejeunea pusilla (K.I.Goebel) Schiffn. nom. illeg. = *Cololejeunea metzgeriopsis*
Lejeunea recurvistipula Gottsche = *Caudalejeunea recurvistipula*
Lejeunea reniloba (Gottsche) Spruce = *Caudalejeunea recurvistipula*
Lejeunea retusa (Reinw., Blume et Nees) Steph. = *Thysananthus retusus*
Lejeunea sagraeana (Mont.) Gottsche, Lindenb. et Nees = *Lopholejeunea subfusca*
Lejeunea schiffneri Steph. ex Schiffn. nom. illeg. = *Leptolejeunea maculata*
Lejeunea semirepanda (Nees) Nees et Mont. = *Spruceanthus semirepandus*
Lejeunea serpyllifolia (Dicks.) Lib. = *Lejeunea patens*
Lejeunea setistipa Steph. nom. inval. = *Drepanolejeunea thwaitesiana*
Lejeunea setistipa Steph. ex Schiffn. = *Drepanolejeunea thwaitesiana*
Lejeunea spathulistipa (Reinw., Blume et Nees) Mitt. = *Thysananthus spathulistipus*
Lejeunea squamata (Willd. ex F.Weber) Nees ex Mont. = *Stictolejeunea squamata*
Lejeunea stahliana Steph. = *Lejeunea discreta*
Lejeunea subfusca (Nees) Nees et Mont. = *Lopholejeunea subfusca*
Lejeunea sulcata (Nees) Spruce = *Spruceanthus sulcatus*
Lejeunea superba var. β *latifolia* Schiffn. = *Colura superba*
Lejeunea tenuis (Nees) Nees = *Drepanolejeunea angustifolia*
Lejeunea teretiuscula Lindenb. = *Cheilolejeunea trifaria*
Lejeunea teysmannii Gottsche = *Drepanolejeunea teysmannii*
Lejeunea thymifolia (Nees) Mont. = *Lejeunea flava*
Lejeunea thymifolia β *discreta* (Nees) Gottsche, Lindenb. et Nees nom. inval. = *Lejeunea flava* subsp. *orientalis*
Lejeunea thymifolia β *indica* (Nees et Blandow) Gottsche, Lindenb. et Nees = *Lejeunea flava* subsp. *orientalis*
Lejeunea trapezia (Nees) Nees = *Cheilolejeunea trapezia*
Lejeunea trapezia (Nees) Spruce = *Cheilolejeunea trapezia*
Lejeunea trapezia β *minor* Gottsche, Lindenb. et Nees = *Cheilolejeunea trapezia*
Lejeunea tridactyla Gottsche = *Drepanolejeunea tridactyla*
Lejeunea trifaria Gottsche, Lindenb. et Nees = *Cheilolejeunea trifaria*

Lejeunea venusta Sande Lac. = *Cololejeunea haskarliana* var. *haskarliana*
Lejeunea vitrea (Nees) Lindenb. et Gottsche = *Leptolejeunea vitrea*
Lejeunea xanthocarpa (Lehm. et Lindenb.) Gottsche, Lindenb. et Nees = *Leucolejeunea xanthocarpa*
Lejeunea zollingeri (Steph.) Mizut. nom. illeg. = *Lejeunea mizutanii*
Lejeunea zollingeri Steph. = *Lopholejeunea zollingeri*
Lembidium boschianum (Sande Lac.) Schiffn. = *Hygrolembidium boschianum*
Lembidium boschianum f. *etiolatum* Schiffn. nom. inval. = *Hygrolembidium boschianum*
Lembidium boschianum f. *laxifolium* Schiffn. nom. inval. = *Hygrolembidium boschianum*
Lembidium boschianum f. *luxurians* Schiffn. nom. inval. = *Hygrolembidium boschianum*
Lembidium boschianum f. *tenue* Schiffn. nom. inval. = *Hygrolembidium boschianum*
Lepicolea fissa (Nees) Steph. = *Mastigophora diclados*
Lepicolea flaccida Steph. = *Triandrophylum heterophyllum*
Lepicolea loriana Steph. = *Lepicolea rara*
Lepicolea ochroleuca var. β *tenerior* (Nees) Schiffn. = *Lepicolea rara*
Lepicolea ochroleuca var. γ *nana* (Nees) Schiffn. = *Lepicolea rara*
Lepicolea simplicior Herzog = *Lepicolea rara*
Lepidozia crenacanthonidea (Mart.) K.I.Goebel = *Kurzia gonyotricha*
Lepidozia gonyotricha Sande Lac. = *Kurzia gonyotricha*
Lepidozia javanica (Nees) Mont. = *Telaranea neesii*
Lepidozia neesii Lindenb. = *Telaranea neesii*
Lepidozia papulosa Steph. = *Telaranea papulosa*
Lepidozia paucidens Steph. = *Telaranea papulosa*
Lepidozia rara Steph. = *Lepicolea rara*
Lepidozia reptans δ *tenera* (Huebener) Gottsche, Lindenb. et Nees = *Lepidozia reptans*
Lepidozia setacea (Weber) Mitt. = *Kurzia pauciflora*
Lepidozia supradecomposita var. β *haskarliana* (Lindenb.) Schiffn. = *Lepidozia haskarliana*
Lepidozia supradecomposita β *haskarliana* Lindenb. = *Lepidozia haskarliana*
Lepidozia tenera Steph. = *Telaranea wallichiana*
Lepidozia trisetosa Steph. = *Telaranea trisetosa*
Lepidozia wallichiana Gottsche = *Telaranea wallichiana*
Leptocolea floccosa (Lehm. et Lindenb.) A.Evans = *Cololejeunea floccosa*
Leptocolea floccosa var. *peraffinis* (Schiffn.) Herzog = *Cololejeunea peraffinis*
Leptocolea goebelii (Gottsche ex Schiffn.) A.Evans = *Cololejeunea trichomanis*
Leptocolea karstenii Steph. = *Cololejeunea cordiflora*
Leptocolea peraffinis (Schiffn.) Horik. = *Cololejeunea peraffinis*
Leptocolea yulensis Steph. = *Cololejeunea aequabilis*
Leptolejeunea brevicornis Schiffn. nom. inval. = *Leptolejeunea foliicola*
Leptolejeunea cuspidata Steph. = *Lejeunea apiculata*
Leptolejeunea cyclops (Sande Lac.) Schiffn. = *Drepanolejeunea cyclops*
Leptolejeunea elliptica subsp. *subacuta* (Steph. ex A.Evans) R.M.Schust. = *Leptolejeunea elliptica*
Leptolejeunea foliicola (Horik.) R.M.Schust. nom. illeg. = *Drepanolejeunea foliicola*
Leptolejeunea polyrhiza (Nees) Steph. = *Drepanolejeunea polyrhiza*
Leptolejeunea schiffneri (Steph. ex Schiffn.) Steph. = *Leptolejeunea maculata*
Leptolejeunea schiffneri (Steph.) Steph. nom. inval. = *Leptolejeunea maculata*
Leptolejeunea schiffneri f. *angustifolia* Herzog nom. inval. = *Leptolejeunea maculata*
Leptolejeunea schiffneri f. *latifolia* Herzog = *Leptolejeunea maculata*
Leptolejeunea subacuta Steph. ex A.Evans = *Leptolejeunea elliptica*
Lobatiriccardia lobata (Schiffn.) Furuki = *Lobatiriccardia coronopus*
Lophocolea arguta (Reinw., Blume et Nees) Nees et Mont. = *Heteroscyphus argutus*
Lophocolea bidentata (L.) Dumort. = *Chiloscyphus coadunatus*
Lophocolea bidentata var. *rivularis* (Raddi) Schiffn. = *Chiloscyphus coadunatus* var. *rivularis*
Lophocolea bidentata var. β *minor* Sande Lac. nom. inval. = *Chiloscyphus coadunatus*
Lophocolea boulyana Steph. = *Chiloscyphus boulyanus*
Lophocolea ciliolata (Nees) Gottsche = *Chiloscyphus ciliolatus*
Lophocolea ciliolata f. *angustifolia* Schiffn. = *Chiloscyphus ciliolatus*
Lophocolea ciliolata var. *spinulosa* Schiffn. = *Chiloscyphus ciliolatus*
Lophocolea costata (Nees) Nees = *Chiloscyphus costatus*
Lophocolea crenulifolia Steph. = *Chiloscyphus crenulifolius*
Lophocolea haskarliana Gottsche = *Chiloscyphus haskarlianus*
Lophocolea horridula Sande Lac. = *Chiloscyphus muricatus*
Lophocolea javanica Schiffn. = *Chiloscyphus schiffneri*
Lophocolea kurzii Sande Lac. = *Chiloscyphus kurzii*
Lophocolea lateralis Dumort. = *Chiloscyphus coadunatus* var. *rivularis*
Lophocolea laxissima Herzog = *Chiloscyphus laxissimus*

Lophocolea levieri Schiffn. ≡ *Chiloscyphus paroicus*
Lophocolea massalongoana Schiffn. ≡ *Chiloscyphus costatoides*
Lophocolea mollis (Nees) Nees ≡ *Chiloscyphus mollis*
Lophocolea muricata (Lehm.) Nees ≡ *Chiloscyphus muricatus*
Lophocolea salacensis Steph. ≡ *Chiloscyphus salacensis*
Lophocolea stephani Schiffn. ≡ *Chiloscyphus ciliolatooides*
Lophocolea thermarum Schiffn. ≡ *Chiloscyphus thermarum*
Lophocolea tridentata Sande Lac. = *Heteroscyphus knightii*
Lopholejeunea fleischeri Steph. = *Lopholejeunea applanata*
Lopholejeunea horticola Schiffn. nom. inval. = *Lopholejeunea horticola*
Lopholejeunea indica Udar et U.S.Awasthi = *Lopholejeunea subfusca*
Lopholejeunea intermedia (Lindenb.) Steph. = *Lopholejeunea nigricans*
Lopholejeunea javanica (Nees) Schiffn. = *Lopholejeunea nigricans*
Lopholejeunea karstenii Steph. ex R.L.Zhu et Gradst. nom. inval. = *Lopholejeunea applanata*
Lopholejeunea latialata Mizut. = *Lopholejeunea zollingeri*
Lopholejeunea latistipula (Schiffn.) Schiffn. ≡ *Phaeolejeunea latistipula*
Lopholejeunea latistipula var. β minor (Schiffn.) Schiffn. = *Phaeolejeunea latistipula*
Lopholejeunea nigricans var. γ *intermedia* (Lindenb.) Schiffn. = *Lopholejeunea nigricans*
Lopholejeunea nymannii Steph. = *Lopholejeunea euplopha*
Lopholejeunea parva Schiffn. nom. inval. = *Lopholejeunea ceylanica*
Lopholejeunea sagraeana (Mont.) Schiffn. = *Lopholejeunea subfusca*
Lopholejeunea sagraeana var. β *subfusca* (Nees) Schiffn. = *Lopholejeunea subfusca*
Lopholejeunea schiffneri Verd. = *Lopholejeunea ceylanica*
Lopholejeunea serrifolia Steph. = *Lopholejeunea wilensii*
Lophozia bidens Mitt. ex Steph. ≡ *Andrewsianthus bidens*
Lophozia dubia Schiffn. = *Hattoriella subcrispa*
Lophozia gedena Steph. = *Andrewsianthus puniceus*
Lophozia lycopodioides (Wallr.) Cogn. ≡ *Barbilophozia lycopodioides*
Lophozia punicea (Nees) Steph. ≡ *Andrewsianthus puniceus*
Lophozia recurvifolia (Nees) Steph. ≡ *Andrewsianthus recurvifolius*
Madotheca acutifolia Lehm. et Lindenb. ≡ *Porella acutifolia*
Madotheca javanica Gottsche ex Steph. ≡ *Porella javanica*
Madotheca ligulifera Taylor ex Lehm. ≡ *Porella campylophylla* var. *ligulifera*
Madotheca stracheyana Gottsche ex Steph. = *Porella acutifolia*
Makednothallus zollingeri (Gottsche) Verd. = *Jensenia decipiens*
Marchantia cataractarum Schiffn. = *Marchantia miqueliana*
Marchantia emarginata f. *intermedia* Schiffn. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata f. *minor* Schiffn. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata f. *thermarum* Schiffn. nom. inval. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata f. *thermarum* Schiffn. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata var. *longepedunculata* Schiffn. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata var. *major* Schiffn. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata var. *multiradia* Schiffn. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata var. β *leucolepis* Schiffn. nom. inval. = *Marchantia emarginata* subsp. *emarginata*
Marchantia emarginata a *typica* Schiffn. nom. inval. = *Marchantia emarginata*
Marchantia geminata f. *divaricata* Schiffn. = *Marchantia geminata*
Marchantia geminata var. *divaricata* (Schiffn.) Burgeff = *Marchantia geminata*
Marchantia geminata var. *major* Schiffn. = *Marchantia geminata*
Marchantia geminata var. *subsimplex* Schiffn. = *Marchantia treubii*
Marchantia hirsuta Reinw., Blume et Nees nom. illeg. = *Dumortiera hirsuta*
Marchantia nitida f. *javanica* Schiffn. nom. inval. = *Marchantia paleacea* subsp. *paleacea*
Marchantia nitida f. *subaquatica* Schiffn. nom. inval. = *Marchantia paleacea* subsp. *paleacea*
Marchantia nitida Lehm. et Lindenb. = *Marchantia paleacea* subsp. *paleacea*
Marchantia nitida var. *hillebrandii* Schiffn. = *Marchantia paleacea* subsp. *paleacea*
Marchantia palmata Reinw., Blume et Nees = *Marchantia emarginata* subsp. *emarginata*
Marchantia palmata var. *major-thermarum* (Schiffn.) Burgeff = *Marchantia emarginata* subsp. *emarginata*
Marchantia palmata var. *multiradia* (Schiffn.) Burgeff = *Marchantia emarginata* subsp. *emarginata*
Marchantia polymorpha a *denticulata* Gottsche, Lindenb. et Nees = *Marchantia polymorpha*
Marchantia robusta Steph. ex Bonner = *Marchantia pappeana* subsp. *robusta*
Marchantia rufiflora Steph. = *Marchantia miqueliana*
Marchantia sciaphila Schiffn. = *Marchantia treubii*
Marchantia tabularis Nees = *Marchantia berteroana*
Marchantia treubii var. *intercedens* Schiffn. = *Marchantia treubii*
Marchesinia arcuata (Nees) Kuntze ≡ *Acrolejeunea arcuata*

Marchesinia fertilis (Reinw., Blume et Nees) Kuntze = *Acrolejeunea fertilis*
Marchesinia haskarliana (Gottsche) Kuntze = *Schiffneriolejeunea tumida*
Marchesinia humilis (Gottsche) Kuntze = *Mastigolejeunea auriculata*
Marchesinia reniloba (Gottsche) Kuntze = *Caudalejeunea recurvistipula*
Marchesinia semirepanda (Nees) Kuntze = *Spruceanthus semirepandus*
Marsupella vulcanica Schiffn. = *Marsupella neesii*
Martinellius javanicus Mitt. = *Scapania javanica*
Martinellius rigidus (Nees) Trevis. nom. illeg. = *Scapania rigida*
Mastigobryum alternifolium Nees = *Metacalypogeia alternifolia*
Mastigobryum alternifolium β *confertius* Gottsche, Lindenb. et Nees = *Mnioloma fuscum*
Mastigobryum angustisedens Steph. = *Bazzania angustisedens*
Mastigobryum australe (Mont.) Lindenb. = *Bazzania tridens*
Mastigobryum calcaratum Sande Lac. = *Bazzania calcarata*
Mastigobryum commutatum Lindenb. et Gottsche = *Bazzania commutata*
Mastigobryum connatum Sande Lac. nom. inval. = *Bazzania japonica*
Mastigobryum conophyllum Sande Lac. = *Bazzania conophylla*
Mastigobryum densum Sande Lac. = *Bazzania densa*
Mastigobryum densum β *connatum* Sande Lac. = *Bazzania densa* var. *connata*
Mastigobryum desciscens Steph. = *Bazzania desciscens*
Mastigobryum distans (Nees) Nees = *Bazzania distans*
Mastigobryum divaricatum (Nees) Nees = *Acromastigum divaricatum*
Mastigobryum erosum (Reinw., Blume et Nees) Nees = *Bazzania erosa*
Mastigobryum erosum α Nees = *Bazzania erosa*
Mastigobryum erosum β (Nees) Lindenb. = *Bazzania spiralis*
Mastigobryum erosum γ Lindenb. = *Bazzania desciscens*
Mastigobryum fallax Sande Lac. = *Bazzania fallax*
Mastigobryum fleischeri Steph. nom. illeg. = *Bazzania gedeana*
Mastigobryum fleischeri Steph. = *Bazzania fleischeri*
Mastigobryum gibbum Sande Lac. = *Bazzania uncigera* var. *gibba*
Mastigobryum grandirete Steph. = *Bazzania grandiretis*
Mastigobryum horridulum (Schiffn.) Steph. = *Bazzania horridula*
Mastigobryum indicum Gottsche et Lindenb. = *Bazzania indica*
Mastigobryum intermedium Gottsche ex Lindenb. = *Bazzania intermedia*
Mastigobryum javanicum Sande Lac. = *Bazzania javanica*
Mastigobryum linguiforme Sande Lac. = *Bazzania linguiformis*
Mastigobryum longicaule Sande Lac. = *Bazzania longicaulis*
Mastigobryum loricatum (Reinw., Blume et Nees) Gottsche, Lindenb. et Nees = *Bazzania loricata*
Mastigobryum manillanum Gottsche ex Steph. = *Bazzania manillana*
Mastigobryum miquelianum Lehm. = *Bazzania commutata*
Mastigobryum olivaceum Steph. nom. illeg. = *Bazzania tridens* var. *tridens*
Mastigobryum paradoxum Sande Lac. = *Bazzania paradoxa*
Mastigobryum pectinatum Lindenb. et Gottsche = *Bazzania pectinata*
Mastigobryum praeruptum (Reinw., Blume et Nees) Nees = *Bazzania praerupta*
Mastigobryum praeruptum β *obliquatum* (Nees) Gottsche, Lindenb. et Nees = *Bazzania praerupta* var. *obliquata*
Mastigobryum schadenbergii Steph. = *Bazzania halconiensis*
Mastigobryum serpentinum (Nees) Lindenb. = *Bazzania serpentina*
Mastigobryum spirale (Reinw., Blume et Nees) Steph. = *Bazzania spiralis*
Mastigobryum subtile Sande Lac. = *Bazzania subtilis*
Mastigobryum tiburrum Steph. = *Bazzania tridens* var. *tridens*
Mastigobryum tridens (Reinw., Blume et Nees) Dumort. = *Bazzania tridens*
Mastigobryum tridens α (Nees) Gottsche, Lindenb. et Nees = *Bazzania tridens*
Mastigobryum tridens β (Nees) Gottsche, Lindenb. et Nees = *Bazzania pectinata*
Mastigobryum typicum Steph. = *Bazzania tridens* var. *tridens*
Mastigobryum uncigerum (Reinw., Blume et Nees) Nees = *Bazzania uncigera*
Mastigobryum uncigerum β Nees = *Bazzania gedeana*
Mastigobryum vittatum Gottsche = *Bazzania vittata*
Mastigobryum zollingeri Lindenb. = *Bazzania zollingeri*
Mastigolejeunea arcuata (Nees) Schiffn. = *Acrolejeunea arcuata*
Mastigolejeunea convoluta (Lindenb.) Schiffn. nom. inval. = *Thysananthus convolutus*
Mastigolejeunea humilis (Gottsche) Schiffn. = *Mastigolejeunea auriculata*
Mastigolejeunea humilis var. *ciliata* U.S.Awasthi et Udar = *Mastigolejeunea auriculata*
Mastigolejeunea inflatiloba Steph. = *Schiffneriolejeunea tumida*
Mastigolejeunea javanica Steph. = *Schiffneriolejeunea tumida* var. *haskarliana*
Mastigophora cladorhiza (Reinw., Blume et Nees) Trevis. = *Lepidozia cladorhiza*

Mastigophora cordata (Lindenb.) Trevis. ≡ *Lepidozia cordata*
Mastigophora diclados f. *conferta* (Nees) Schiffn. = *Mastigophora diclados*
Mastigophora diclados f. *nana* (Nees) Schiffn. = *Mastigophora diclados*
Mastigophora diclados f. *rhizobola* (Nees) Schiffn. = *Mastigophora diclados*
Mastigophora diclados f. *tenerior* (Nees) Schiffn. = *Mastigophora diclados*
Mastigophora diclados f. *thermarum* Schiffn. = *Mastigophora diclados*
Mastigophora diclados var. β *scorpioides* (Reinw., Blume et Nees) Schiffn. = *Mastigophora diclados*
Mastigophora fissa (Nees) Schiffn. = *Mastigophora diclados*
Mastigophora heterophylla Steph. = *Triandrophylum heterophyllum*
Mastigophora holorhiza (Reinw., Blume et Nees) Trevis. ≡ *Lepidozia holorhiza*
Mastigophora javanica (Nees) Trevis. = *Telaranea neesii*
Mastigophora quadridens (Nees) Trevis. ≡ *Lepidozia quadridens*
Mastigophora subintegra (Lindenb.) Trevis. ≡ *Lepidozia subintegra*
Mastigophora supradecomposita (Lindenb.) Trevis. ≡ *Lepidozia supradecomposita*
Mastigophora trichodes (Reinw., Blume et Nees) Mont. ≡ *Lepidozia trichodes*
Mastigophora vrieseana (Sande Lac.) Schiffn. = *Mastigophora diclados*
Megaceros grandis (Ångstr.) Steph. = *Megaceros flagellaris*
Megaceros salakensis Campb. = *Megaceros flagellaris*
Megaceros stahlii (Steph.) Campb. = *Megaceros flagellaris*
Mesophylla hasskarliana (Nees) Trevis. ≡ *Solenostoma hasskarlianum*
Metzgeria australis Steph. = *Metzgeria leptoneura*
Metzgeria conjugata var. *japonica* S.Hatt. = *Metzgeria conjugata* subsp. *japonica*
Metzgeria conjugata var. *minor* Schiffn. = *Metzgeria conjugata* subsp. *japonica*
Metzgeria cristata Steph. = *Metzgeria folicola*
Metzgeria cristatissima Herzog = *Metzgeria folicola*
Metzgeria decipiens (C.Massal.) Schiffn. = *Metzgeria ciliata*
Metzgeria fucoidea (Sw.) Mont. et Nees ≡ *Riccardia fucoidea*
Metzgeria furcata a *extensa* Nees = *Metzgeria leptoneura* var. *leptoneura*
Metzgeria furcata β *communis* (Nees) Gottsche, Lindenb. et Nees nom. illeg. = *Metzgeria furcata*
Metzgeria furcata β1 *major* Nees = *M. leptoneura*
Metzgeria furcata β2 *minor* Nees nom. inval. = *Steereella linearis*
Metzgeria fuscescens Mitt. ex Steph. = *Metzgeria leptoneura* var. *leptoneura*
Metzgeria hamata (Mitt.) Lindb. nom. illeg. = *Metzgeria procera*
Metzgeria hamata f. *propagulifera* Schiffn. = *Metzgeria leptoneura* var. *leptoneura*
Metzgeria hamata f. *transitoria* Schiffn. nom. inval. = *Metzgeria leptoneura*
Metzgeria hamata Lindb. nom. inval. = *Metzgeria leptoneura* var. *leptoneura*
Metzgeria hamatiformis Schiffn. = *Metzgeria leptoneura* var. *leptoneura*
Metzgeria lindbergii Schiffn. = *Metzgeria conjugata* subsp. *japonica*
Metzgeria minor (Schiffn.) Kuwah. nom. inval. = *Metzgeria conjugata* subsp. *japonica*
Metzgeria quadriseriata A.Evans = *Metzgeria ciliata*
Metzgeria sandei Schiffn. = *Metzgeria leptoneura*
Metzgeria subscobina Kuwah. = *Metzgeria scobia*
Metzgeria thomeensis Steph. = *Metzgeria leptoneura*
Metzgeriopsis pusilla K.I.Goebel = *Cololejeunea metzgeriopsis*
Microlejeunea abnormis (Herzog) Inoue et H.A.Mill. = *Lejeunea exilis*
Microlejeunea albicans (Nees) Steph. = *Metalejeunea cucullata*
Microlejeunea cucullata (Reinw., Blume et Nees) J.B.Jack et Steph. ≡ *Metalejeunea cucullata*
Microlejeunea exilis (Reinw., Blume et Nees) Bischl., H.A.Mill. et Bonner ≡ *Lejeunea exilis*
Microlejeunea microstipula Steph. nom. inval. = *Lejeunea microstipula*
Microlejeunea suborbicularis Herzog ≡ *Cheilolejeunea suborbicularis*
Micropterygium cymbifolium (Hook. ex Lehm. et Lindenb.) Nees nom. illeg. = *Micropterygium carinatum*
Mittenia zollingeri Gottsche = *Jensenia decipiens*
Moerckia radiculosus Schiffn. ≡ *Sandeothallus radiculosus*
Monoclea blumei Nees ≡ *Haplomitrium blumei*
Nardia ariadne (Taylor ex Lehm.) Schiffn. ≡ *Solenostoma ariadne*
Nardia comata (Nees) Schiffn. ≡ *Solenostoma comatum*
Nardia haskarliana (Nees) Lindb. ≡ *Solenostoma haskarlianum*
Nardia haskarliana f. *brevior* Schiffn. nom. inval. = *Solenostoma haskarlianum*
Nardia haskarliana var. *virens* Schiffn. = *Solenostoma haskarlianum*
Nardia notoscyphoides Schiffn. = *Notoscyphus lutescens*
Nardia polyrhiza (Hook. ex Lehm.) Steph. = *Solenostoma truncatum*
Nardia retusa (Gottsche) Schiffn. = *Solenostoma javanicum*
Nardia tetragona (Lindenb.) Schiffn. ≡ *Solenostoma tetragonum*
Nardia tetragona (Lindenb.) Schiffn. var. *aquatica* Schiffn. nom. inval. = *Solenostoma tetragonum*

Nardia tetragona f. *brevior* Schiffn. nom. inval. = *Solenostoma tetragonum*
Nardia tetragona f. *gracilior* Schiffn. nom. inval. = *Solenostoma haskarlianum*
Nardia truncata (Nees) Schiffn. ≡ *Solenostoma truncatum*
Nardia truncata f. *subaquatica* Schiffn. = *Solenostoma truncatum*
Nardia truncata (Nees) Schiffn. var. β *tenerima* (Nees) Schiffn. = *Solenostoma truncatum*
Nardia truncata f. *transitoria* Schiffn. = *Solenostoma truncatum*
Nardia truncata var. *crassiretis* Schiffn. = *Solenostoma truncatum*
Nardia truncata var. *elongata* Schiffn. nom. inval. = *Solenostoma truncatum*
Nardia vulcanicola f. *cavifolia* Schiffn. nom. inval. = *Solenostoma vulcanicola*
Nardia vulcanicola Schiffn. ≡ *Solenostoma vulcanicola*
Nardia vulcanicola var. *tenuiretis* Schiffn. = *Solenostoma vulcanicola*
Neolepidozia wallichiana (Gott sche) Fulford et J.Taylor ≡ *Telaranea wallichiana*
Noguchia brauniana (Nees) Inoue ≡ *Plagiochilion braunianum*
Noguchia opposita (Reinw., Blume et Nees) Inoue ≡ *Plagiochilion oppositum*
Notarisia aligera (Nees) Trevis. ≡ *Gottschea aligera*
Notoscyphus paroicus Schiffn. = *Notoscyphus lutescens*
Omphalanthus lumbricoides (Nees) Nees ≡ *Lejeunea lumbricoides*
Omphalanthus umbilicatus (Nees) Nees ≡ *Lejeunea umbilicata*
Pallavicinia indica Schiffn. = *Pallavicinia lyellii*
Pallavicinia indica var. *major* Schiffn. = *Pallavicinia lyellii*
Pallavicinia latifrons Steph. = *Pallavicinia lyellii*
Pallavicinia levieri var. *imperfecta* Schiffn. = *Symphyogynopsis gottscheana*
Pallavicinia radiculosa (Sande Lac.) Schiffn. = *Pallavicinia lyellii*
Pallavicinia zollingeri (Gott sche) Schiffn. = *Jensenia decipiens*
Paraschistochila aligera (Nees) R.M.Schust. ≡ *Gottschea aligera*
Paraschistochila cuspidata (Steph.) R.M.Schust. = *Gottschea aligera*
Phaeoceros laevis subsp. *carolinianus* (Michx.) Prosk. ≡ *Phaeoceros carolinianus*
Phaeoceros polyandrus (Steph.) J.Haseg. = *Paraphymatoceros hirticalyx*
Phragmicoma applanata (Reinw., Blume et Nees) Nees ≡ *Lopholejeunea applanata*
Phragmicoma arcuata (Nees) Nees ≡ *Acrolejeunea arcuata*
Phragmicoma cucullata Gott sche ex Steph. nom. inval. = *Acrolejeunea pycnoclada* subsp. *pycnoclada*
Phragmicoma cucullata Steph. nom. inval. = *Acrolejeunea pycnoclada* subsp. *pycnoclada*
Phragmicoma fertilis (Reinw., Blume et Nees) Nees nom. illeg. = *Acrolejeunea fertilis*
Phragmicoma fertilis (Reinw., Blume et Nees) Nees ex Mont. = *Acrolejeunea fertilis*
Phragmicoma haskariana Gott sche ≡ *Schiffnerolejeunea tumida* var. *haskariana*
Phragmicoma humilis Gott sche = *Mastigolejeunea auriculata*
Phragmicoma peradeniensis (Mitt.) Sande Lac. = *Schiffnerolejeunea tumida* var. *tumida*
Phragmicoma plana (Sande Lac.) Mitt. = *Thysananthus retusus*
Phragmicoma polymorpha Sande Lac. ≡ *Spruceanthus polymorphus*
Phragmicoma polymorpha α *undulifolia* Sande Lac. = *Spruceanthus polymorphus*
Phragmicoma polymorpha β *planifolia* Sande Lac. = *Spruceanthus polymorphus*
Phragmicoma reniloba Gott sche = *Caudalejeunea recurvistipula*
Phragmicoma semirepanda (Nees) Gott sche ≡ *Spruceanthus semirepandus*
Phragmicoma spathulistipa (Reinw., Blume et Nees) Mont. ≡ *Thysananthus spathulistipus*
Phragmicoma subfusca (Nees) Nees ≡ *Lopholejeunea subfusca*
Phragmicoma tumida Nees et Mont. = *Schiffnerolejeunea tumida*
Phragmolejeunea polymorpha (Sande Lac.) Schiffn. ≡ *Spruceanthus polymorphus*
Physiotium sphagnoides (A.Rich. ex Hook.) Hook. ex Nees nom. illeg. = *Pleurozia gigantea*
Physiotium sphagnoides Nees = *Pleurozia gigantea*
Physocolea aequabilis (Sande Lac.) Steph. ≡ *Cololejeunea aequabilis*
Physocolea ciliatilobula (Schiffn.) Steph. = *Cololejeunea inflectens*
Physocolea decliviloba (Steph.) Steph. ≡ *Cololejeunea decliviloba*
Physocolea dozyana (Sande Lac.) Steph. ≡ *Cololejeunea dozyana*
Physocolea estipulata Steph. = *Cololejeunea raduliloba*
Physocolea fusca Steph. ≡ *Cololejeunea fusca*
Physocolea javanica Steph. = *Cololejeunea angustiflora*
Physocolea madothecoides Steph. ≡ *Cololejeunea madothecoides*
Physocolea peraffinis (Schiffn.) Steph. ≡ *Cololejeunea peraffinis*
Physocolea planissima (Mitt.) Steph. ≡ *Cololejeunea planissima*
Physocolea scabrifolia (Schiffn.) Schiffn. ex Steph. = *Cololejeunea obliqua*
Physocolea venusta (Sande Lac.) Steph. = *Cololejeunea haskariana* var. *haskariana*
Physocolea verrucosa (Steph.) Steph. ≡ *Cololejeunea verrucosa*
Plagiochila abietina var. *hampeana* (Gott sche) Schiffn. ≡ *Plagiochila hampeana*
Plagiochila abietina β *gracilenta* Sande Lac. = *Plagiochila hampeana*

Plagiochila acanthophylla Gottsche = *Plagiochila sciophila*
Plagiochila accedens Steph. = *Plagiochila korthalsiana*
Plagiochila altecristata Steph. = *Plagiochila sandei*
Plagiochila asplenoides β *australis* (Nees) Nees = *Plagiochila trapezoidea*
Plagiochila autoica Steph. ≡ *Pedinophyllum autoicum*
Plagiochila bantamensis f. *minor* Carl nom. inval. = *Plagiochila bantamensis*
Plagiochila bantamensis var. β *minor* (Lindenb.) Schiffn. = *Plagiochila bantamensis*
Plagiochila bantamensis β *minor* Lindenb. = *Plagiochila bantamensis*
Plagiochila beccariana f. *laxa* Herzog ex Carl nom. inval. = *Plagiochila korthalsiana*
Plagiochila beccariana f. *simplicior* Herzog ex Carl = *Plagiochila korthalsiana*
Plagiochila beccariana Schiffn. = *Plagiochila korthalsiana*
Plagiochila beccariana var. *laxa* Schiffn. = *Plagiochila korthalsiana*
Plagiochila belangeriana f. *angustifolia* Herzog nom. inval. = *Plagiochila arbuscula*
Plagiochila belangeriana Lindenb. = *Plagiochila arbuscula*
Plagiochila belangeriana var. *brevifolia* Schiffn. = *Plagiochila arbuscula*
Plagiochila belangeriana var. *rufescens* Schiffn. = *Plagiochila arbuscula*
Plagiochila blepharophora var. *exilis* Schiffn. = *Plagiochila blepharophora*
Plagiochila brauniana (Nees) Lindenb. ≡ *Plagiochilum braunianum*
Plagiochila calva (Nees) Lindenb. = *Plagiochila javanica*
Plagiochila ciliata Gottsche = *Plagiochila sciophila*
Plagiochila ciliata var. *aberrans* Schiffn. = *Plagiochila sciophila*
Plagiochila ciliolata (Nees) Lindenb. ≡ *Chiloscyphus ciliolatus*
Plagiochila comata (Nees) Lindenb. ≡ *Solenostoma comatum*
Plagiochila commutata Schiffn. = *Syzygiella securifolia*
Plagiochila costata (Nees) Lindenb. ≡ *Chiloscyphus costatus*
Plagiochila dendroides (Nees) Lindenb. ≡ *Chiastocaulon dendroides*
Plagiochila dendroides var. *subtridentata* Schiffn. = *Chiastocaulon dendroides*
Plagiochila diaphana Steph. = *Plagiochila kuhliana*
Plagiochila dichotoma var. β Sande Lac. = *Plagiochila korthalsiana*
Plagiochila erronea Steph. nom. illeg. = *Plagiochila renitens*
Plagiochila ferriena Steph. = *Plagiochila sciophila*
Plagiochila flaccida Lindenb. = *Plagiochila macrostachya*
Plagiochila frondescens var. β *diffusa* (Nees) Schiffn. = *Plagiochila frondescens*
Plagiochila frondescens var. γ *tenerrima* (Nees) Schiffn. = *Plagiochila frondescens*
Plagiochila frondescens α *tenerrima* (Nees) Lindenb. = *Plagiochila frondescens*
Plagiochila frondescens β *diffusa* (Nees) Lindenb. = *Plagiochila frondescens*
Plagiochila frondescens γ *rigida* (Nees) Lindenb. = *Plagiochila frondescens*
Plagiochila fuscorufa Steph. = *Plagiochila teysmannii*
Plagiochila gedeana Schiffn. = *Plagiochila hampeana*
Plagiochila geniculata Sande Lac. nom. illeg. = *Plagiochila javanica*
Plagiochila goethartiana Schiffn. = *Plagiochila bantamensis*
Plagiochila goethartiana var. *gadokana* Schiffn. = *Plagiochila bantamensis*
Plagiochila gottschei Schiffn. = *Plagiochila teysmannii*
Plagiochila gottschei var. *brachiphylla* Schiffn. = *Plagiochila teysmannii*
Plagiochila gymnoclada var. *longifolia* Schiffn. = *Plagiochila gymnoclada*
Plagiochila hasskarliana Gottsche ex Sande Lac. nom. inval. = *Plagiochila gymnoclada*
Plagiochila heteromalla Sande Lac. = *Plagiochila trapezoidea*
Plagiochila hispida Steph. = *Plagiochila obtusa*
Plagiochila homomalla Sande Lac. = *Plagiochila trapezoidea*
Plagiochila infirma (Sande Lac.) Sande Lac. = *Plagiochila javanica*
Plagiochila infirma var. *robusta* Schiffn. = *Plagiochila javanica*
Plagiochila intercedens Schiffn. = *Plagiochila trapezoidea*
Plagiochila inversa Sande Lac. ≡ *Wettsteinia inversa*
Plagiochila jackii f. *tenerior* Schiffn. nom. inval. = *Plagiochila salacensis*
Plagiochila jackii f. *tenuior* Schiffn. = *Plagiochila salacensis*
Plagiochila jackii Schiffn. nom. illeg. = *Plagiochila salacensis*
Plagiochila jackii var. *brevidentata* Schiffn. = *Plagiochila salacensis*
Plagiochila jackii var. *longifolia* Schiffn. = *Plagiochila salacensis*
Plagiochila jackii var. *salacensis* (Gottsche) Schiffn. ≡ *Plagiochila salacensis*
Plagiochila jackii var. *virens* Schiffn. = *Plagiochila salacensis*
Plagiochila junghuhniana f. *minor* Herzog ex Carl nom. inval. = *Plagiochila junghuhniana*
Plagiochila korthalsiana var. β *robustior* (Sande Lac.) Schiffn. = *Plagiochila korthalsiana*
Plagiochila korthalsiana β *robustior* Sande Lac. = *Plagiochila korthalsiana*
Plagiochila kuhliana f. *typica* Schiffn. nom. inval. = *Plagiochila kuhliana*

Plagiochila kuhliana var. *miqueliana* Schiffn. = *Plagiochila kuhliana*
Plagiochila laxissima Schiffn. = *Plagiochila bicornuta*
Plagiochila levieri Schiffn. = *Plagiochila propinqua*
Plagiochila levieri var. *brevidens* Schiffn. = *Plagiochila propinqua*
Plagiochila levieri var. *longissima* Schiffn. = *Plagiochila propinqua*
Plagiochila ligulifolia Steph. = *Syzygiella securifolia*
Plagiochila lobulata f. *humilior* Schiffn. nom. inval. = *Plagiochila bantamensis*
Plagiochila lobulata Schiffn. = *Plagiochila bantamensis*
Plagiochila lobulata var. *longidens* Schiffn. = *Plagiochila bantamensis*
Plagiochila massalongoana Schiffn. = *Plagiochila junghuhniana*
Plagiochila media Schiffn. = *Plagiochila bantamensis*
Plagiochila media var. *pauciciliata* Schiffn. = *Plagiochila bantamensis*
Plagiochila megamendongensis Schiffn. nom. inval. = *Plagiochila parvifolia*
Plagiochila modiglianii Steph. = *Plagiochila bantamensis*
Plagiochila monticola f. *intermedia* Herzog nom. inval. = *Plagiochila hampeana*
Plagiochila monticola Schiffn. = *Plagiochila hampeana*
Plagiochila nidulans Herzog = *Plagiochila semidecurrens* var. *semidecurrens*
Plagiochila oblongata Sande Lac. = *Plagiochila teysmannii*
Plagiochila obtusa var. *brevifolia* Schiffn. nom. inval. = *Plagiochila obtusa*
Plagiochila opaca Schiffn. = *Plagiochila javanica*
Plagiochila opposita (Reinw., Blume et Nees) Lindenb. ≡ *Plagiochilion oppositum*
Plagiochila opposita var. β *falcata* (Nees) Schiffn. ≡ *Plagiochila conjugata* var. *falcata*
Plagiochila opposita var. γ *filiformis* (Lindenb.) Schiffn. = *Plagiochilion oppositum*
Plagiochila opposita β *falcata* (Nees) Lindenb. ≡ *Plagiochila conjugata* var. *falcata*
Plagiochila opposita γ *filiformis* Lindenb. nom. inval. = *Plagiochilion oppositum*
Plagiochila patentispina Steph. nom. illeg. ≡ *Plagiochila karstenii*
Plagiochila philippinensis Mont. ex Gottsche, Lindenb. et Nees nom. inval. = *Gottschea aligera*
Plagiochila pinnatiramosa Schiffn. = *Plagiochila javanica*
Plagiochila renistipula Steph. = *Plagiochila bantamensis*
Plagiochila renitens f. *intermedia* Schiffn. = *Plagiochila renitens*
Plagiochila renitens f. *typica* Schiffn. nom. inval. = *Plagiochila renitens*
Plagiochila renitens var. *aberrans* Schiffn. = *Plagiochila renitens*
Plagiochila renitens var. *brevidentata* Schiffn. = *Plagiochila renitens*
Plagiochila renitens var. *spectabilis* Schiffn. = *Plagiochila renitens*
Plagiochila renitens var. *suborbicularis* Schiffn. = *Plagiochila renitens*
Plagiochila revolutifolia Schiffn. = *Plagiochila javanica*
Plagiochila rutilans β *laxa* Lindenb. = *Plagiochila gymnocalycina*
Plagiochila scabra Sande Lac. = *Wettsteinia inversa*
Plagiochila securifolia Nees ex Lindenb. ≡ *Syzygiella securifolia*
Plagiochila semialata Sande Lac. = *Plagiochila teysmannii*
Plagiochila simillima Steph. = *Plagiochila bantamensis*
Plagiochila simplex var. α *minor* Lindenb. nom. illeg. = *Plagiochila simplex*
Plagiochila sockawana Steph. = *Plagiochila sciophila*
Plagiochila spathulifolia (Mitt.) Mitt. ≡ *Plagiochila spathulifolia*
Plagiochila spinosissima Steph. = *Plagiochila semidecurrens*
Plagiochila stenophylla Schiffn. = *Plagiochila singularis*
Plagiochila subdensispina Steph. = *Plagiochila fusca*
Plagiochila subintegerrima (Reinw., Blume et Nees) Mont. et Nees ≡ *Syzygiella subintegerrima*
Plagiochila subintegerrima α *oblongifolia* (Nees) Lindenb. = *Syzygiella securifolia*
Plagiochila subintegerrima β *maior* (Nees) Lindenb. = *Syzygiella subintegerrima*
Plagiochila subtruncata Schiffn. = *Plagiochila javanica*
Plagiochila subtruncata var. *brevifolia* Schiffn. = *Plagiochila javanica*
Plagiochila subtruncata var. *firmior* Schiffn. = *Plagiochila javanica*
Plagiochila subtruncata var. *longifolia* Schiffn. = *Plagiochila javanica*
Plagiochila tenuis Mont. nom. illeg. = *Plagiochila gaudichaudii*
Plagiochila terricola Steph. = *Plagiochila arbuscula*
Plagiochila tjibodensis Schiffn. = *Plagiochila javanica*
Plagiochila trapezoidea var. *heteromalla* Gottsche = *Plagiochila trapezoidea*
Plagiochila trapezoidea var. β *tenera* (Nees) Schiffn. = *Plagiochila singularis*
Plagiochila trapezoidea β *tenera* (Nees) Lindenb. = *Plagiochila singularis*
Plagiochila treubii Schiffn. = *Plagiochila parvifolia*
Plagiochila treubii var. *megamendongensis* Schiffn. = *Plagiochila parvifolia*
Plagiochila truncatula Sande Lac. = *Plagiochila teysmannii*
Plagiochila variabilis Sande Lac. = *Syzygiella securifolia*

Plagiochila variegata Lindenb. = *Syzygiella securifolia*
Plagiochila villosa Steph. = *Plagiochila obtusa*
Plagiochila winteri Steph. nom. illeg. = *Plagiochila trapezoidea*
Plagiochila zollingeri Mont. = *Chiastocaulon dendroides*
Plectocolea ariadne (Taylor ex Lehm.) Mitt. = *Solenostoma ariadne*
Plectocolea comata (Nees) S.Hatt. = *Solenostoma comatum*
Plectocolea flexuosa Mitt. ex Váňa = *Solenostoma haskarlianum*
Plectocolea haskarliana (Nees) Mitt. = *Solenostoma haskarliana*
Plectocolea junghuhniana (Nees) Mitt. = *Solenostoma comatum* var. *comatum*
Plectocolea tetragona (Lindenb.) Amakawa = *Solenostoma tetragonum*
Plectocolea truncata (Nees) Herzog = *Solenostoma truncatum*
Pleuroschisma erosum (Reinw., Blume et Nees) Trevis. = *Bazzania erosa*
Pleuroschisma serpentinum (Nees) Trevis. = *Bazzania serpentina*
Pleurozia sphagnoides (A.Rich. ex Hook.) Dumort. = *Pleurozia gigantea*
Porella acutifolia var. *elbertii* (Steph.) S.Hatt. = *Porella acutifolia* var. *acutifolia*
Porella acutifolia var. *intermedia* S.Hatt. nom. inval. = *Porella caespitans* subsp. *latior* var. *intermedia*
Porella acutifolia var. *johannis-winkleri* (Herzog) S.Hatt. = *Porella acutifolia* var. *acutifolia*
Porella acutifolia var. *stracheyana* (Gottsche ex Steph.) S.Hatt. = *Porella acutifolia*
Porella acutifolia var. *subligulifera* S.Hatt. = *Porella acutifolia*
Porella ligulifera (Taylor ex Lehm.) Trevis. = *Porella campylophylla* var. *ligulifera*
Porella plumosa var. *stracheyana* (Gottsche ex Steph.) Pócs = *Porella acutifolia*
Porella stracheyana (Gottsche ex Steph.) S.Hatt. = *Porella acutifolia*
Prasanthus paroicus (Schiffn.) Kamim. = *Notoscyphus lutescens*
Prionolejeunea semperiana Gottsche ex Steph. = *Otolejeunea semperiana*
Pseudoneura javanica Gottsche et Rabenh. nom. inval. = *Riccardia plumosa*
Ptilidium sciureum (Nees) Nees = *Schistochila sciurea*
Ptychanthus grossidens Steph. = *Ptychanthus striatus*
Ptychanthus intermedius Gottsche = *Ptychanthus striatus* var. *intermedius*
Ptychanthus javanicus Nees = *Ptychanthus striatus* var. *striatus*
Ptychanthus kurzii Gottsche ex Steph. = *Ptychanthus striatus*
Ptychanthus moluccensis Sande Lac. = *Ptychanthus striatus*
Ptychanthus retusus (Reinw., Blume et Nees) Nees = *Thysananthus retusus*
Ptychanthus semirepandus (Nees) Nees = *Spruceanthus semirepandus*
Ptychanthus striatus var. *retusus* (Reinw., Blume et Nees) Verd. = *Thysananthus retusus*
Ptychanthus sulcatus (Nees) Nees = *Spruceanthus sulcatus*
Ptychanthus trifarius Nees = *Cheilolejeunea trifaria*
Ptychocoleus arcuatus (Nees) Trevis. = *Acrolejeunea arcuata*
Ptychocoleus cucullatus Steph. = *Acrolejeunea pycnoclada* subsp. *pycnoclada*
Ptychocoleus cumingianus (Mont.) Trevis. = *Schiffnerolejeunea cumingiana*
Ptychocoleus fertilis (Reinw., Blume et Nees) Trevis. = *Acrolejeunea fertilis*
Ptychocoleus haskarliana (Gottsche) Steph. = *Schiffnerolejeunea tumida* var. *haskarliana*
Ptychocoleus hians Steph. = *Acrolejeunea arcuata*
Ptychocoleus humilis (Gottsche) Trevis. = *Mastigolejeunea auriculata*
Ptychocoleus nymannii Steph. = *Schiffnerolejeunea pulopenangensis*
Ptychocoleus pulopenangensis (Gottsche) Trevis. = *Schiffnerolejeunea pulopenangensis*
Ptychocoleus pycnocladus (Taylor) Steph. = *Acrolejeunea pycnoclada*
Ptychocoleus renilobus (Gottsche) Trevis. = *Caudalejeunea recurvistipula*
Ptychocoleus sumatratus Steph. nom. illeg. = *Schiffnerolejeunea tumida* var. *tumida*
Ptychocoleus tjbodensis Verd. = *Acrolejeunea tjbodensis*
Ptychocoleus tumidus (Nees) Steph. = *Schiffnerolejeunea tumida*
Ptychocoleus wichurae (Schiffn.) Steph. = *Acrolejeunea fertilis*
Ptycholejeunea intermedia (Gottsche) Steph. = *Ptychanthus striatus*
Ptycholejeunea javanica (Nees) Steph. ex Verd. nom. inval. = *Ptychanthus striatus*
Ptycholejeunea javanica var. *intermedia* (Gottsche) Verd. nom. inval. = *Ptychanthus striatus* var. *intermedius*
Ptycholejeunea sulcata (Nees) Verd. nom. inval. = *Spruceanthus sulcatus*
Pycnolejeunea angulistipa Steph. = *Tuyamaella angulistipa*
Pycnolejeunea bancana Steph. = *Pycnolejeunea contigua*
Pycnolejeunea bidentula (Steph.) Steph. nom. inval. = *Lepidolejeunea bidentula*
Pycnolejeunea ceylanica Spruce = *Cheilolejeunea ceylanica*
Pycnolejeunea excisula Steph. = *Cheilolejeunea incisa*
Pycnolejeunea falsinervis (Sande Lac.) Schiffn. = *Cheilolejeunea falsinervis*
Pycnolejeunea gardneri (Mitt.) Steph. = *Cheilolejeunea gardneri*
Pycnolejeunea imbricata (Nees) Schiffn. = *Cheilolejeunea trapezia*
Pycnolejeunea imbricata (Nees) Steph. nom. inval. = *Cheilolejeunea trapezia*

Pycnolejeunea incisa (Gottsche) Schiffn. \equiv *Cheilolejeunea incisa*
Pycnolejeunea incisa (Gottsche) Steph. nom. inval. \equiv *Cheilolejeunea incisa*
Pycnolejeunea longiloba Steph. ex G.Hoffm. \equiv *Cheilolejeunea trapezia*
Pycnolejeunea meyeniana (Nees, Lindenb. et Gottsche) Steph. \equiv *Cheilolejeunea meyeniana*
Pycnolejeunea micholitzii Steph. \equiv *Cheilolejeunea longidens*
Pycnolejeunea novoguineensis (Schiffn.) Steph. \equiv *Lejeunea umbilicata*
Pycnolejeunea schiffneri Steph. ex Schiffn. \equiv *Siphonolejeunea schiffneri*
Pycnolejeunea trapezia (Nees) Schiffn. \equiv *Cheilolejeunea trapezia*
Pycnolejeunea trapezia (Nees) Steph. nom. inval. \equiv *Cheilolejeunea trapezia*
Pycnolejeunea trapezia var. β minor (Gottsche, Lindenb. et Nees) Schiffn. \equiv *Cheilolejeunea trapezia*
Pycnolejeunea utriculata Steph. \equiv *Lejeunea utriculata*
Pycnolejeunea verdoornii G.Hoffm. \equiv *Cheilolejeunea ceylanica*
Pycnolejeunea vittata Steph. ex G.Hoffm. \equiv *Cheilolejeunea vittata*
Pycnolejeunea zollingeri (Steph.) Mizut. \equiv *Lejeunea mizutanii*
Radula colliculosa Mitt. \equiv *Radula javanica*
Radula fauciloba Steph. \equiv *Radula retroflexa*
Radula miqueliana Taylor \equiv *Radula retroflexa*
Radula mutata Mitt. ex Castle nom. inval. \equiv *Radula retroflexa*
Radula pinnulata Mitt. \equiv *Radula javanica*
Radula retroflexa var. *fauciloba* (Steph.) K.Yamada \equiv *Radula retroflexa*
Radula salakensis Steph. \equiv *Radula retroflexa*
Radula sandei Steph. \equiv *Radula javanica*
Radula subpallens Steph. \equiv *Radula ventricosa*
Reboulia hemisphaerica var. *javanica* (Nees) Schiffn. \equiv *Reboulia hemisphaerica* subsp. *australis*
Reboulia javanica Nees \equiv *Reboulia hemisphaerica* subsp. *australis*
Reboulia javanica β *angustior* Gottsche, Lindenb. et Nees \equiv *Reboulia hemisphaerica* subsp. *australis*
Rectolejeunea aloba (Sande Lac.) Steph. \equiv *Lejeunea aloba*
Rhaphidolejeunea cyclops (Sande Lac.) Herzog \equiv *Drepanolejeunea cyclops*
Rhaphidolejeunea longicurvis (Steph.) Herzog \equiv *Drepanolejeunea longicurvis*
Riccardia androgyna Schiffn. \equiv *Riccardia graeffei*
Riccardia crenatilimbia (Schiffn.) Schiffn. nom. inval. \equiv *Riccardia crenulata*
Riccardia decipiens Schiffn. \equiv *Riccardia hymenophylloides*
Riccardia diminuta f. *laxa* Schiffn. \equiv *Riccardia diminuta*
Riccardia diminuta f. *longispica* Schiffn. \equiv *Riccardia diminuta*
Riccardia diminuta f. *minor* Schiffn. \equiv *Riccardia diminuta*
Riccardia diminuta f. *propagulifera* Schiffn. \equiv *Riccardia diminuta*
Riccardia diminuta f. *subpalmata* Schiffn. \equiv *Riccardia diminuta*
Riccardia elata f. *densior* Schiffn. \equiv *Riccardia elata*
Riccardia elata f. *laxior* Schiffn. \equiv *Riccardia elata*
Riccardia elata f. *propagulifera* Schiffn. \equiv *Riccardia elata*
Riccardia elata var. *goebelii* (Schiffn.) Schiffn. \equiv *Riccardia plumosa*
Riccardia elata var. *zollingeri* (Steph.) Schiffn. \equiv *Riccardia plumosa*
Riccardia elata var. *a typica* Schiffn. nom. inval. \equiv *Riccardia elata*
Riccardia elongata Schiffn. \equiv *Riccardia graeffei*
Riccardia goebelii (Schiffn.) Schiffn. \equiv *Riccardia plumosa*
Riccardia jackii f. *crassior* (Schiffn.) Schiffn. \equiv *Riccardia jackii*
Riccardia jackii f. *submersa* Schiffn. nom. inval. \equiv *Riccardia jackii*
Riccardia jackii var. *crassior* Schiffn. \equiv *Riccardia jackii*
Riccardia lobata Schiffn. \equiv *Lobatiriccardia coronopus*
Riccardia maxima Schiffn. \equiv *Aneura maxima*
Riccardia multifida var. *ambrosioides* (Nees) Carrington et Pearson \equiv *Riccardia multifida* subsp. *multifida*
Riccardia multifidooides f. *propagulifera* Schiffn. nom. inval. \equiv *Riccardia multifidooides*
Riccardia multifidooides f. *subpalmata* Schiffn. \equiv *Riccardia multifidooides*
Riccardia parvula f. *paullum-major* Schiffn. nom. inval. \equiv *Riccardia parvula*
Riccardia parvula f. *propagulifera* Schiffn. nom. inval. \equiv *Riccardia parvula*
Riccardia pinguis (L.) Gray \equiv *Aneura pinguis*
Riccardia pinguis var. *pinnatifolia* (Schiffn.) Schiffn. \equiv *Lobatiriccardia coronopus*
Riccardia pinguis var. *A a2 tenuis* (Nees) Schiffn. \equiv *Aneura pinguis*
Riccardia pinnatifida (Weber) Carruth. \equiv *Riccardia chamedryfolia*
Riccardia platyclada f. *crenulata* Schiffn. \equiv *Riccardia graeffei*
Riccardia platyclada Schiffn. \equiv *Riccardia graeffei*
Riccardia platyclada var. *cornuta* Schiffn. nom. inval. \equiv *Riccardia graeffei*
Riccardia platyclada var. *submersa* Schiffn. nom. inval. \equiv *Riccardia graeffei*
Riccardia scabra Schiffn. \equiv *Riccardia crassa*

Riccardia scabra var. *tjiburrumensis* Schiffn. = *Riccardia crassa*
Riccardia serrulata Schiffn. = *Riccardia heteroclada*
Riccardia stolonifera (Steph.) E.A.Hodgs. = *Riccardia crassa*
Riccardia subexalata f. *propagulifera* Schiffn. nom. inval. = *Riccardia subexalata*
Riccardia viridissima Schiffn. = *Aneura pinguis*
Riccardia wettsteinii f. *propagulifera* Schiffn. nom. inval. = *Riccardia wettsteinii*
Riccardia zollingeri (Steph.) Schiffn. = *Riccardia plumosa*
Riccia applanata Meijer = *Riccia junghuhniana*
Riccia canaliculata Hoffm. var. *javanica* Schiffn. nom. inval. = *Riccia fluitans*
Ricciella junghuhniana (Nees et Lindenb.) Trevis. = *Riccia junghuhniana*
Saccogyna rigidula (Nees) Schiffn. = *Saccogynidium rigidulum*
Saccogyna rigidula f. *major* Schiffn. = *Saccogynidium muricellum*
Saccogyna rigidula f. *minor* Schiffn. = *Saccogynidium muricellum*
Saccogyna rigidula f. *typica* Schiffn. nom. inval. = *Saccogynidium rigidulum*
Saccogyna rigidula var. *laevifolia* Schiffn. = *Saccogynidium muricellum*
Saccogyna rigidula var. *latifolia* Schiffn. = *Saccogynidium muricellum*
Saccogyna rigidula var. *latistipula* Schiffn. = *Saccogynidium rigidulum*
Saccogynidium jugatum (Mitt.) Grolle = *Saccogynidium rigidulum*
Sarcocyphos neesii Nees ex Sande Lac. nom. inval. = *Marsupella neesii*
Scalius carnosulus Mitt. = *Haplomitrium blumei*
Scapania indica Schiffn. ex Müll.Frib. nom. inval. = *Scapania griffithii*
Scapania nemorosa (Dumort.) Dumort. nom. illeg. = *Scapania nemorea*
Scapania rigida f. *minor* Schiffn. = *Scapania rigida*
Scapania sandei Schiffn. nom. inval. = *Scapania sandei*
Scapania schiffneri Grolle = *Scapania ciliatospinosa*
Schiffnerolejeunea hasskarliana (Gottsche) Gradst. = *Schiffnerolejeunea tumida* var. *hasskarliana*
Schisma javanicum Steph. = *Herbertus ramosus*
Schisma ramosum Steph. = *Herbertus ramosus*
Schistochila aligera (Nees) J.B.Jack et Steph. = *Gottschaea aligera*
Schistochila aligera var. δ *ex-albida* (Nees) Schiffn. = *Gottschaea aligera*
Schistochila cuspidata Steph. = *Gottschaea aligera*
Schistochila javanica (Nees) Steph. = *Schistochila sciurea*
Schistochila longifolia Steph. = *Gottschaea aligera*
Schistochila neesii (Mont.) Lindb. = *Gottschaea neesii*
Schistochila philippinensis (Mont.) J.B.Jack et Steph. nom. illeg. = *Gottschaea aligera*
Schistochila philippinensis (Mont.) Steph. = *Gottschaea aligera*
Schistochila recurvata H.Buch nom. inval. = *Gottschaea aligera*
Schistochilaster aliger (Nees) H.A.Mill. = *Gottschaea aligera*
Schistochilaster philippinense (Mont.) H.A.Mill. = *Gottschaea aligera*
Sendtnera diclados (Brid. ex F.Weber) Endl. ex Gottsche, Lindenb. et Nees = *Mastigophora diclados*
Sendtnera diclados α *scorpioides* (Reinw., Blume et Nees) Nees = *Mastigophora diclados*
Sendtnera diclados α^* *major* (Nees) Gottsche, Lindenb. et Nees = *Mastigophora diclados*
Sendtnera diclados α^{**} *tenerior* (Nees) Gottsche, Lindenb. et Nees = *Mastigophora diclados*
Sendtnera diclados β *calcarata* (Reinw., Blume et Nees) Gottsche, Lindenb. et Nees nom. inval. = *Mastigophora diclados*
Sendtnera diclados β^* *conferta* (Nees) Gottsche, Lindenb. et Nees = *Mastigophora diclados*
Sendtnera diclados β^{**} *rhizobola* (Nees) Gottsche, Lindenb. et Nees = *Mastigophora diclados*
Sendtnera diclados β^{***} *nana* (Nees) Gottsche, Lindenb. et Nees = *Mastigophora diclados*
Sendtnera dicrania Taylor ex Gottsche, Lindenb. et Nees = *Herbertus dicranus*
Sendtnera fissa (Nees) Nees = *Mastigophora diclados*
Sendtnera fissa β *laxior-et-tenuis* (Nees) Gottsche, Lindenb. et Nees = *Mastigophora fissa* var. *laxior-et-tenuis*
Sendtnera juniperina (Sw.) Nees nom. inval. = *Herbertus juniperoides*
Sendtnera juniperina β Gottsche, Lindenb. et Nees = *Herbertus aduncus* subsp. *hutchinsiae*
Sendtnera ochroleuca (Spreng.) Nees = *Lepicolea ochroleuca*
Sendtnera ochroleuca β *tenior* (Nees) Gottsche, Lindenb. et Nees = *Lepicolea rara*
Sendtnera ochroleuca γ *nana* (Nees) Gottsche, Lindenb. et Nees = *Lepicolea rara*
Sendtnera ochroleuca δ *viridis* Gottsche, Lindenb. et Nees = *Lepicolea rara*
Sendtnera vriesiana Sande Lac. = *Mastigophora diclados*
Solenostoma cinereum Mitt. ex Steph. = *Solenostoma strictum*
Solenostoma purpurascens Steph. = *Solenostoma haskarlianum*
Spruceanthus marianus (Gottsche) Mizut. = *Cheirolejeunea mariana*
Stenolejeunea apiculata (Sande Lac.) R.M.Schust. = *Lejeunea apiculata*
Stenolejeunea schiffneri (Herzog) Pócs = *Lejeunea propagulifera*
Stenolejeunea thallophora (Eifrig) R.M.Schust. = *Lejeunea thallophora*
Stephanina campanigera (Mont.) Kuntze = *Radula campanigera*

Stephanina cavifolia (Hampe ex Gottsche, Lindenb. et Nees) Kuntze ≡ *Radula cavifolia*
Stephanina javanica (Gottsche) Kuntze ≡ *Radula javanica*
Stephanina lingulata (Gottsche) Kuntze ≡ *Radula lingulata*
Stephanina miqueliania (Taylor) Kuntze = *Radula retroflexa*
Strepsilejeunea decursiva (Sande Lac.) Herzog ≡ *Cheilolejeunea decursiva*
Strepsilejeunea denticuspis Steph. ≡ *Lejeunea denticuspis*
Symbiezidium applanatum (Reinw., Blume et Nees) Trevis. ≡ *Lopholejeunea applanata*
Symbiezidium intermedium (Lindenb.) Trevis. = *Lopholejeunea nigricans*
Symbiezidium javanicum (Nees) Trevis. = *Lopholejeunea nigricans*
Symbiezidium nigricans (Lindenb.) Trevis. ≡ *Lopholejeunea nigricans*
Symbiezidium subfuscum (Nees) Trevis. ≡ *Lopholejeunea subfusca*
Symphyogynopsis filicina (Nadeaud) Grolle = *Symphyogynopsis gottscheana*
Symphyomitra javanica Schiffn. ≡ *Lethocolea javanica*
Syzygiella variabilis (Sande Lac.) Schiffn. = *Syzygiella securifolia*
Syzygiella variegata (Lindenb.) Spruce = *Syzygiella securifolia*
Syzygiella variegata f. *latifolia* Schiffn. = *Syzygiella securifolia*
Syzygiella variegata f. *laxior* Schiffn. nom. inval. = *Syzygiella securifolia*
Syzygiella variegata f. *laxior* Schiffn. = *Syzygiella securifolia*
Syzygiella variegata f. *rubescens* Schiffn. = *Syzygiella securifolia*
Taeniolejeunea appressa (A. Evans) Zwickel ≡ *Cololejeunea appressa*
Taeniolejeunea floccosa (Lehm. et Lindenb.) Zwickel ≡ *Cololejeunea floccosa*
Taeniolejeunea peraffinis (Schiffn.) Zwickel ≡ *Cololejeunea peraffinis*
Taeniolejeunea pseudofloccosa (Horik.) S.Hatt. ≡ *Cololejeunea pseudofloccosa*
Taeniolejeunea verrucosa (Steph.) S.Hatt. ≡ *Cololejeunea verrucosa*
Taxilejeunea acutiloba Eifrig ≡ *Lejeunea eifrigii*
Taxilejeunea acutiloba f. *major* Eifrig nom. inval. = *Lejeunea eifrigii*
Taxilejeunea albescens Steph. ≡ *Lejeunea albescens*
Taxilejeunea apiculata (Sande Lac.) Eifrig nom. illeg. ≡ *Lejeunea apiculata*
Taxilejeunea cuculliflora Steph. ≡ *Lejeunea cuculliflora*
Taxilejeunea discreta (Lindenb.) R.M.Schust. ≡ *Lejeunea discreta*
Taxilejeunea laxiretis (Steph.) Eifrig = *Lejeunea sordida*
Taxilejeunea lumbricoides (Nees) Schiffn. ≡ *Lejeunea lumbricoides*
Taxilejeunea luteola (Steph.) Eifrig ≡ *Lejeunea mimula*
Taxilejeunea mitracalyx Eifrig = *Lejeunea alata*
Taxilejeunea obscura (Mitt.) Eifrig ≡ *Lejeunea obscura*
Taxilejeunea patersonii (Steph.) Eifrig ≡ *Lejeunea patersonii*
Taxilejeunea sordida (Nees) Eifrig ≡ *Lejeunea sordida*
Taxilejeunea umbilicata (Nees) J.B.Jack et Steph. ≡ *Lejeunea umbilicata*
Thallo-Lejeunea pusilla (K.I.Goebel) Schiffn. = *Cololejeunea metzgeriopsis*
Thysananthus fruticosus (Lindenb. et Gottsche) Steph. ≡ *Dendrolejeunea fruticosa*
Thysananthus planus Sande Lac. = *Thysananthus retusus*
Thysananthus polymorphus (Sande Lac.) Schiffn. ≡ *Spruceanthus polymorphus*
Thysananthus polymorphus var. β *planifolia* (Sande Lac.) Schiffn. = *Spruceanthus polymorphus*
Thysananthus renilobus (Gottsche) Schiffn. = *Caudalejeunea recurvistipula*
Thysananthus semirepandus (Nees) Schiffn. ≡ *Spruceanthus semirepandus*
Thysanolejeunea fruticosa (Lindenb. et Gottsche) Steph. ≡ *Dendrolejeunea fruticosa*
Thysanolejeunea plana (Sande Lac.) Steph. = *Thysananthus retusus*
Thysanolejeunea polymorpha (Sande Lac.) Schiffn. ≡ *Spruceanthus polymorphus*
Thysanolejeunea spathulistipa (Reinw., Blume et Nees) Steph. ≡ *Thysananthus spathulistipus*
Trachylejeunea denticuspis (Steph.) Steph. ≡ *Lejeunea denticuspis*
Trachylejeunea schiffneri Herzog ≡ *Lejeunea propagulifera*
Trichocolea tomentella f. γ *javanica* (Reinw., Blume et Nees) Nees = *Trichocolea tomentella*
Trichocolea tomentella var. β *javanica* (Reinw., Blume et Nees) Schiffn. = *Trichocolea tomentella*
Trichocolea tomentella var. δ *pluma* (Reinw., Blume et Nees) Schiffn. ≡ *Trichocolea pluma*
Trichocolea tomentella γ *javanica* (Reinw., Blume et Nees) Gottsche, Lindenb. et Nees = *Trichocolea tomentella*
Trichocolea tomentella δ *pluma* (Reinw., Blume et Nees) Nees = *Trichocolea pluma*
Trichostylum lobatum (Schiffn.) R.M.Schust. = *Lobatriccardia coronopus*
Tylimanthus inversus (Sande Lac.) Schiffn. ≡ *Wettsteinia inversa*
Tylimanthus javanicus Steph. = *Solenostoma comatum* var. *comatum*
Tylimanthus repens Grolle nom. inval. = *Marsupidium sumatranum*
Tylimanthus scaber (Sande Lac.) Schiffn. = *Wettsteinia inversa*
Wiesnerella javanica Schiffn. = *Wiesnerella denudata*

Acknowledgements

We would like to thank Ana Séneca for help with literature search and John Engel for access to his personal library. Elisabeth Brown, D. Christine Cargill, Matt von Konrat, David G. Long, Tamás Pócs, Alexej Potemkin, Noris Salazar-Allen, Jiri Váňa, Juan Carlos Villarreal and Rui-Liang Zhu have provided us with very valuable information. This work was supported, in part, by GBIF (Seed Money: 2007-41) as a part of the Early Land Plants Today project.

References

- Ahonen, I. (2006) The taxonomic position of the genus *Nipponolejeunea* Hatt. *Journal of the Hattori botanical laboratory* 99: 319–342.
- Akiyama, H., Yamaguchi, T. & Suleiman, M. (2001) The bryophyte flora of Kinabalu National Park (Sabah, Malaysia), based on the collections by Japan-Malaysia collaborative expeditions in 1997. *Nature and Human Activities* 6: 83–99.
- Amakawa, T. (1959) Family Jungermanniaceae of Japan. I. *Journal of the Hattori botanical laboratory* 21 "1959": 248–291.
- Amakawa, T. (1960) Family Jungermanniaceae of Japan, II. *Journal of the Hattori botanical laboratory* 22: 1–90.
- Amakawa, T. (1964) A short revision of Himalayan *Scapania* (Hepaticae). *Journal of the Hattori botanical laboratory* 27: 1–19.
- Amakawa, T. (1968) New or little known Asiatic species of the family Jungermanniaceae. IV. *Journal of the Hattori botanical laboratory* 31: 101–112.
- Amakawa, T. (1969) New or little known Asiatic species of the family Jungermanniaceae. V. *Journal of the Hattori botanical laboratory* 32: 123–128.
- Amakawa, T. (1970) New or little known Asiatic species of the family Jungermanniaceae. VI. *Jungermannia comata* and its allies. *Journal of the Hattori botanical laboratory* 33: 153–160.
- Amakawa, T. (1972) New or little known Asiatic species of the family Jungermanniaceae. VII. *Jungermannia truncata* complex. *Journal of the Hattori botanical laboratory* 35: 382–390.
- Andriessen, L., Sotiaux, A., Nagels, C. & Sotiaux, O. (1995) *Aneura maxima* (Schiffn.) Steph. in Belgium, new for the European liverwort flora. *Journal of Bryology* 18: 803–806.
- Arnell, S. (1956) Hepaticae collected by O. Hedberg *et al.* on the East African Mountains. *Arkiv för Botanik* 3(16): 517–562.
- Arnell, S. (1958) Hepaticas from Tristan da Cunha. *Results of the Norwegian Scientific Expedition to Tristan da Cunha, 1937–1938* 42: 1–76.
- Arnell, S. (1963) *Hepaticae of South Africa*. Swedish Natural Science Research Council: Stockholm, 411 pp.
- Arnell, S. (1965) Hepaticae collected by Mr. Gillis Een in Mauritius and Réunion in 1962. *Svensk Botanisk Tidskrift* 59: 65–84.
- Asthana, A.K. & Srivastava S.C. (1991) Indian hornworts (a taxonomic study). *Bryophytorum Bibliotheca* 42: 1–159.
- Asthana, G. & Srivastava, S.C. (2003) Indian *Cololejeunea*: A taxonomic study. *Bryophytorum Bibliotheca* 60: 1–155.
- Asthana, G., Srivastava, S.C. & Asthana, A.K. (1996) The genus *Cheilolejeunea* in India. *Lindbergia* 20 "1995": 125–143.
- Bai, X.-L. (2002) Frullaniaceae flora of Yunnan, China. *Chenia* 7: 1–27.
- Bakalin, V.A., Chernyagina, O.A. & Kirichenko, V.E. (2007) Anthocerotophyta - a new divisio of plants for the flora of Kamchatka (north-west pacific). *Arctoa* 16: 153–156.
- Bapna, K.R. & Kachroo, P. (2000a) *Hepaticology of India I*. Himanshu Publications: Udaipur, 439 pp.
- Bapna, K.R. & Kachroo, P. (2000b) *Hepaticology of India II*. Himanshu Publications: Udaipur, 491 pp.
- Barbour, W.C. (1901) *Marchantia* and *Conocephalum*. *The Bryologist* 4: 34–36.
- Bednarek-Ochyra, H., Váňa, J., Ochyra, R. & Lewis Smith, R. (2000) *The liverwort flora of Antarctica*. Polish Academy of Science: Krakow, 236 pp.
- Benedix, E.H. (1953) Indomalayische Cololejeuneen. *Feddes Repertorium specierum novarum regni vegetabilis*. Beiheft 134: 1–88.
- Bharadwaj, D.C. (1972) On some Asian and African species of *Folioceros* Bharadwaj. *Geophytology* 2: 74–89.
- Bharadwaj, D.C. (1973) Taxonomy of some Indo-Pacific species of *Folioceros* Bharadwaj. *Geophytology* 3: 215–221.
- Bischler, H. (1964) Le genre *Drepanolejeunea* Steph. en Amérique Centrale et Méridionale. *Revue Bryologique et Lichénologique* 33: 15–179.
- Bischler, H. (1968) Monographie du genre *Rhaphidolejeunea* Herzog. *Revue Bryologique et Lichénologique* 36: 56–104.
- Bischler, H., Miller, H.A. & Bonner, C.E.B. (1962) Studies in Lejeuneaceae III. A historical account of *Lejeunea cucullata* (Reinwardt, Blume & Nees) Nees and its varieties. *Nova Hedwigia* 3 "1961": 445–462.
- Bischler, H., Piippo, S. (1991) Bryophyte flora of the Huon Peninsula, Papua New Guinea. L. *Marchantia* (Marchantiaceae, Hepaticae). *Annales Botanici Fennici* 28: 277–301.
- Bischler-Causse, H. (1989) *Marchantia* L. The Asiatic and Oceanic taxa. *Bryophytorum Bibliotheca* 38: 1–317.
- Bischler-Causse, H. (1993) *Marchantia* L. The European and African taxa. *Bryophytorum Bibliotheca* 45: 1–129.
- Bischler-Causse H., Gradstein, S.R., Jovet-Ast, S., Long, D.G. & Salazar Allen, N. (2005) Marchantiidae. *Flora Neotropica Monographs* 97: 1–267.
- Bizot, M., Friis, I., Lewinsky, J. & Pócs, T. (1978) East African bryophytes IV. Danish collections. *Lindbergia* 4: 259–284.
- Bizot, M. & Pócs, T. (1974) East African Bryophytes I. *Egri tanárképző föiskola tudományos közleményei. Acta Academiae Paedagogicae Agriensis* 12: 383–449.

- Bizot, M. & Pócs, T. (1980) East African bryophytes, III. *Acta Botanica Academiae Scientiarum Hungarica* 25 "1979": 223–261.
- Blockeel, T.L., Bastos, C.J.P., Bednarek-Ochyra, H., Ochyra, R., Dulin, M.V., Fovet, L., García, C., Hedenäs L., Hugonnot V., Kirmaci M., Koponen T., Lebouvier M., Martins A., Müller F., Saboljlević M., Lakušić D., Schäfer-Verwimp A., Sérgio C., Surina B., Yayintaş ÖT (2009) New national and regional bryophyte records, 22. *Journal of Bryology* 31: 202–210.
- Blockeel, T.L., Bednarek-Ochyra, H., Ochyra, R., Dünzeli, A., Erdağ, A., Erzberger, P., Ezer, T., Hespanhol, H., Kara, R., Matteri, C.M., Müller, F., Séneca, A., Sérgio, C. & Váňa, J. (2007) New national and regional bryophyte records, 15. *Journal of Bryology* 29: 139–142.
- Blockeel, T.L., Enroth, J., Ertz, D., Hedderson, T.A.J., Holz, I., Jafari, M., Kürschner, H., Lara, F., Mazimpaka, V., Medina, R., Ramel, G., Schäfer-Verwimp, A., Shirzadian, S., Sotiaux, A., Sotiaux, O., Stebel, A. & Tavili, A. (2006) New national and regional bryophyte records, 14. *Journal of Bryology* 28: 271–275.
- Blume, C.F. & Nees von Esenbeck, C.G. (1823) *Pugillus Plantarum Javanicarum e cryptogamicarum variis ordinibus selectus. Nova Acta Physico-medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum Exhibentia Ephemerides sive Observationes Historias et Experimenta* 11: 119–140.
- Boisselier-Dubayle, M.C., Lambourdiere, J. & Bischler, H. (1998) Taxa delimitation in *Reboulia* investigated with morphological, cytological, and isozyme markers. *The Bryologist* 101: 61–69.
- Bonner, C.E.B. (1953) De Hepaticis. II. An unpublished section of volume 6 of Stephani's Species Hepaticarum: the genus *Marchantia*. *Candollea* 14: 101–112.
- Bonner, C.E.B. (1962) *Index Hepaticarum. Pars II. Achiton to Balantiopsis*. J. Cramer: Weinheim, 320 pp.
- Bonner, C.E.B. (1963a) *Index Hepaticarum. Pars III. Barbilophozia to Ceranthus*. J. Cramer: Weinheim, 636 pp.
- Bonner, C.E.B. (1963b) *Index Hepaticarum. Pars IV. Ceratolejeunea to Cystolejeunea*. J. Cramer: Weinheim, pp. 637–926.
- Bonner, C.E.B. (1965) *Index Hepaticarum. Pars V. Delavayella to Geothallus*. J. Cramer: Weinheim, 480 pp.
- Bonner, C.E.B. (1966) *Index Hepaticarum. Pars VI. Goebeliella to Jubula*. J. Cramer: Weinheim, pp. 481–739.
- Bonner, C.E.B. (1977) *Index Hepaticarum. Pars VIIa. Supplementum A-C*. J. Cramer: Vaduz, 907 pp.
- Brown, E.A. & Briggins, J.E. (1989) A revision of the genus *Riccardia* S. F. Gray in New Zealand with notes on the genus *Aneura* Dum. *Journal of the Hattori botanical laboratory* 66: 1–132.
- Buch, H. (1939) Die *Schistochila*-Arten der Inseln Sumatra, Java und Celebes. *Annales Bryologici* 12: 1–20.
- Buczkowska, K. & Bączkiewicz, A. (2006) *Aneura maxima* - a liverwort new to Poland. *Cryptogamie, Bryologie* 27: 453–458.
- Campbell, D.H. (1907) Studies on some Javanese Anthocerotaceae. I. *Annals of Botany. Oxford* 21: 467–486.
- Campbell, D.H. (1908) Studies on some Javanese Anthocerotaceae II. *Annals of Botany. Oxford* 22: 91–102.
- Carl, H. (1931) Die Artypen und die systematische Gliederung der Gattung *Plagiochila* Dum. *Annales Bryologici supplement* 2: 1–170.
- Castle, H. (1937) A revision of the genus *Radula*. Introduction and part I. Subgenus *Cladoradula*. *Annales Bryologici* 9 "1936": 13–56.
- Castle, H. (1939) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. *Annales Bryologici* 12: 21–47.
- Castle, H. (1950) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 2. *Amentulosae*. *The Bryologist* 53: 253–275.
- Castle, H. (1959) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 3. *Dichotomae*. *Journal of the Hattori botanical laboratory* 21 "1959": 1–52.
- Castle, H. (1961) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 5. *Acutifolae*. *Revue Bryologique et Lichenologique* 30: 21–54.
- Castle, H. (1962) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 7. *Lingulatae*. *Revue Bryologique et Lichenologique* 31: 139–151.
- Castle, H. (1963) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 6. *Saccatae*. *Revue Bryologique et Lichenologique* 32: 1–48.
- Castle, H. (1965) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 9. *Densifoliae*. *Revue Bryologique et Lichenologique* 33: 328–398.
- Castle, H. (1966) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 10. *Ampliatae*. *Revue Bryologique et Lichenologique* 34: 1–81.
- Castle, H. (1968) A revision of the genus *Radula*. Part II. Subgenus *Acroradula*. Section 11. *Complanatae*. *Revue Bryologique et Lichenologique* 35 "1967": 1–94.
- Castle, H. (1969) *Radula* (L.) Dumortier. - A synopsis of the taxonomic revision of the genus. *Revue Bryologique et Lichenologique* 36 "1968": 5–44.
- Chaudhary, B.L., Sharma, T.P. & Sanadhya, C. (2006) *Bryophyte flora of Gujarat (India)*. Himanshu Publications: Udaipur, 197 pp.
- Clark, L. (1953) *Frullania neurota*. *The Bryologist* 56: 29–31.
- Clark, L. (1955a) *Frullania semivillosa*. *The Bryologist* 58: 64–67.
- Clark, L. (1955b) *Frullania apiculata*. *The Bryologist* 58: 68–72.
- Clark, L. & Frye, T.C. (1948) *Frullania intermedia*. *The Bryologist* 51: 52–54.
- Clark, L. & Svhla, R.D. (1948) Provisional keys to the *Frullanias* of Middle America. *The Bryologist* 51: 17–27.
- Costa, D.P. (2008) Metzgeriaceae. *Flora Neotropicica* 102: 1–169.
- Crandall-Stotler, B.J. & Guerke, W.R. (1980) Developmental anatomy of *Jubula* Dum. (Hepaticae). *The Bryologist* 83: 179–201.
- Crosby, M.R. & Engel, J.J. (2006) *Index of Hepatics*. Hattori Botanical Laboratory: Nichinan, 368 pp.
- Damayanti, L. (2006) *Koleksi Bryophyta Taman Lumut Kebun Raya Cibodas*. Kebun Raya Cibodas: Java, 81 pp.
- Damsholt, K. (2002) *Illustrated flora of Nordic liverworts and hornworts*. Nordic Bryological Society: Lund, 837 pp.
- Daniels, A.E.D. & Daniel, P. (2008) The liverwort *Schistochila aligera* (Nees & Blume) J.B.Jack & Steph. rediscovered in India. *Cryptogamie, Bryologie* 29: 307–310.

- Dauphin, G. (2005) Catalogue of Costa Rican Hepaticae and Anthocerotae. *Tropical Bryology* 26: 141–218.
- Douin, C. (1920) La famille des Cephaloziellacees. *Mémoires de la Société Botanique de France* 29: 1–90.
- Duckett, J.G. & Ligrone, R. (2006) *Cyathodium* Kunze (Cyathodiaceae: Marchantiales), a tropical liverwort genus and family new to Europe, in southern Italy. *Journal of Bryology* 28: 88–96.
- Dugas, M. (1929) Contribution à l'étude du genre "Plagiochila" Dum. *Annales des Sciences Naturelles, Botanique, ser. 10* 11: 1–199.
- Easa, P.S. (2003) Biodiversity documentation for Kerala. Part 4 Bryophytes. *Kerala Forest Research Handbook* 17: 1–47.
- Eggers, J. (2006) New bryophyte taxon records for tropical countries 6. *Tropical Bryology* 27: 107–111.
- Eggers, J., Frahm, J.-P. & Pursell, R.A. (1998) New bryophyte taxon records for tropical countries II. *Tropical Bryology* 14: 81–84.
- Eifrig, H. (1937) Monographische Studien über die indomalayischen Arten von *Taxilejeunea*. *Annales Bryologici* 9 "1936": 73–114.
- Engel, J.J. (1976) *Metzgeria hamata* Lindb., an illegitimate name of Hepaticae. *Lindbergia* 3: 219–220.
- Engel, J.J. (1978) A taxonomic and phytogeographic study of Brunswick Peninsula (Strait of Magellan) Hepaticae and Anthocerotae. *Fieldiana, Botany* 41: 1–319.
- Engel, J.J. (1980) A monograph of *Clasmatocolea* (Hepaticae). *Fieldiana, Botany* 3: 1–229.
- Engel, J.J. (2006) Austral Hepaticae 42. The austral species of *Mnioloma* (Calypogeiacae), together with a new species, *Mnioloma novaezelandiae* n. sp. *Cryptogamie, Bryologie* 27: 111–117.
- Engel, J.J. & Braggins, J.E. (1998) Austral Hepaticae. 27. The genus *Anastrophyllum* (Spruce) Steph. (Jungermanniales) in Australasia, with a synopsis of austral taxa. *Journal of Bryology* 20: 371–388.
- Engel, J.J. & Merrill, G.L. (1998) Austral Hepaticae. 25. *Krundiplophyllum* Grolle and a revision of the Australasian species of *Diplophyllum* (Dum.) Dum. (Scapaniaceae, Jungermanniales). *Journal of the Hattori botanical laboratory* 84: 241–283.
- Engel, J.J. & Smith Merrill, G.L. (2004) Austral Hepaticae 35. A taxonomic and phylogenetic study of *Telaranea* (Lepidoziaceae), with a monograph of the genus in temperate Australasia and commentary on extra-Australasian taxa. *Fieldiana, Botany, n.s.* 44: 1–265.
- Evans, A.W. (1904) Hepaticae of Puerto Rico. IV. *Odontolejeunea*, *Cyclolejeunea* and *Prionolejeunea*. *Bulletin of the Torrey Botanical Club* 31: 183–226.
- Evans, A.W. (1906) Hepaticae of Puerto Rico. VI. *Cheilolejeunea*, *Rectolejeunea*, *Cystolejeunea*, and *Pycnolejeunea*. *Bulletin of the Torrey Botanical Club* 33: 1–25.
- Evans, A.W. (1908) Hepaticae of Puerto Rico. IX. *Brachiolejeunea*, *Ptychocoleus*, *Archilejeunea*, *Leucolejeunea* and *Anoplolejeunea*. *Bulletin of the Torrey Botanical Club* 35: 155–179.
- Evans, A.W. (1912) New West Indian Lejeuneae - II. *Bulletin of the Torrey Botanical Club* 39: 603–611.
- Evans, A.W. (1917) The American species of *Marchantia*. *Transactions of the Connecticut Academy of Arts and Sciences* 21: 253–261.
- Evans, A.W. (1919) A taxonomic study of *Dumontiera*. *Bulletin of the Torrey Botanical Club* 46: 167–182.
- Evans, A.W. (1932) Some representative species of *Bazzania* from Sumatra. *Papers of the Michigan academy of Science, Arts and Letters* 17: 69–118.
- Evans, A.W. (1934) A revision of the genus *Acromastigum*. *Annales bryologici supplement* 3: 1–178.
- Frye, T.C. & Clark, L. (1937) Hepaticae of North America. *University of Washington Publications in Biology* 6: 1–161.
- Frye, T.C. & Clark, L. (1944) Hepaticae of North America part II. *University of Washington Publications in Biology* 6 "1943": 163–336.
- Frye, T.C. & Clark, L. (1946) Hepaticae of North America part IV. *University of Washington Publications in Biology* 6: 565–733.
- Frye, T.C. & Clark, L. (1947) Hepaticae of North America part V. *University of Washington Publications in Biology* 6: 735–1022.
- Fulford, M. (1987) Leafy hepaticae of Dominica: additions to the Hepaticae Elliottianae by Richard Spruce in 1895. *Memoirs of the New York Botanical Garden* 45: 264–278.
- Fulford, M. & Sharp, A.J. (1990) The leafy Hepaticae of Mexico: one hundred and twenty-seven years after C. M. Gottsche. *Memoirs of the New York Botanical Garden* 63: 1–86.
- Furuki, T. (1991) A taxonomical revision of the Aneuraceae (Hepaticae) of Japan. *Journal of the Hattori botanical laboratory* 70: 293–397.
- Furuki, T. (1995) Taxonomic studies of Asiatic species of Aneuraceae (Hepaticae) II. *Riccardia* subgen. *Hyaloneura* Schust. *Journal of the Hattori botanical laboratory* 78: 111–118.
- Furuki, T. (1996) Taxonomic studies of Asiatic species of Aneuraceae (Hepaticae). IV. *Lobatiriccardia lobata* (Schiffn.) Furuki. *Journal of the Natural History Museum and Institute, Chiba* 4: 21–25.
- Furuki, T. (1998) Taxonomic studies of Asiatic Aneureaceae (Hepaticae). VI. *Riccardia fruticosa* (Steph.) Furuki, comb. nov., described from New Guinea and its related species. *Natural History Research* 5: 1–10.
- Furuki, T. (2001a) Notes on the taxonomic status of *Microlejeunea ponapensis* Horik. (Hepaticae; Lejeuneaceae) described from the Carolines. *Bryological Research [Sentairui Kenkyū]* 7: 385–387.
- Furuki, T. (2001) Taxonomic studies of Asiatic species of Aneuraceae (Hepaticae). VIII. *Riccardia crenulata* Schiffn. and its related species. *Hikobia* 13: 511–519.
- Furuki, T. (2006) Taxonomical studies of the family Aneureaceae (Hepaticae) based on the Philippine collections made by Dr. and Mrs. A. J. Sharp and Dr. Z. Iwatsuki. *Journal of the Hattori botanical laboratory* 100: 89–99.
- Gao, C. (2003) Takakiales Calobryales Jungermanniales. *Flora Bryophytorum Sinica* 9: 1–323.
- Gao, C. & Bai, X.-L. (2001) A synoptic revision of family Jungermanniaceae (Hepaticae) in China including some taxa nova. *Philippine Scientist* 38: 111–170.
- Gao, C. & Cao, T. (2001) The genus *Saccogynidium* (Geocalycaceae, Hepaticae) in China. *The Bryologist* 104: 126–129.
- Gao, C., Cao, T. & Sun, J. (2002) The genus *Mnioloma* (Hepaticae, Calypogeiacae) new to China discovered from Taiwan. *Arctoa* 11: 23–26.

- Gao, C., Cao, T. & Sun, J. (2003) The genus *Isotachis* (Hepaticae; Balantiopsiaceae) in China. *The Bryologist* 105 "2002": 693–698.
- Gao, C., Cao, T., Wu, Y., Yu, J. & Chen, Y. (2004) A new species and three new records of *Heteroscyphus* (Jungermanniopsida: Geocalycaceae) to China. *Journal of Bryology* 26: 97–102.
- Gao, C. & Wu, Y.-H. (2004) On seven species of Schistochilaceae (Hepaticae) in China, including one new species and one new combination. *Journal of the Hattori botanical laboratory* 95: 263–270.
- Geissler, P. & Bischler, H. (1985) *Index Hepaticarum* vol. 10. *Lembidium to Mytilopsis*. J. Cramer: Berlin, 352 pp.
- Geissler, P. & Bischler, H. (1987) *Index Hepaticarum* vol. 8/9. *Jungermannia to Lejeunites*. J. Cramer: Berlin, 310 pp.
- Geissler, P. & Bischler, H. (1989) *Index Hepaticarum* vol. 11. *Naiadea to Pycnoscenus*. J. Cramer: Berlin, 353 pp.
- Geissler, P. & Bischler, H. (1990) *Index Hepaticarum* vol. 12. *Racemigemma to Zoopsis*. J. Cramer: Berlin, 337 pp.
- Gibbs, L.S. (1914) A contribution to the flora and plant formations of Mount Kinabalu and the highlands of British North Borneo. *Journal of the Linnean Society. Botany* 42: 1–240.
- Goebel, K.I. (1888) Morphologische und biologische studien. I. Ueber epiphytische Farne und Muscineen. *Annales du Jardin botanique de Buitenzorg* 7: 1–73.
- Goebel, K.I. (1891) Morphologische und biologische studien. IV. Ueber Javanische Lebermoose. *Annales du Jardin botanique de Buitenzorg* 9 "1890": 1–40.
- Goebel, K.I. (1928) Malesische Lebermoose. *Annales du Jardin botanique de Buitenzorg* 39: 1–116.
- Gottsch, C.M. (1853) Muscorum Hepaticorum species novae Javanenses. *Natuurkundig tijdschrift voor Nederlandsch-Indië* 4: 573–576.
- Gottsch, C.M. (1857) *Pugillus Novarum Hepaticarum e recensione Herbarii Musei Parisiensis, congestus*. *Annales des Sciences Naturelles, Botanique, ser. 4* 8: 318–348.
- Gottsch, C.M. (1858) Uebersicht und kritische Würdigung der seit dem Erscheinen der Synopsis Hepaticarum bekannt gewordenen Leistungen in der Hepaticologie. *Botanische Zeitung. Berlin* Beilage 16: 1–54.
- Gottsch, C.M. (1882) Reliquiae Rutenbergianae. Lebermoose. *Abhandlungen herausgegeben vom Naturwissenschaftlichen Vererein zu Bremen* 7: 335–365.
- Gottsch, C.M. (1886) Ueber Lebermoose von Ceylon. *Botanisches Centralblatt* 26: 203–205.
- Gottsch, C.M., Lindenberg, J.B.G. & Nees von Esenbeck, S.G. (1844) *Synopsis Hepaticarum, fasc. 1*. Hamburg, pp. 1–144.
- Gottsch, C.M., Lindenberg, J.B.G. & Nees von Esenbeck, S.G. (1845a) *Synopsis Hepaticarum, fasc. 2*. Hamburg, pp. 145–304.
- Gottsch, C.M., Lindenberg, J.B.G. & Nees von Esenbeck, S.G. (1845b) *Synopsis Hepaticarum, fasc. 3*. Hamburg, pp. 305–464.
- Gottsch, C.M., Lindenberg, J.B.G. & Nees von Esenbeck, S.G. (1846) *Synopsis Hepaticarum, fasc. 4*. Hamburg, pp. 465–624.
- Gottsch, C.M., Lindenberg, J.B.G. & Nees von Esenbeck, S.G. (1847) *Synopsis Hepaticarum, fasc. 5*. Hamburg, pp. 625–834.
- Gottsch, C.M. & Rabenhorst, L. (1873) *Hepaticae Europaeae. Die Lebermoose Europa's unter Mitwirkung Mehrer Namhafter Botaniker. Decades 56–57*. Dresden, pp. 551–570.
- Gradstein, S.R. (1974) Studies on Lejeuneaceae subfam. Ptychanthoideae. I. Nomenclature and taxonomy of *Ptychocoleus*, *Acrolejeunea* and *Schiffneriolejeunea*. *Journal of the Hattori botanical laboratory* 38: 327–336.
- Gradstein, S.R. (1975) A taxonomic monograph of the genus *Acrolejeunea* (Hepaticae). *Bryophytorum Bibliotheca* 4: 1–162.
- Gradstein, S.R. (1994) Lejeuneaceae: Ptychantheae, Brachiolejeuneae. *Flora Neotropica Monographs* 62: 1–217.
- Gradstein, S.R., He, X.-L., Piippo, S. & Mizutani, M. (2002) Bryophyte flora of the Huon Peninsula, Papua New Guinea. LXVIII. Lejeuneaceae subfamily Ptychanthoideae (Hepaticae). *Acta Botanica Fennica* 174: 1–88.
- Gradstein, S.R., Kien-Thai, Y., Suleiman, M., Putrika, A., Apriani, D., Yuniat, E., Kanak, F.A., Ulum, F.B., Wahyuni, I., Wongkuna, K., Lubos, L.C., Tam, L.T., Puspaningrum, M.R., Serudin, M.R.P.H., Zuhri, M., Min, N.A., Junita, N., Pasaribu, N. & Kornochalert, S. (2010) Bryophytes of Mount Patuha, West Java, Indonesia. *Reinwardtia* (in press).
- Gradstein, S.R. & Terken, L. (1981) Studies on Lejeuneaceae subfam. Ptychanthoideae VI. A revision of *Schiffneriolejeunea* sect. *Saccatae* from Asia. *Occasional Papers of the Farlow Herbarium of Cryptogamic Botany* 16: 71–81.
- Gradstein, S.R. & Váňa, J. (1987) On the occurrence of Laurasian Liverworts in the Tropics. *Memoirs of the New York Botanical Garden* 45: 388–425.
- Grolle, R. (1961) Über *Saccogyna* Dum. und *Saccognidium*, eine neue Lebermoosgattung. *Journal of the Hattori botanical laboratory* 23 "1960": 41–67.
- Grolle, R. (1963) Monographie der Lebermoosgattung *Leptoscyphus* Mitt. *Nova Acta Leopoldina. Abhandlungen der Kaiserlich Leopoldinisch-Carolinisch Deutschen Akademie der Naturforscher* 25 "1962": 1–143.
- Grolle, R. (1965a) Lebermoose aus Neuguinea. I. *Journal of the Hattori botanical laboratory* 28: 43–54.
- Grolle, R. (1965b) *Wettsteinia* Schiffn. *Journal of the Hattori botanical laboratory* 28: 94–100.
- Grolle, R. (1965c) Miscellania hepaticologica 41–50. *Journal of Japanese botany [Shokubutsu kenkyu zasshi]* 40: 206–219.
- Grolle, R. (1966a) Über *Diplasirolejeunea* in Asien. *Feddes Repertorium* 73: 78–89.
- Grolle, R. (1966b) Miscellanea hepaticologica 51–60. *Journal of Japanese botany [Shokubutsu kenkyu zasshi]* 41: 141–147.
- Grolle, R. (1966c) Die Lebermoose Nepals. *Ergebnisse des Forschungs-Unternehmens Nepal Himalaya* 1: 262–298.
- Grolle, R. (1966d) Lebermoose aus Neuguinea. 2. Zweite Fundliste. *Journal of the Hattori botanical laboratory* 29: 70–74.
- Grolle, R. (1966e) Lebermoose aus Neuguinea. 3. *Stenolejeunea*. *Journal of the Hattori botanical laboratory* 29: 75–78.
- Grolle, R. (1966f) Lebermoose aus Neuguinea. 4. *Schistochila*. *Journal of the Hattori botanical laboratory* 29: 238–252.
- Grolle, R. (1966g) Lebermoose aus Neuguinea. 5. *Telaranea*. *Journal of the Hattori botanical laboratory* 29: 279–289.
- Grolle, R. (1967) Lebermoose aus Neuguinea. 6. Dritte Fundliste. *Journal of the Hattori botanical laboratory* 30: 113–118.
- Grolle, R. (1968a) Lebermoose aus Neuguinea. 7. *Journal of the Hattori botanical laboratory* 31: 1–12.
- Grolle, R. (1968b) *Gottschelia* – eine neue Jungermanniales-Gattung der Palaeotropis. *Journal of the Hattori botanical laboratory* 31: 13–19.
- Grolle, R. (1968c) Monographie der Gattung *Nowellia*. *Journal of the Hattori botanical laboratory* 31: 20–49.

- Grolle, R. (1969) Novae Guineae Hepaticae Schusteranae I. *Journal of the Hattori botanical laboratory* 32: 140–144.
- Grolle, R. (1971) *Jamesoniella* und Verwandte. *Feddes Repertorium* 82: 1–100.
- Grolle, R. (1973a) Miscellania hepaticologica 121–130. *Journal of the Hattori botanical laboratory* 36 "1972": 547–551.
- Grolle, R. (1973b) *Nephelolejeunea* - eine neue Gattung der Tuyamaelloideae. *Journal of the Hattori botanical laboratory* 37: 251–261.
- Grolle, R. (1974) Lebermoose aus Neuguinea, 12. *Rhaphidolejeunea*. *Journal of the Hattori botanical laboratory* 38: 651–655.
- Grolle, R. (1976c) *Drepanolejeunea* subgen. *Kolpolejeunea* – eine neue Untergattung aus der Palaeotropis. *Journal of the Hattori botanical laboratory* 40: 191–216.
- Grolle, R. (1977) Miscellanea hepaticologica 161–170. *Journal of Bryology* 9: 529–538.
- Grolle, R. (1977b) *Pictolejeunea* - eine neue Gattung der Lejeuneoideae aus der Neotropis und Borneo. *Feddes Repertorium* 88: 247–256.
- Grolle, R. (1977c) Lebermoose aus Neuguinea. 14–15. *Calypogeia+Trichocolea*. *Journal of the Hattori botanical laboratory* 43: 63–67.
- Grolle, R. (1978) Lebermoose aus Neuguinea. 16. *Acromastigum*. *Journal of the Hattori botanical laboratory* 44: 1–15.
- Grolle, R. (1979a) Lebermoose aus Neuguinea. 17. *Harpalejeunea*. *Journal of the Hattori botanical laboratory* 46: 43–47.
- Grolle, R. (1979b) Miscellania Hepaticologica 191–200. *Journal of the Hattori botanical laboratory* 46: 337–355.
- Grolle, R. (1981) Miscellania Hepaticologica 211–220. *Journal of the Hattori botanical laboratory* 49: 85–92.
- Grolle, R. (1984) Miscellania Hepaticologica 221–230. *Journal of the Hattori botanical laboratory* 55: 501–511.
- Grolle, R. (1987a) Miscellania Hepaticologica 241–250. *Journal of the Hattori botanical laboratory* 61 "1986": 249–255.
- Grolle, R. (1987b) Miscellania Hepaticologica 251–260. *Journal of the Hattori botanical laboratory* 63: 437–443.
- Grolle, R. (1988) Miscellania Hepaticologica 261–270. *Journal of the Hattori botanical laboratory* 65: 403–410.
- Grolle, R. (1995) The Hepaticae and Anthocerotae of the East African Islands. An annotated catalogue. *Bryophytorum Bibliotheca* 48: 1–178.
- Grolle, R. & Piippo, S. (1984a) Bryophyte flora of the Huon Peninsula, Papua New Guinea. V. Lepidoziaceae subfam. Zoopsoideae and Cephaloziaceae subfam. Schiffnerioideae (Hepaticae). *Annales Botanici Fennici* 21: 299–307.
- Grolle, R. & Piippo, S. (1984b) Annotated catalogue of Western Melanesian bryophytes. I. Hepaticae and Anthocerotae. *Acta Botanica Fennica* 125: 1–86.
- Grolle, R. & Piippo, S. (1986) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XVI. Pallaviciniaceae (Hepaticae). *Acta Botanica Fennica* 133: 59–79.
- Grolle, R. & Piippo, S. (1990) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXVII. *Leucolejeunea* (Lejeuneaceae, Hepaticae). *Annales Botanici Fennici* 27: 119–129.
- Grolle, R. & Reiner-Drehwald, E. (1999) Review of the genus *Harpalejeunea* (Lejeuneaceae) including the description of *H. grandis*, a new species from the páramos of Colombia. *Journal of Bryology* 21: 31–45.
- Grolle, R. & Reiner-Drehwald, E. (2000) *Otolejeunea* (Hepaticae, Lejeuneaceae) in the neotropics. *Cryptogamie, Bryologie* 21: 101–107.
- Grolle, R. & Schultze-Motel, W. (1973) Vorläufiges Verzeichnis der Lebermoose von Samoa. *Journal of the Hattori botanical laboratory* 36 "1972": 75–89.
- Grolle, R. & So, M.L. (1998) Studies on *Plagiochila* in China II. *The Bryologist* 101: 282–294.
- Grolle, R. & So, M.L. (1999a) Studies of *Plagiochila* sect. *Subtropicae* in Asia. *The Bryologist* 102: 67–75.
- Grolle, R. & So, M.L. (1999b) Studies on *Plagiochila* in China III. *The Bryologist* 102: 200–207.
- Grolle, R. & So, M.L. (1999c) Studies on *Plagiochila* sect. *Tayloriae* in Asia. *The Bryologist* 102: 287–293.
- Grolle, R. & So, M.L. (1999d) Studies on *Plagiochila* sect. *Contiguae* in east and south Asia. *The Bryologist* 102: 294–303.
- Guerke, W.R. (1978) A monograph of the genus *Jubula* Dumortier. *Bryophytorum Bibliotheca* 17: 1–118.
- Guo, W. & Zhang, M.-X. (1999) The taxonomic study of Anthocerotaceae in Shaanxi, Northwest China. *Chenia* 6: 21–33.
- Haerida, I. & Gradstein, S.R. *Stictolejeunea* (Lejeuneaceae) new to Indonesia. *Hikobia* in press.
- Haerida, I., Gradstein, S.R. & Tjitrosoedirdjo, S.S. (2010) Lejeuneaceae subfamily Ptychanthoideae (Hepaticae) in West Java. *Gardens' Bulletin. Singapore* 62: 59–111.
- Hampe E. (1836) Prodromus florae Hercyniae. *Linnaea* 11 "1837": 17–105.
- Hasan, M. & Ariyanti, N.S. (2004) *Mengenal Bryophyta (Lumut) di Taman Nasional Gunung Gede Pangrango*, Vol. 1. Taman Nasional Gunung Gede Pangrango: Java, 93 pp.
- Hasegawa, J. (1980a) Taxonomical studies on Asian Anthocerotae II. Some Asian species of *Dendroceros*. *Journal of the Hattori botanical laboratory* 47: 287–309.
- Hasegawa, J. (1980b) Taxonomic studies on Asian Anthocerotae III. Asian species of *Megaceros*. *Journal of the Hattori botanical laboratory* 47: 287–309.
- Hasegawa, J. (1982) Note on Samoan species of *Dendroceros*. *Miscellanea Bryologica et Lichenologica* 9: 97–100.
- Hasegawa, J. (1984) Taxonomical studies on Asian Anthocerotae IV. A revision of the genera *Anthoceros*, *Phaeoceros* and *Folioceros* in Japan. *Journal of the Hattori botanical laboratory* 57: 241–272.
- Hasegawa, J. (1986a) The Anthocerotae collected by Drs. Z. Iwatsuki and N. Kitagawa in New Caledonia and Fiji. *Journal of the Hattori botanical laboratory* 60: 379–390.
- Hasegawa, J. (1986b) A collection of the Anthocerotae from Seram and Ambon. *Acta Phytotaxonomica et Geobotanica. [Shokubutsu bunrui chiri]* 37: 9–15.
- Hasegawa, J. (1993) Taxonomic studies on Asian Anthocerotae V. A short revision of Taiwanese Anthocerotae. *Acta Phytotaxonomica et Geobotanica. [Shokubutsu bunrui chiri]* 44: 97–112.
- Hasegawa, J. (1998) Taxonomic status of *Anthoceros subbrevis* Haseg. and taxonomy of its allied taxa. *Bryological Research*

- [*Sentairui Kenkyu*] 7: 173–177.
- Hattori, S. (1966a) Anthocerotae and Hepaticae. In: Hara, H. (Ed), *The flora of eastern Himalaya. Results of the botanical expedition to eastern Himalaya organized by the University of Tokyo 1960 and 1963*. University of Tokyo Press: Tokyo, pp. 501–536.
- Hattori, S. (1966b) A remarkable *Anastrophyllum* (Hepaticae) from New Guinea. *Botanical Magazine [Shokubutsu-gaku zasshi]*, Tokyo 79: 342–344.
- Hattori, S. (1967) Studies of the Asiatic species of the genus *Porella* (Hepaticae). I. Some new or little known Asiatic species of *Porella*. *Journal of the Hattori botanical laboratory* 30: 129–151.
- Hattori, S. (1968) Hepaticae collected by F. Schmid in Ceylon and Pakistan. *Candollea* 23: 287–294.
- Hattori, S. (1969) Studies of the Asiatic species of the genus *Porella* (Hepaticae). II. *Journal of the Hattori botanical laboratory* 32: 319–359.
- Hattori, S. (1970) Studies of the Asiatic species of the genus *Porella* (Hepaticae). III. *Journal of the Hattori botanical laboratory* 33: 41–87.
- Hattori, S. (1971a) Hepaticae. In: Hara, H. (Ed), *Flora of eastern Himalaya. Second report, Bulletin*. University of Tokyo Press: Tokyo, pp. 222–240.
- Hattori, S. (1971b) Studies of the Asiatic species of the genus *Porella* (Hepaticae). IV. *Journal of the Hattori botanical laboratory* 34: 411–428.
- Hattori, S. (1972) *Frullania tamarisci* complex and the species concept. *Journal of the Hattori botanical laboratory* 35: 202–251.
- Hattori, S. (1973a) Notes on the Asiatic species of the genus *Frullania*, Hepaticae. I. *Journal of the Hattori botanical laboratory* 36 "1972": 109–140.
- Hattori, S. (1973b) Notes on Asiatic species of the genus *Frullania*, Hepaticae, II. *Journal of the Hattori botanical laboratory* 37: 55–84.
- Hattori, S. (1973c) Notes on Asiatic species of the genus *Frullania*, Hepaticae, III. *Journal of the Hattori botanical laboratory* 37: 85–120.
- Hattori, S. (1973d) Notes on Asiatic species of the genus *Frullania*, Hepaticae, IV. *Journal of the Hattori botanical laboratory* 37: 121–152.
- Hattori, S. (1974a) *Frullania* taxa in the Philippine collection made by Dr. and Mrs. A. J. Sharp and Dr. Z. Iwatsuki. *Journal of the Hattori botanical laboratory* 38: 169–183.
- Hattori, S. (1974b) Notes on Asiatic species of the genus *Frullania*, Hepaticae, V. *Journal of the Hattori botanical laboratory* 38: 185–221.
- Hattori, S. (1974c) Notes on Asiatic species of the genus *Frullania*, Hepaticae, VI. *Journal of the Hattori botanical laboratory* 38: 223–274.
- Hattori, S. (1975a) Studies of the Asiatic species of the genus *Porella* (Hepaticae). V. *Journal of the Hattori botanical laboratory* 39: 269–276.
- Hattori, S. (1975b) Notes on Asiatic species of the genus *Frullania*, Hepaticae, VII. *Journal of the Hattori botanical laboratory* 39: 277–313.
- Hattori, S. (1975c) Bryophyta, Anthocerotae & Hepaticae (in Ohashi H (ed), Flora of E Himalaya, Third report). *Bulletin, University Museum, University of Tokyo. (Tokyo Daigaku. Sogo Kenkyu Shiryōkan)* 8: 206–242.
- Hattori, S. (1975d) Notes on the Asiatic species of the genus *Frullania*, Hepaticae. VIII. *Bulletin of the National Science Museum, Tokyo. Series B, Botany* 1: 141–163.
- Hattori, S. (1975e) A remarkable species of *Frullania* (Hepaticae) from Java. *Journal of Japanese botany [Shokubutsu kenkyu zasshi]* 50: 161–163.
- Hattori, S. (1976a) Notes on the Asiatic species of the genus *Frullania*, Hepaticae. IX. *Bulletin of the National Science Museum, Tokyo. Series B, Botany* 2: 7–22.
- Hattori, S. (1976b) Notes on Asiatic species of the genus *Frullania*, Hepaticae, X. *Journal of the Hattori botanical laboratory* 40: 461–507.
- Hattori, S. (1977) Dr. H. Hürlmann's collections of New Caledonian Frullaniaceae. *Journal of the Hattori botanical laboratory* 43: 409–438.
- Hattori, S. (1978) Studies of the Asiatic species of the genus *Porella* (Hepaticae). VII. A synopsis of Asiatic Porellaceae. *Journal of the Hattori botanical laboratory* 44: 91–120.
- Hattori, S. (1980a) Notes on Asiatic species of the genus *Frullania*, Hepaticae, XII. *Journal of the Hattori botanical laboratory* 47: 85–125.
- Hattori, S. (1980b) A revision of the subgenus *Homotropantha* of the genus *Frullania*, Hepaticae. *Journal of the Hattori botanical laboratory* 47: 165–236.
- Hattori, S. (1982) A synopsis of New Guinean *Frullania*, Hepaticae. *Journal of the Hattori botanical laboratory* 51: 203–271.
- Hattori, S. (1986a) A synopsis of New Caledonian Frullaniaceae. *Journal of the Hattori botanical laboratory* 60: 203–237.
- Hattori, S. (1986b) *Frullania* collection made by Mr. H. Akiyama on Seram Island. *Journal of the Hattori botanical laboratory* 60: 239–253.
- Hattori, S. (1986c) Notes on Asiatic species of the genus *Frullania*, Hepaticae. XIV. *Bulletin of the National Science Museum, Tokyo. Series B, Botany* 12: 127–138.
- Hattori, S. & Lin, P-J. (1985) A preliminary study of Chinese *Frullania* flora. *Journal of the Hattori botanical laboratory* 59: 123–169.
- Hattori, S. & Mizutani, M. (1958) A revision of the Japanese species of the family Lepidoziaceae. *Journal of the Hattori botanical laboratory* 19: 76–118.
- Hattori, S. & Mizutani, M. (1982) A status of *Amphijubula* (Hepaticae) with special reference to the seta anatomy. *Journal of the*

- Hattori botanical laboratory 52: 441–448.
- Hattori, S. & Piippo, S. (1986) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XV. *Frullania* (Frullaniaceae, Hepaticae). *Acta Botanica Fennica* 133: 25–58.
- Hattori, S. & Streimann, H. (1985) A collection of *Frullania* taxa from Papua New Guinea. *Journal of the Hattori botanical laboratory* 59: 101–121.
- Hattori, S. & Thaithong, O. (1977) A new species of *Frullania* (Hepaticae) from Java. *Journal of Japanese botany [Shokubutsu kenkyu zasshi]* 52: 289–292.
- Hattori, S., Thaithong, O. & Kitagawa, N. (1977) The genus *Frullania* in Thailand. *Journal of the Hattori botanical laboratory* 43: 439–457.
- He, X.-L. (1997) Type studies on *Pycnolejeunea* (Lejeuneaceae, Hepaticae), IV. *Annales Botanici Fennici* 34: 65–74.
- Herzog, T. (1930) Studien über *Drepanolejeunea* I. *Annales Bryologici* 3: 126–149.
- Herzog, T. (1932) Neue und bemerkenswerte Bryophyten, von H. Burgeff 1927/28 auf Java und den Philippinen gesammelt. *Annales Bryologici* 5: 69–82.
- Herzog, T. (1934) Studien über *Drepanolejeunea* II. *Annales Bryologici* 7: 57–94.
- Herzog, T. (1937) Studien über *Drepanolejeunea* III. *Annales Bryologici* 9 "1936": 115–130.
- Herzog, T. (1939) Studien über *Drepanolejeunea* IV. *Annales Bryologici* 12: 98–122.
- Herzog, T. (1941) *Byssolejeunea*, eine neue Gattung der Lejeuneaceae. *Hedwigia* 80: 84–86.
- Herzog, T. (1942) Revision der Lebermoosgattung *Leptolejeunea* Spr. in der Indomalaya. *Flora* 135: 377–434.
- Herzog, T. (1943) *Rhaphidolejeunea* Herz., eine neue Lejeuneaceengattung der Indomalaya. *Mitteilungen des Thüringischen Botanischen Vereins* 50: 100–105.
- Herzog, T. (1948) Studien über kritische und neue Lejeuneaceae der Indomalaya. *Svensk Botanisk Tidskrift* 42: 230–241.
- Herzog, T. (1951a) Miscellanea bryologica. II. Paleotropica. *Memoranda societatis pro fauna et flora fennica* 26 "1950": 37–66.
- Herzog, T. (1951a) Miscellanea bryologica. III. *Memoranda societatis pro fauna et flora fennica* 27 "1952": 92–110.
- Herzog, T., Buch, H., Schiffner, V. & Verdoorn, F. (1933) Bryophyta nova (6–16). *Annales Bryologici* 6: 124–135.
- Higuchi, M. (2005) Studies on the bryophyte flora of Vanuatu. 8. Field studies in 2000 and 2001 and Haplomitriaceae and Treubiaceae (Hepaticae). *Bulletin of the National Science Museum, Tokyo. Series B, Botany* 31: 11–17.
- Hodgetts, N.G., Matcham, H.W. & Duckett, J.G. (1999) Bryophytes collected in Lesotho, the Natal Drakensberg and the Orange Free State, southern Africa. *Journal of Bryology* 21: 133–155.
- Hoffman, G. (1935) Monographische Studien über die indomalayischen Arten von *Pycnolejeunea*. *Annales Bryologici* 8: 80–129.
- Hürlmann, H. (1989) Hepaticae aus dem Gebiete des südlichen Pazifik. X. *Bauhinia* 9: 153–170.
- Hürlmann, H. (1991) Hepaticae aus dem Gebiete des südlichen Pazifik. XI. *Bauhinia* 9: 257–264.
- Hürlmann, H. (1993) Hepaticae aus dem Gebiete des südlichen Pazifik. XII. *Bauhinia* 11: 3–17.
- Inoue, H. (1958a) The family Plagiochilaceae of Japan and Formosa. I. *Journal of the Hattori botanical laboratory* 19: 25–59.
- Inoue, H. (1958b) The family Plagiochilaceae of Japan and Formosa. II. *Journal of the Hattori botanical laboratory* 20: 54–106.
- Inoue, H. (1962) Contributions to the knowledge of Plagiochilaceae of southern Asia. 3. Studies in *Plagiochila sciophila-acanthophylla* complex. *Journal of the Hattori botanical laboratory* 25: 91–101.
- Inoue, H. (1964) The genus *Plagiochilion*. *Journal of the Hattori botanical laboratory* 27: 51–72.
- Inoue, H. (1966a) New and noteworthy liverworts from Formosa. *Bulletin of the National Science Museum, Tokyo. Series B, Botany* 9: 37–41.
- Inoue, H. (1966b) A monograph of the hepatic genus *Syzygiella* Spruce. *Journal of the Hattori botanical laboratory* 29: 171–213.
- Inoue, H. (1966c) Contributions to the knowledge of Plagiochilaceae of southeastern Asia. IX. *Plagiochila autoica* Steph. with a review of *Pedinophyllum*. *Bulletin of the National Science Museum, Tokyo. Series B, Botany* 9: 571–575.
- Inoue, H. (1967a) Studies on oil bodies of some Malayan liverworts. *Journal of the Hattori botanical laboratory* 30: 54–70.
- Inoue, H. (1967b) Taxonomic miscellany on the Plagiochilaceae. *Journal of Japanese botany [Shokubutsu kenkyu zasshi]* 42: 182–187.
- Inoue, H. (1968) Taxonomic miscellany on the genera *Plagiochila* and *Syzygiella*. *Bulletin of the national science museum* 11: 299–307.
- Inoue, H. (1969) Contributions to the knowledge of Plagiochilaceae of southern Asia. XII. Typification of *Plagiochila javanica* (Swartz) Dum. *Journal of the Hattori botanical laboratory* 32: 50–56.
- Inoue, H. (1970) Plagiochilaceae notes, I. On some species of *Plagiochila* from south Pacific Islands. *Journal of the Hattori botanical laboratory* 33: 305–316.
- Inoue, H. (1972) Distribution and speciation of certain sections of *Plagiochila*. *Journal of the Hattori botanical laboratory* 35: 25–30.
- Inoue, H. (1973) The genus *Fossombronia* Raddi in Japan. *Journal of the Hattori botanical laboratory* 37: 293–297.
- Inoue, H. (1984) *The genus Plagiochila in Southeast Asia*. Academic Scientific Books: Tokyo, 142 pp.
- Inoue, H. (1986) Notes on the Plagiochilaceae, XIII. The genus *Plagiochila* (Dum.) Dum. in mainland Australia. *Journal of the Hattori botanical laboratory* 60: 357–378.
- Inoue, H. (1988) Taxonomic miscellany on hepaticas (5). *Journal of Japanese botany [Shokubutsu kenkyu zasshi]* 63: 393–398.
- Iskander, E.A.P. (2008) *The liverworts of Mt. Tangkuban Perahu*. LIPI Press: Jakarta, 76 pp.
- Jolyclerc, M.N.T. (1799) *Cryptogamie complète, ou descriptions des plantes dont les étamines sont peu apparantes*. Paris, 242 pp.
- Jovet-Ast, S. (1951) Sur quelques *Colura* d'Indo-Malaisie et d'Océanie. *Revue Bryologique et Lichénologique* 20: 99–104.
- Jovet-Ast, S. (1954a) Le genre *Colura*, Hépatiques, Lejeuneacées, Diplasiae. *Revue Bryologique et Lichénologique* 22 "1953": 206–312.
- Jovet-Ast, S. (1954b) Le genre *Colura*. Hépatiques, Lejeuneaceae, Diplasiae (supplement). *Revue Bryologique et Lichénologique* 23: 1–22.

- Jovet-Ast, S. (2000) Documents pour la connaissance des *Riccia austrialiens* (Hépatiques, Marchantiales) - nouvelles récoltes. *Taxons nouveaux. Commentaires morphologiques et écologiques. Cryptogamie, Bryologie* 21: 289–343.
- Jovet-Ast, S. (2003) *Riccia* des sous-genres *Riccia* et *Ricciella* récoltés en Inde et en Indonésie. *Cryptogamie, Bryologie* 24: 209–228.
- Juslén, A. (2006) Revision of Asian *Herbertus* (Herbertaceae, Marchantiophyta). *Annales Botanici Fennici* 43: 409–436.
- Kamimura, M (1961) A monograph of Japanese Frullaniaceae. *Journal of the Hattori botanical laboratory* 24: 1–109.
- Kitagawa, N. (1966) A revision of the family Lophoziaceae of Japan and its adjacent regions. II. *Journal of the Hattori botanical laboratory* 29: 101–149.
- Kitagawa, N. (1967) Studies on the Hepaticae of Thailand. I. The genus *Bazzania*, with general introduction. *Journal of the Hattori botanical laboratory* 30: 249–270.
- Kitagawa, N. (1968) Studies on the hepaticae of Thailand III. The genus *Leucolejeunea*. 6: 608–613.
- Kitagawa, N. (1969) Studies on the Hepaticae of Thailand. II. *Cephalozia* and *Cephaloziella*. *Journal of the Hattori botanical laboratory* 32: 290–306.
- Kitagawa, N. (1970) Lophoziaceae of North Borneo. *Journal of the Hattori botanical laboratory* 33: 203–221.
- Kitagawa, N. (1973a) Miscellaneous notes on little-known species of Hepaticae, 1–25. *Journal of the Hattori botanical laboratory* 36 "1972": 444–454.
- Kitagawa, N. (1973b) Miscellaneous notes on little-known species of Hepaticae, 26–50. *Journal of the Hattori botanical laboratory* 37: 263–273.
- Kitagawa, N. (1979) Studies on Asian species of *Bazzania*, Hepaticae, II. *Bulletin of Nara University of Education. Series B, Natural Sciences* 28: 71–83.
- Kitagawa, N. (1980) New Guinean species of the genus *Bazzania*, I. *Journal of the Hattori botanical laboratory* 47: 127–143.
- Kitagawa, N. (1981) Miscellaneous notes on little-known species of Hepaticae, 51–70. *Hikobia, supplement* 1: 67–72.
- Kodama, T. (1955) Notes on the hepaticae of the Kinki district. 1. *Taeniolejeunea*. *Journal of the Hattori botanical laboratory* 15: 103–104.
- Koponen, T., Enroth, J., Fang, J.-M., Huttunen, S., Hyvönen, J., Ignatov, M., Juslén, A., Lai, M.-J., Pippio, S., Potemkin, A. & Rao, P. (2000) Bryophyte flora of Hunan Province, China. 1. Bryophytes from Mangshan Nature Reserve and Wulingyuan Global Cultural Heritage Area. *Annales Botanici Fennici* 37: 11–40.
- Krayesky, D.M., Crandall-Stotler, B.J. & Stotler, R.E. (2005) A revision of the genus *Fossombronia* Raddi in the east Asia and Oceania. *Journal of the Hattori botanical laboratory* 98: 1–45.
- Kruijt, R.C. (1988) A monograph of the genera *Dicranolejeunea* and *Acanthocoleus*. *Bryophytorum Bibliotheca* 36: 1–135.
- Kuwahara, Y. (1958) A revision of the Japanese species of the genus *Metzgeria*. *Journal of the Hattori botanical laboratory* 20: 124–141.
- Kuwahara, Y. (1965) A short survey of the Himalayan Metzgeriaceae. *Journal of the Hattori botanical laboratory* 28: 292–298.
- Kuwahara, Y. (1968) Studies of a recent collection of Metzgeriaceae in the Philippines. *Journal of the Hattori botanical laboratory* 31: 159–175.
- Kuwahara, Y. (1969) Taxonomic accounts of "the hair-falcate" species of the hepatic genus *Metzgeria*. *Nova Hedwigia* 17: 359–368.
- Kuwahara, Y. (1975) A recent collection of Metzgeriaceae in the eastern Himalayas. *Journal of the Hattori botanical laboratory* 39: 363–371.
- Kuwahara, Y. (1976) *Metzgeria temperata*, a new holarctic species of Hepaticae. *Journal of the Hattori botanical laboratory* 40: 217–220.
- Kuwahara, Y. (1978) A recent collection of New Guinean *Metzgeria*. *Lindbergia* 4: 289–295.
- Kuwahara, Y. (1981) Studies of Peruvian collections of the genus *Metzgeria* made by P. & E. Hegewald in 1973 and 1977. *Nova Hedwigia* 37: 769–815.
- Kuwahara, Y. (1982) Studies on Colombian Cryptogams XV. On high Andean *Metzgeria* collected by Dr. Antoine M. Cleef in 1972 and 1973. *Proceedings, Koninklijke Nederlandse Akademie van Wetenschappen. Series C, biological and medical sciences* 85(3): 357–380.
- Kuwahara, Y. (1983) *Metzgeria decipiens* (Mass.) Schiffn. (Hepaticae), with a wide geographical distribution. *Nova Hedwigia* 38: 603–616.
- Kuwahara, Y. (1984) Synopsis of section *Biseria* subg. *Metzgeria* Kuw. genus *Metzgeria* Raddi (Hepaticae). *Hikobia* 9: 31–42.
- Kuwahara, Y. (1985) Annotated key to the species of the Metzgeriaceae from Japan, East Himalayas, Tropical East Asia, and Tropical Oceania. *Nova Hedwigia* 40 "1984": 273–285.
- Kuwahara, Y. (1986) The Metzgeriaceae of the Neotropics. *Bryophytorum Bibliotheca* 28: 1–254.
- Kuwahara, Y. & Hattori, S. (1953) *Chiloscyphus javanicus* in Liukiu. *Journal of the Hattori botanical laboratory* 9: 63–64.
- Land, W.J.G. (1908) Javanese Anthocerotales. *Botanical Gazette* 45: 349–350.
- Lehmann, J.G.C. (1832) *Novarum et minus cognitarum stirpium pugillus IV*. Hamburg, 64 pp.
- Lehmann, J.G.C. (1844) *Novarum et minus cognitarum stirpium pugillus VIII addita enumeratione plantarum omnium in his pugillis descriptorum*. Hamburg, pp. 1–56.
- Lehmann, J.G.C. (1857) *Novarum et minus cognitarum stirpium pugillus X addita enumeratione plantarum omnium in his pugillis descriptorum*. Hamburg, 40 pp.
- Lin, P.-J., Pippio, S., Koponen, T. & Wu, P.-C. (1992) Bryophyte flora of Jianfengling Mts, Hainan Island, China. *Bryobrothera* 1: 195–214.
- Lindenberg, J.B.C. (1840) *Species hepaticarum. Fasc. 2-4*. Henry & Cohen: Bonn, pp. 37–120.
- Lindenberg, J.B.C. (1843) *Species hepaticarum. Fasc. 5*. Henry & Cohen: Bonn, pp. 121–164.
- Lindenberg, J.B.C. & Gottsche C.M. (1851) *Species Hepaticarum, Fasc. 8-11*. Henry & Cohen: Bonn, pp. 1–118.
- Long, D.G. (1979) Hepaticae of Bhutan, East Himalaya. *Lindbergia* 5: 54–62.

- Long, D.G. (1999) New vice-county records and amendments to the census catalogue. Hepaticae. *Bulletin of the British Bryological Society* 72: 93–96.
- Long, D.G. (2005) Notes on Himalayan Hepaticae 2: new records and extensions of range for some Himalayan leafy liverworts. *Cryptogamie, Bryologie* 26: 97–107.
- Long, D.G. (2006) Revision of the genus *Asterella* P. Beauv. in Eurasia. *Bryophytorum Bibliotheca* 63: 1–299.
- Long, D.G. & Grolle, R. (1990) Hepaticae of Bhutan II. *Journal of the Hattori botanical laboratory* 68: 381–440.
- Martens, G. (1870) *Kurzia crenacanthoidea*, eine neue Alge. *Flora* 53: 417–418.
- Meagher, D. (2010) Studies on *Bazzania* 2. Seven poorly known species from Australia. *Nova Hedwigia* 90: 395–411.
- Meijer, W. (1953) Bryologische Brieven uit Indonesië. *Buxbaumia* 7: 22–28.
- Meijer, W. (1954a) Bryologische Brieven uit Indonesië. III. Kijkjes in de levermosflora van de Noorhelling van de Pangerango boven Tugu, W.-Java. *Buxbaumia* 8: 10–20.
- Meijer, W. (1954b) Bryologische Brieven uit Indonesië. IV. Een bezoek aan de toppen van Gede en Pangerango. *Buxbaumia* 8: 41–48.
- Meijer, W. (1954c) Notes on some Malaysian species of *Anthoceros* L. (Hepaticae) - I. *Reinwardtia* 2: 411–423.
- Meijer, W. (1955) Bryologische Brieven uit Indonesië. V. Een tournee naar Midden-Java. *Buxbaumia* 9: 11–17.
- Meijer, W. (1957) Notes on some Malayan species of *Anthoceros* L. (Hepaticae) - II. *Journal of the Hattori botanical laboratory* 18: 1–13.
- Meijer, W. (1958a) Notes on species of *Riccia* from the Malaysian region. *Journal of the Hattori botanical laboratory* 20: 107–118.
- Meijer, W. (1958b) Opvallende levermosvormen uit de flora van Tjibodas. *Buxbaumia* 12: 8–15.
- Meijer, W. (1959a) On some south-east Asiatic species of the genus *Plectocolea*. *Journal of the Hattori botanical laboratory* 21: 53–60.
- Meijer, W. (1959b) Notes on species of *Riccardia* from their type localities in western Java. *Journal of the Hattori botanical laboratory* 21: 61–78.
- Meijer, W. (1960) Notes on the species of *Bazzania* (Hepaticae) mainly of Java. *Blumea* 10: 367–384.
- Meissner, C.F. (1848) Hepaticae Javanicae a Zollinger collectae. *Botanische Zeitung, Berlin* 6: 462–463.
- Miller, H.A. (1965) A review of *Herberta* in the tropical Pacific and Asia. *Journal of the Hattori botanical laboratory* 28: 299–412.
- Miller, H.A. (1981) Notulae Hepaticarum Polynesiae. *Phytologia* 47: 319–324.
- Miller, H.A., Whittier, H.O. & Whittier, B.A. (1983) Prodromus Flora Hepaticarum Polynesiae. *Bryophytorum Bibliotheca* 25: 1–423.
- Mitten, W. (1860) Hepaticae Indiae Orientalis; an enumeration of the species of the Hepaticae of East Indies. *Journal of the Linnean Society, Botany* 5: 89–108.
- Mitten, W. (1873) Jungermanniae and Marchantiae. In: Seeman, B. (Ed), *Flora vitiensis*. Reeve: London, pp. 325–453.
- Mitten, W. (1886) The Mosses and Hepaticae collected in Central Africa by the late Right Rev. James Hannington, Bishop of Mombasa, F. L. S., F. G. S. etc., with some others, including those gathered by Mr. J. H. Johnston on Kilimanjaro. *Journal of the Linnean Society, Botany* 22 "1887": 298–329.
- Mitten, W. (1891) An Enumeration of all species of Musci and Hepaticae recorded from Japan. *Transactions of the Linnean Society of London, botany* 3: 153–206.
- Mizutani, M. (1961) A revision of Japanese Lejeuneaceae. *Journal of the Hattori botanical laboratory* 24: 115–302.
- Mizutani, M. (1963) On some Indian species of the family Lejeuneaceae described by W. Mitten. *Journal of the Hattori botanical laboratory* 26: 171–184.
- Mizutani, M. (1964) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 1. On some little known southeast Asiatic species of the family Lejeuneaceae. *Journal of the Hattori botanical laboratory* 27: 139–148.
- Mizutani, M. (1965) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 2. On some little known southeast Asiatic species of the genus *Cololejeunea*. *Journal of the Hattori botanical laboratory* 28: 107–121.
- Mizutani, M. (1966) Supplement to "Revision of Japanese Lejeuneaceae". II. *Journal of the Hattori botanical laboratory* 29: 290–293.
- Mizutani, M. (1967a) Studies of the Himalayan species of *Bazzania*. *Journal of the Hattori botanical laboratory* 30: 71–90.
- Mizutani, M. (1967b) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 3. On some little known species of *Cheilolejeunea*, *Euosmolejeunea* and *Pycnolejeunea*. *Journal of the Hattori botanical laboratory* 30: 171–180.
- Mizutani, M. (1968a) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 5. On some flagelliform species of *Lepidozlia*. *Journal of the Hattori botanical laboratory* 31: 152–158.
- Mizutani, M. (1968b) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 6. On some interesting tropical species of *Lepidozlia*. *Journal of the Hattori botanical laboratory* 31: 176–188.
- Mizutani, M. (1969) Lejeuneaceae subfamily Ptychanthoideae from Sabah (North Borneo). *Journal of the Hattori botanical laboratory* 32: 129–139.
- Mizutani, M. (1971) Lejeunea from the Himalayan region. *Journal of the Hattori botanical laboratory* 34: 445–457.
- Mizutani, M. (1972) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 7. Some little known species of the subfamily Lejeuneoideae of the Lejeuneaceae. *Journal of the Hattori botanical laboratory* 35: 399–411.
- Mizutani, M. (1973a) The genus *Harpalejeunea* from Sabah (North Borneo). *Journal of the Hattori botanical laboratory* 37: 191–203.
- Mizutani, M. (1973b) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 8. Some little known species of the subfamily Lejeuneoideae of the Lejeuneaceae. *Journal of the Hattori botanical laboratory* 36 "1972": 157–162.
- Mizutani, M. (1974) Lepidoziaceae, subfamily Lepidozioideae from Sabah (North Borneo). *Journal of the Hattori botanical laboratory* 38: 371–385.
- Mizutani, M. (1975) Epiphyllous species of Lejeuneaceae from the Philippines. *Journal of the Hattori botanical laboratory* 39: 255–262.
- Mizutani, M. (1976a) Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium. 9. Some little known species of

- the family Lejeuneaceae. *Journal of the Hattori botanical laboratory* 40: 441–446.
- Mizutani, M. (1976b) Lepidoziaceae, subfamily Lepidozioideae from the Philippines. *Journal of the Hattori botanical laboratory* 40: 447–451.
- Mizutani, M. (1977) Lejeuneaceae from the Philippines. *Journal of the Hattori botanical laboratory* 43: 127–136.
- Mizutani, M. (1978a) Lejeuneaceae from the Philippines. *Journal of the Hattori botanical laboratory* 43 "1977": 127–136.
- Mizutani, M. (1978b) Lejeuneaceae from the Ishigaki and Iriomote Islands of Ryukyu Archipelago. *Journal of the Hattori botanical laboratory* 44: 121–136.
- Mizutani, M. (1979) Notes on the Lejeuneaceae. 2. Some peculiar Asiatic species in the Rijksherbarium, Leiden. *Journal of the Hattori botanical laboratory* 46: 357–372.
- Mizutani, M. (1980a) Notes on the Lejeuneaceae. 3. Some Asiatic species of the genus *Cheilolejeunea*. *Journal of the Hattori botanical laboratory* 47: 319–331.
- Mizutani, M. (1980b) Notes on the Lejeuneaceae. 4. Asiatic species of the genus *Dicranolejeunea*. *Journal of the Hattori botanical laboratory* 48: 235–242.
- Mizutani, M. (1981) Notes on Lejeuneaceae. 5. Some species of the genus *Ceratolejeunea*. *Journal of the Hattori botanical laboratory* 49: 305–318.
- Mizutani, M. (1982) Notes on the Lejeuneaceae. 6. Japanese species of the genus *Cheilolejeunea*. *Journal of the Hattori botanical laboratory* 51: 151–173.
- Mizutani, M. (1984a) Notes on the Lejeuneaceae. 8. Japanese species of the subgenus *Taeniolejeunea* of the genus *Cololejeunea*. *Journal of the Hattori botanical laboratory* 57: 153–170.
- Mizutani, M. (1984b) Notes on the Lejeuneaceae. 9. *Journal of the Hattori botanical laboratory* 57: 427–442.
- Mizutani, M. (1985) Notes on the Lejeuneaceae. 10. Some Asiatic species of the genus *Lopholejeunea*. *Journal of the Hattori botanical laboratory* 59: 469–480.
- Mizutani, M. (1986) Notes on the Lejeuneaceae. 11. *Cololejeunea spinosa* and its related species in Japan. *Journal of the Hattori botanical laboratory* 60: 439–450.
- Mizutani, M. (1987a) Notes on the Lejeuneaceae. 12. *Mastigolejeunea humilis* and its related species from Asia. *Journal of the Hattori botanical laboratory* 61 "1986": 281–297.
- Mizutani, M. (1987b) Notes on the Lejeuneaceae. 13. Some Asiatic species of the genus *Thysananthus*. *Journal of the Hattori botanical laboratory* 63: 411–419.
- Mizutani, M. (1990) Notes on the Lejeuneaceae. 16. *Drepanolejeunea thwaitesiana* and its related species from Asia. *Journal of the Hattori botanical laboratory* 68: 367–380.
- Mizutani, M. (1994) On *Lopholejeunea subfusca* and *L. nigricans*. *Proceedings of the bryological society of Japan* 6: 116–118.
- Mizutani, M. & Chang, K.C. (1986) A preliminary study of Chinese Lepidoziaceae flora. *Journal of the Hattori botanical laboratory* 60: 419–437.
- Montagne, J.F.C. (1844) Diagnoses Muscorum quorundam Javanicorum. *London Journal of Botany* 3: 632–634.
- Müller, F. & Schäfer-Verwimp, A. (1999) New bryophyte taxon records for tropical countries III. *Tropical Bryology* 16: 195–201.
- Müller, K. (1901b) Vorarbeiten zu einer Monographie der Gattung *Scapania*. *Bulletin de l'herbier Boissier, serie 2* 1: 593–614.
- Nair, M.C., Rajesh, K.P. & Madhusoodanan, P.V. (2006) *Lejeunea exilis* (Lejeuneaceae, Hepaticae) – a new record to India. *Acta Botanica Hungarica* 48: 85–88.
- Nees von Esenbeck, C.G. (1830) *Enumeratio plantarum cryptogamicarum Javae et insularum adiacentium, quas a Blumio et Reinwardt collectas describi edique curavit Christ. Godfr. Nees Ab Esenbeck professor vratislaviensis. Fasciculus prior, hepaticas complectens, ab editore illustratis*. Grass, Barth & Co.: Breslau, 86 pp.
- Nees von Esenbeck, C.G. (1831) Berichtigungen zur *Enumeratio plantarum cryptogamicarum Javae*. *Linnaea* 6: 602–623.
- Nees von Esenbeck, C.G. (1833) *Naturgeschichte der Europäischen Lebermoose mit besonderer Beziehung auf Schlesien und die Oertlichkeiten des Riesengebirgs, vol. 1*. Grass, Barth & Co.: Berlin, 348 pp.
- Nees von Esenbeck, C.G. (1838) *Naturgeschichte der Europäischen Lebermoose mit besonderer Beziehung auf Schlesien und die Oertlichkeiten des Riesengebirgs, vol. 3*. Breslau, 504 pp.
- Nieva, M.M. & Schiavone, M.M. (2002) El género *Metzgeria* (Metzgeriales-Hepatophyta) en los bosques montanos del Noroeste de Argentina. *Tropical Bryology* 21: 123–133.
- Olson, D.M. & Dinerstein, E. (2002) The Global 200: priority ecoregions for global conservation. *Annals of the Missouri Botanical Garden* 89: 199–224.
- Olson, D.M., Dinerstein, E., Wikramanayake, E.D., Burgess, N.D., Powell, G.V.N., Underwood, E.C., D'Amico, J.A., Itoua, I., Strand, H.E., Morrison, J.C., Loucks, C.J., Allnutt, T.F., Ricketts, T.H., Kura, Y., Lamoreux, J.F., Wettenberg, W.W., Hedao, P., Kassem, K.R. (2001) Terrestrial ecoregions of the world: a new map of life on earth. *BioScience* 50: 933–938.
- Onraedt, M. (1981) Bryophytes récoltées à Sri Lanka (Ceylon). V. *Journal of the Hattori botanical laboratory* 50: 191–216.
- Onraedt, M. (1991) Bryophytes des îles Philippines. I. Le genre *Leptolejeunea* (Spruce) Steph. *Journal of the Hattori botanical laboratory* 70: 157–166.
- Pagán, F.M. (1939) A preliminary list of the hepaticae of Puerto Rico including Vieques and Mona Island. *The Bryologist* 42: 1–12.
- Pagán, F.M. (1942) Catalogue of the hepaticae of Guadeloupe. *The Bryologist* 45: 76–110.
- Perold, S.M. (1999) *Flora of Southern Africa. Hepatophyta. Part 1: Marchantiopsida. Fascicle 1: Marchantiidae*. National Botanical Institute: Pretoria, 252 pp.
- Piippo, S. (1984a) Bryophyte flora of the Huon Peninsula, Papua New Guinea. III. Haplomitriaceae, Lepicoleaceae, Herbertaceae, Pseudolepicoleaceae, Trichocoleaceae, Schistochilaceae, Balantiopsiaceae, Pleuroziaceae and Porellaceae (Hepaticae). *Annales Botanici Fennici* 21: 21–48.
- Piippo, S. (1984b) Bryophyte flora of the Huon Peninsula, Papua New Guinea. VI. Lepidoziaceae subfam. Lepidozioideae,

- Calypogeiaeae, Adelanthaceae, Cephaloziaceae subfam. Cephalozioideae and subfam. Odontoschismatoideae and Jubulaceae (Hepaticae). *Annales Botanici Fennici* 21: 309–335.
- Piippo, S. (1985a) Bryophyte flora of the Huon Peninsula, Papua New Guinea. X. Jackiellaceae, Scapaniaceae, Arnelliaceae and Acrobolbaceae (Hepaticae). *Acta Botanica Fennica* 131: 89–97.
- Piippo, S. (1985b) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XII. Geocalycaceae (Hepaticae). *Acta Botanica Fennica* 131: 129–167.
- Piippo, S. (1985c) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XIII. *Arachniopsis* and *Kurzia* (Lepidoziaceae subfam. Lepidozioideae, Hepaticae). *Acta Botanica Fennica* 131: 169–179.
- Piippo, S. (1986) A monograph of *Lepidolejeunea* and *Luteolejeunea* (Lejeuneaceae: Hepaticae). *Acta Botanica Fennica* 132: 1–69.
- Piippo, S. (1987) Hepatics from Papua New Guinea collected by Dr. G. Shea. *Journal of the Hattori botanical laboratory* 63: 493–498.
- Piippo, S. (1988) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXIII. Treubiaceae, Allisoniaceae and Makinoaceae (Metzgeriales, Hepaticae). *Annales Botanici Fennici* 25: 159–164.
- Piippo, S. (1989a) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXX. Plagiochilaceae (Hepaticae). *Annales Botanici Fennici* 26: 183–236.
- Piippo, S. (1989b) The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. III. Geocalycaceae (Hepaticae). *Willdenowia* 18: 513–527.
- Piippo, S. (1991a) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXIX. *Fossombronia* (Fossombroniaceae) and *Metzgeria* (Metzgeriaceae). *Annales Botanici Fennici* 143: 1–22.
- Piippo, S. (1991b) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XL. *Acromastigum* and *Hygrolembidium* (Lepidoziaceae subfam. Bazzanioideae and Lembidioideae, Hepaticae). *Acta Botanica Fennica* 143: 23–34.
- Piippo, S. (1992) Bryophyte flora of the Huon peninsula, Papua New Guinea. LI. Additions and corrections to the Geocalycaceae (Hepaticae). *Annales Botanici Fennici* 29: 243–248.
- Piippo, S. (1993a) Hepatics from the Solomon Islands. I. *Nova Hedwigia* 56: 355–365.
- Piippo, S. (1993b) Bryophyte flora of the Huon Peninsula, Papua New Guinea. LIV. Anthocerotophyta. *Acta Botanica Fennica* 148: 27–51.
- Piippo, S., He, X.-L., Juslén, A., Tan, B.C., Murphy, D.H. & Pócs, T. (2002) Hepatic and hornwort flora of Singapore. *Annales Botanici Fennici* 39: 101–128.
- Piippo, S., He, X.-L. & Koponen, T. (1997) Hepatics of northwestern Sichuan, China, with a checklist of Sichuan hepatics. *Annales Botanici Fennici* 34: 51–64.
- Piippo, S., He, X.-L., Koponen, T., Redfearn, P. & Li, J.-X. (1998) Hepaticae from Yunnan, China, with a checklist of Yunnan Hepaticae and Anthocerotae. *Journal of the Hattori botanical laboratory* 84: 135–158.
- Piippo, S. & Tan, B.C. (1992) Novelties for the Philippine hepatic flora. *Journal of the Hattori botanical laboratory* 72: 117–126.
- Pócs, T. (1968a) Troisième contribution à bryoflore du Nord Vietnam. Récoltes polonaises aux environs de Sapa. *Fragmenta floristica et geobotanica* 14: 495–504.
- Pócs, T. (1968b) The genus *Porella* in Vietnam. *Journal of the Hattori botanical laboratory* 31: 65–93.
- Pócs, T. (1969a) Adatok Észak-Vietnam mohaflórájához. V. Fifth contribution to the bryoflora of North Vietnam. *Botanikai közlemények* 56: 139–147.
- Pócs, T. (1969b) A short survey of the *Bazzania* of North Viet-Nam. *Journal of the Hattori botanical laboratory* 32: 79–94.
- Pócs, T. (2008a) Bryophytes from the Fiji Islands, III. The genus *Phaeolejeunea* Mizut. (Lejeuneaceae), with detailed description of *P. amicorum* (Hürl.) Pócs, stat. nov. *Fieldiana, Botany* 47: 139–145.
- Pócs, T. (2008b) Bryophytes from the Fiji Islands, IV. The genus *Frullania* Raddi (Jungermanniopsida), I., with description of *F. vivipara* Pócs, spec. nov. *Fieldiana, Botany* 47: 147–158.
- Pócs, T., Mizutani, M. & Piippo, S. (1994) Bryophyte Flora of the Huon Peninsula, Papua-New-Guinea LXV. Preliminary Contributions on Lejeuneaceae (Hepaticae). I. *Annales Botanici Fennici* 31: 179–190.
- Pócs, T. & Ninh, T. (2005) Contribution to the bryoflora of Vietnam, VI. On the liverwort flora of Vu Quang Nature Reserve. *Acta Botanica Hungarica* 47: 151–171.
- Pócs, T., Piippo, S. & Mizutani, M. (1995) Bryophyte Flora of the Huon Peninsula, Papua New Guinea. LVI. Preliminary contributions on Lejeuneaceae (Hepaticae) 2. *Annales Botanici Fennici* 32: 259–268.
- Pócs, T. & Streimann, H. (1999) Epiphyllous liverworts from Queensland, Australia. *Bryobrothera* 5: 165–172.
- Pócs, T. & Streimann, H. (2006) Contributions to the bryoflora of Australia, I. *Tropical Bryology* 27: 19.
- Pócs, T., Tixier, P. & Jovet-Ast, S. (1967) Adatok Észak-Vietnam mohaflórájához. II. Seconde contribution la bryoflore du Nord Vietnam. *Botanikai közlemények* 54: 27–38.
- Potemkin, A.D. (2002) Phylogenetic system and classification of the family Scapaniaceae Mig. emend. Potemkin (Hepaticae). *Annales Botanici Fennici* 39: 309–334.
- Potemkin, A.D. (2004) [Heteroscyphus (Geocalycaceae) - a new liverwort genus for Russia]. *Arctoa* 13: 67–72.
- Reichardt, H.W. (1871) Ueber der flora der Insel St. Paul im indischen Ocean. *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien* 21: 3–36.
- Reiner-Drehwald, M.E. (1993) Las Lejeuneaceae (Hepaticae) de Misiones, Argentina I. Las especies holotipas. *Tropical Bryology* 7: 13–45.
- Reiner-Drehwald, M.E. (1998) Las Lejeuneaceae (Hepaticae) de Misiones, Argentina V. *Cheilolejeunea* y *Lepidolejeunea*. *Tropical Bryology* 14: 53–68.
- Reiner-Drehwald, M.E. & Goda, A. (2000) Revision of the genus *Crossotolejeunea* (Lejeuneaceae, Hepaticae). *Journal of the Hattori botanical laboratory* 89: 1–54.
- Reinwardt, C.G.C., Blume, C.L. & Nees von Esenbeck, C.G. (1824a) Hepaticae Iavanicae, editae coniunctis studiis et opera. *Nova*

- Acta Physico-medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum Exhibentia Ephemerides sive Observationes Historias et Experimenta* 12 "1825": 181–238.
- Reinwardt, C.G.C., Blume, C.L. & Nees von Esenbeck, C.G. (1824b) Hepaticae Javanicae, in hoc volumine a pag. 181–258 illustratarum, supplementum. *Nova Acta Physico-medica Academiae Caesareae Leopoldino-Carolinae Naturae Curiosorum Exhibentia Ephemerides sive Observationes Historias et Experimenta* 12 "1825": 409–417.
- Renner, M.A.M. (2005) Additions to the *Radula* (Radulaceae: Hepaticae) floras of the New Zealand and Tasmania. *Journal of the Hattori botanical laboratory* 97: 39–79.
- Renner, O. (1932) Zur Kenntnis des Wasserhaushalts javanischer Kleinepiphyten. *Planta* 18: 215–287.
- Sande Lacoste, C.M. van der (1854) Novae species Hepaticarum ex insula Java detexit Dr. F. Junghuhn. *Nederlandsch Kruidkundig Archief. Verslagen en Mededelingen der Nederlandsche Botanische Vereeniging* 3 "1855": 414–424.
- Sande Lacoste, C.M. van der (1855a) Plagiochila sandei Dz. aliaeque Hepaticarum novae species breviter descriptae. *Nederlandsch Kruidkundig Archief. Verslagen en Mededelingen der Nederlandsche Botanische Vereeniging* 4 "1856": 89–95.
- Sande Lacoste, C.M. van der (1855b) Novae species Hepaticarum ex insula Java detexit Dr. F. Junghuhn. *Nederlandsch Kruidkundig Archief. Verslagen en Mededelingen der Nederlandsche Botanische Vereeniging* 3: 521–522.
- Sande Lacoste, C.M. van der (1856a) Hepaticae. In: De Vriese, W.H. (Ed), *Plantae Indiae Batavae orientalis, quas in itinere per insulas Archipelagi Indici, Javam, Amboinam, Celebam, Ternatam, aliasque annis 1815–1821 exploravit Casp. Georg. Carol. Reinwardt, fasc. 1*. Lugdunum Batavorum, pp. 18–26.
- Sande Lacoste, C.M. van der (1856b) Novae species Hepaticarum ex insula Java detexit Dr. F. Junghuhn. *Natuurkundig tijdschrift voor Nederlandsch-Indië* 10: 393–398.
- Sande Lacoste, C.M. van der (1857) Synopsis Hepaticarum Javanicarum, adiectis quibusdam speciabus Hepaticarum novis extra-Javanicis. *Verhandelingen der Koninklijke Akademie van Wetenschappen. Afdeeling Natuurkunde* 5 "1856": 1–112.
- Sande Lacoste, C.M. van der (1864) Hepaticae. Jungermanniae Archipelagi Indici, adiectis quibusdam speciebus Japonicis. *Annales Musei Botanici Lugduno-Batavia* 1: 287–314.
- Schäfer-Verwimp, A. (2006) A new species of *Diplasiolejeunea* (Lejeuneaceae, Jungermanniopsida) from Sumatra, and a key for the genus in Asia. *Herzogia* 19: 239–244.
- Schiffner, V. (1893a) Hepaticae (Lebermoose). In: Engler, A. & Prantl, K. (Ed), *Die Natürlichen Pflanzensammlungen, Teil. I, Abt. 3. Engelmann*: Leipzig, pp. 1–96.
- Schiffner, V. (1893b) Ueber exotische Hepaticae, hauptsächlich aus Java, Amboina und Brasilien, nebst einigen morphologischen und kritischen Bemerkungen über *Marchantia*. *Nova Acta Academiae Caesareae Leopoldino-Carolinae Germanicae Naturae Curiosorum* 60: 220–316.
- Schiffner, V. (1894) Revision der Gattungen *Bryopteris*, *Thysananthus*, *Ptychanthus* und *Phragmicoma*. *Hedwigia* 33: 170–189.
- Schiffner, V. (1896) *Wiesnerella*, eine neue Gattung der Marchantiaceen. *Österreichische Botanische Zeitschrift* 46: 82–88.
- Schiffner, V. (1898a) *Conspiclus Hepaticarum Archipelagi Indici*. Batavia, 382 pp.
- Schiffner, V. (1898b) Expositio plantarum in itinere suo Indico annis 1893–1894 suscepto collectarum I. *Akademie der Wissenschaften in Wien. Mathematisch-Naturwissenschaftliche Klasse. Denkschriften* 67: 153–203.
- Schiffner, V. (1900a) *Die Hepaticae der Flora von Buitenzorg. I. Band. Enthaltend die Beschreibung aller bisher aus Java bekannt gewordenen Ricciaceae, Marchantiaceae, Jungermanniaceae Anakrogynae und Jungermanniaceae Akrogynae Unterfam. Epigoniantheae*. E. J. Brill: Leiden, 220 pp.
- Schiffner, V. (1900b) Exposito plantarum in itinere suo Indico annis 1893/94 suspecto collectarum, II. *Akademie der Wissenschaften in Wien. Mathematisch-Naturwissenschaftliche Klasse. Denkschriften* 70: 155–218.
- Schiffner, V. (1900c) Hepaticae Masartiana Javanicae. *Hedwigia* 39: 191–208.
- Schiffner, V. (1939) Monographie der Gattung *Cyathodium*, II. *Annales Bryologici* 12: 123–142.
- Schiffner, V. (1941) Eine neue Gattung der Lejeuneaceae. *Hedwigia* 80: 87–89.
- Schiffner, V. (1955) Die Lebermoose der Deutschen Limnologischen Sunda-Expedition. *Archiv für Hydrobiologie, supplement* 21: 382–407.
- Schill, D. & Long, D.G. (2003) A revision of *Anastrophyllum* (Spruce) Steph. (Jungermanniales, Lophoziaceae) in the Himalayan region and western China. *Journal of the Hattori botanical laboratory* 94: 115–157.
- Schuster, R.M. (1957) North American Lejeuneaceae VI. *Lejeunea*. Introduction and keys; subgenus *Lejeunea*. *Journal of the Elisha Mitchell Scientific Society* 73: 122–197.
- Schuster, R.M. (1963) An annotated synopsis of the genera and subgenera of Lejeuneaceae. I. Introduction; annotated keys to subfamilies and genera. *Nova Hedwigia, Beiheft* 9: 1–203.
- Schuster, R.M. (1968) Studies on the Hepaticae, XXIX–XLIV. A miscellany of new taxa and new range extensions. *Nova Hedwigia* 15: 437–529.
- Schuster, R.M. (1969) *The Hepaticae and Anthocerotae of North America. vol. 2*. Columbia University Press: New York, 1062 pp.
- Schuster, R.M. (1974) *The Hepaticae and Anthocerotae of North America. vol. III*. Columbia University Press: New York, 880 pp.
- Schuster, R.M. (1980) *The Hepaticae and Anthocerotae of North America. vol. IV*. Columbia University Press: New York, 133 pp.
- Schuster, R.M. (1982) Studies on Hepaticae, LIX. On *Sandeothallus* Schust., gen. n. and the classification of the Metzgeriales. *Nova Hedwigia* 36: 1–16.
- Schuster, R.M. (1984) Phytogeography of the Bryophyta. In: Schuster, R.M. (Ed), *New Manual of Bryology, vol. 1*. Hattori Botanical Laboratory: Nichinan, pp. 463–626.
- Schuster, R.M. (1992a) *The Hepaticae and Anthocerotae of North America. V*. Columbia University Press: New York, 854 pp.
- Schuster, R.M. (1992b) *The Hepaticae and Anthocerotae of North America. VI*. Columbia University Press: New York, 937 pp.
- Schuster, R.M. (2000) Studies on Lejeuneaceae, III. Revisionary studies on *Stenolejeunea* Schust. *Journal of the Hattori botanical laboratory* 89: 151–170.

- Schuster, R.M. (2002) Austral Hepaticae, part II. *Nova Hedwigia*, Beiheft 119: 1–606.
- Schuster, R.M. & Engel, J.J. (1987) A monograph of Lepidoziaceae subfam. Lemboideae (Hepaticae). *Journal of the Hattori botanical laboratory* 63: 247–350.
- Schuster, R.M. & Scott, G.A.M. (1969) A study of the family Treubiaceae (Hepaticae; Metzgeriales). *Journal of the Hattori botanical laboratory* 32: 219–257.
- Scott, K.M. & Crandall-Stotler B.J. (2002) RAPD polymorphism as an indicator of population structure, breeding system, and speciation in *Fossombronia*. *The Bryologist* 105: 225–232.
- Seifriz, W. (1924) The altitudinal distribution of lichens and mosses on Mt. Gedeh, Java. *Journal of ecology* 12: 307–313.
- Sharma, D. & Srivastava, S.C. (1993) Indian Lepidoziinae (A taxonomic revision). *Bryophytorum Bibliotheca* 47: 1–353.
- Sim, T.R. (1926) The bryophyta of South Africa. *Transactions of the Royal Society of South Africa* 15: 1–475.
- So, M.L. (2000) Studies on *Plagiochila* (Hepaticae) in Australasia and the Pacific II. *Cryptogamie, Bryologie* 21: 223–231.
- So, M.L. (2001a) *Plagiochila* (Hepaticae, Plagiochilaceae) in China. *Systematic Botany Monographs* 60: 1–214.
- So, M.L. (2001b) On *Plagiochila* section *Cobanae* Carl in Asia and Melanesia. *Cryptogamie, Bryologie* 22: 179–186.
- So, M.L. (2002) *Metzgeria* (Hepaticae) in Australasia and the Pacific. *New Zealand Journal of Botany* 40: 603–627.
- So, M.L. (2003a) The genus *Schistochila* in Asia. *Journal of the Hattori botanical laboratory* 93: 79–100.
- So, M.L. (2003b) The genus *Metzgeria* (Hepaticae) in Asia. *Journal of the Hattori botanical laboratory* 94: 159–177.
- So, M.L. (2005a) A synopsis of *Radula* (Radulaceae, Marchantiophyta) in New Zealand and Tasmania. *Journal of the Hattori botanical laboratory* 98: 149–174.
- So, M.L. (2005b) *Radula* (Radulaceae, Marchantiophyta) in Hawaii. *Journal of the Hattori botanical laboratory* 98: 175–191.
- So, M.L. (2006) *Radula* (Radulaceae, Marchantiophyta) in the South Pacific. *Journal of the Hattori botanical laboratory* 99: 207–232.
- So, M.L. & Grolle, R. (1999) Studies on *Plagiochila* in Asia: supplements to sections *Abietinae*, *Annotinae*, *Ciliatae*, *Contiguae*, *Cucullatae*, *Poeltiae*, *Subtropicae* and *Zonatae*. *Cryptogamie, Bryologie* 20: 167–179.
- So, M.L. & Grolle, R. (2000a) Studies on *Plagiochila* (Hepaticae) in Australasia and the Pacific. I. *Cryptogamie, Bryologie* 21: 7–18.
- So, M.L. & Grolle, R. (2000b) Studies on *Plagiochila* sect. *Plagiochila* (Hepaticae) in East and South Asia. *Journal of Bryology* 22: 17–28.
- So, M.L. & Grolle, R. (2000c) Checklist of *Plagiochila* (Hepaticae) in Asia. *Journal of the Hattori botanical laboratory* 88: 199–243.
- So, M.L. & Wang, J. (2006) *Frullania* (Frullaniaceae, Marchantiophyta) in Hawaii. *Journal of the Hattori botanical laboratory* 100: 419–430.
- So, M.L. & Zhu, R.L. (1997) *Cylindrocolea tagawai* (Kitag.) Schust. and *Plagiochila tjibodensis* Schiffn., newly found in Hong Kong. *Lindbergia* 22: 47–48.
- Söderström, L., Hagborg, A., von Konrat, M. & Renner, M. (2008) Early Land Plants Today: Liverwort checklist of checklists. *Fieldiana, Botany* 47: 105–130.
- Söderström, L., Urmí, E. & Váňa, J. (2007) The distribution of Hepaticae and Anthocerotae in Europe and Macaronesia — Update 1–427. *Cryptogamie, Bryologie* 28: 299–350.
- Sprengel, C. (1827) *Carolii Linnaei Systema vegetabilium*. Ed. 16, vol. 4 (2). Dieterich: Göttingen, 410 pp.
- Spruce, R. (1885) Hepaticae of the Amazon and the Andes of Peru and Ecuador. *Transactions and Proceedings of the Botanical Society. Edinburgh* 15: 309–588.
- Srivastava, A. & Srivastava, S.C. (2002) *Indian Geocalycaceae (Hepaticae)*. Bishen Singh Madendra Pal Singh: Dehra Dun, 246 pp.
- Srivastava, S.C. (1998) Distribution of Hepaticae and Anthocerotae in India. In: (Ed), *Topics in bryology*. Allied Press: New Delhi, pp. 53–85.
- Srivastava, S.C. & Alam, A. (2005) Family Scapaniaceae - new to south Indian bryoflora. *Indian Journal of Forestry* 28: 291–294.
- Srivastava, S.C. & Dixit, R. (1996) The genus *Cyathodium* Kuntze. *Journal of the Hattori botanical laboratory* 80: 149–215.
- Srivastava, S.C., Sharma, D. & Shaheen, F. (1991) *Diplophyllum nanum* Herz. in India. *Lindbergia* 16 "1990": 55–58.
- Srivastava, S.C. & Singh, P. (1989) Two species of *Jungermannia* (*Solenostoma*) new to Himalayas, India. *Lindbergia* 14 "1988": 162–166.
- Srivastava, S.C. & Srivastava, A. (1991) The genus *Heteroscyphus* Schiffn in the Western Himalayas. *Lindbergia* 15 "1989": 195–202.
- Srivastava, S.C. & Udar, R. (1976) Taxonomy of the Indian Aneuraceae. A monographic study. *Biological Memoirs* 1: 121–154.
- Srivastava, S.C. & Udar, R. (1977) *Riccardia perssonii* sp. nov. and *R. tenuicostata* Schiffn., two hepaticae new to India. *Lindbergia* 4: 127–131.
- Stephani, F. (1884) Die Gattung *Radula*. *Hedwigia* 23: 113–137, 145–159.
- Stephani, F. (1888) Westindische Hepaticae. *Hedwigia* 27: 276–302.
- Stephani, F. (1890a) Die Gattung *Lejeunea* im Herbarium Lindenberg. *Hedwigia* 29: 1–23.
- Stephani, F. (1890b) Die Gattung *Lejeunea* im Herbarium Lindenberg 2. *Hedwigia* 29: 68–99.
- Stephani, F. (1892) Hepaticae africanae. *Hedwigia* 31: 165–174.
- Stephani, F. (1893) Hepaticarum species novae. Pars I. *Hedwigia* 32: 17–29.
- Stephani, F. (1895a) Hepaticarum species novae VII. *Hedwigia* 34: 43–65.
- Stephani, F. (1895b) Hepaticarum species novae VIII. *Hedwigia* 34: 232–253.
- Stephani, F. (1896) Hepaticarum species novae IX. *Hedwigia* 35: 73–140.
- Stephani, F. (1897) Hepaticae sandvicenses. *Bulletin de l'herbier Boissier* 5: 840–849.
- Stephani, F. (1898) Species Hepaticarum 1. *Bulletin de l'herbier Boissier* 6: 309–343, 361–378, 757–799.
- Stephani, F. (1899) Species Hepaticarum 1. *Bulletin de l'herbier Boissier* 7 (2): 84–110, 198–225, 381–407, 518–533, 655–695, 727–764, 927–956.
- Stephani, F. (1900) Species Hepaticarum 1. *Mémoires de l'Herbier Boissier suite au Bulletin de l'Herbier Boissier* 11: 1–49, 16: 1–46.
- Stephani, F. (1901) Species Hepaticarum 2. *Bulletin de l'herbier Boissier*; serie 2 1: 140–177, 477–521, 1022–1151.

- Stephani, F. (1902) Species Hepaticarum 2. *Bulletin de l'herbier Boissier, serie 2* 2: 35–48, 157–179, 454–474.
- Stephani, F. (1903) Species Hepaticarum 2. *Bulletin de l'herbier Boissier, serie 2* 3: 98–129, 522–537, 596–611, 873–888, 959–974.
- Stephani, F. (1904) Species Hepaticarum 2. *Bulletin de l'herbier Boissier, serie 2* 4: 18–32.
- Stephani, F. (1905) Species Hepaticarum 3. *Bulletin de l'herbier Boissier, serie 2* 5(12): 1129–1144.
- Stephani, F. (1906) Species Hepaticarum 3. *Bulletin de l'herbier Boissier, serie 2* 6(3): 217–232, 935–966.
- Stephani, F. (1907) Species Hepaticarum 3. *Bulletin de l'herbier Boissier, serie 2* 7(8): 683–698, 837–852.
- Stephani, F. (1908) Species Hepaticarum 3. *Bulletin de l'herbier Boissier, serie 2* 8(3): 206–220, 426–436, 483–514, 561–608, 661–696, 745–776, 837–866, 941–966.
- Stephani, F. (1909a) *Species Hepaticarum* 3. Genève & Bale, pp. 517–693.
- Stephani, F. (1909b) *Species Hepaticarum* 4. Genève & Bale, pp. 1–96.
- Stephani, F. (1909c) *Dendroceros*, eine Gattung der Lebermoose. *Sitzungberichte der Naturforschenden Gesellschaft zu Leipzig* 36: 11–20.
- Stephani, F. (1909b) *Species Hepaticarum* 4. Genève & Bale, pp. 1–96.
- Stephani, F. (1910) *Species Hepaticarum* 4. Genève & Bale, pp. 97–464.
- Stephani, F. (1911) *Species Hepaticarum* 4. Genève & Bale, pp. 465–736.
- Stephani, F. (1912a) *Species Hepaticarum* 4. Genève & Bale, pp. 737–824.
- Stephani, F. (1912b) *Species Hepaticarum* 5. Genève & Bale, 176 pp.
- Stephani, F. (1913) *Species Hepaticarum* 5. Genève & Bale, pp. 177–480.
- Stephani, F. (1914) *Species Hepaticarum* 5. Genève & Bale, pp. 481–704.
- Stephani, F. (1915) *Species Hepaticarum* 5. Genève & Bale, pp. 705–848.
- Stephani, F. (1916) *Species Hepaticarum* 5. Genève & Bale, pp. 849–1008.
- Stephani, F. (1917a) *Species Hepaticarum* 5. Genève & Bale, pp. 1009–1044.
- Stephani, F. (1917b) *Species Hepaticarum* 6. Genève & Bale, pp. 1–128.
- Stephani, F. (1918) *Species Hepaticarum* 6. Genève & Bale, pp. 129–176.
- Stephani, F. (1921) *Species Hepaticarum* 6. Genève & Bale, pp. 177–240.
- Stephani, F. (1922) *Species Hepaticarum* 6. Genève & Bale, pp. 241–368.
- Stephani, F. (1923) *Species Hepaticarum* 6. Genève & Bale, pp. 369–432.
- Stephani, F. (1924) *Species Hepaticarum* 6. Genève & Bale, pp. 433–622.
- Stotler, R.E., Bray, J.R. jr, Cargill, D.C., Krayesky, D. & Crandall-Stotler, B.J. (2003) Typifications in the genus *Fossombronia* (Marchantiophyta). *The Bryologist* 106: 130–142.
- Streimann, H. (1991) New Hepatic records from New Guinea. *Journal of the Hattori botanical laboratory* 69: 1–19.
- Swartz, O. (1781) *Methodus muscorum illustrata*. Uppsala, 38 pp.
- Szab, A. (1997) Data on the epiphyllous liverwort flora of West-Borneo. *Abstracta Botanica (Budapest)* 21: 169–172.
- Tan, B.C. & Engel, J.J. (1986) An annotated checklist of Philippine Hepaticae. *Journal of the Hattori botanical laboratory* 60: 283–355.
- Taylor, T. (1846) New Hepaticae. *London Journal of Botany* 5: 365–417.
- Thiers, B.M. (1983) Type studies in the Lejeuneaceae. II. *Pteryganthus*, a new subgenus of *Lopholejeunea*. *Brittonia* 35: 81–86.
- Thiers, B.M. (1985) Branching in Lejeuneaceae III. *Nova Hedwigia, Beiheft* 80: 31–61.
- Thiers, B.M. (1986) Branching in Lejeuneaceae (Hepaticae) IV. Lejeuneoideae. *Nova Hedwigia* 42: 237–275.
- Thiers, B.M. (1992) A re-evaluation of *Cheilolejeunea* subgenus *Xenolejeunea*. *Tropical Bryology* 5: 10–21.
- Thiers, B.M. (1993) A monograph of *Pleurozia* (Hepaticae, Pleuroziaceae). *The Bryologist* 96: 517–554.
- Thiers, B.M. & Gradstein, S.R. (1989) Lejeuneaceae (Hepaticae) of Australia. I. Subfamily Ptychanthoideae. *Memoirs of the New York Botanical Garden* 52: 1–79.
- Tixier, P. (1962) Bryophytes du Vietnam. Premières récoltes dans le massif de Bach-Ma. *Revue Bryologique et Lichénologique* 31: 190–203.
- Tixier, P. (1969) Bryophytæ Indosinicae. Bryophytes récoltés par le R. P. L. Cadière Ba-Na (Vietnam). *Revue Bryologique et Lichénologique* 36 "1968": 292–296.
- Tixier, P. (1979) Contribution à l'étude du genre *Cololejeunea*. Les Cololejeunoidées de Nouvelle Caledonie. *Nova Hedwigia* 31: 721–787.
- Tixier, P. (1980) Deux nouveaux genres de Lejeuneacees, *Otolejeunea* Grolle et P. Tx. et *Allorgella* P. Tx. *Nova Hedwigia* 32: 607–622.
- Tixier, P. (1981) La notion d'espèce chez le genre *Cololejeunea*. La complexe *Cololejeunea floccosa* (Lehm. & Lindenb.) Schiffn. *Cryptogamie, Bryologie et Lichénologie* 2: 47–76.
- Tixier, P. (1985) Contribution à la connaissance des Cololejeunoideae. *Bryophytorum Bibliotheca* 27: 1–439.
- Udar, R. & Awasthi, U.S. (1982) The genus *Drepanolejeunea* St. in India. *Journal of the Hattori botanical laboratory* 53: 419–437.
- Udar, R. & Kumar, A. (1981) Genus *Notoscyphus* Mitt. in India. *Journal of the Hattori botanical laboratory* 49: 247–260.
- Udar, R. & Kumar, A. (1985) The family Cephalozziellaceae in south India. *Geophytology* 15: 141–145.
- Udar, R. & Kumar, A. (1987) The genus *Lethocolea* from India. *Lindbergia* 12 "1986": 103–105.
- Udar, R. & Kumar, A. (1983) *Radula pandei*, a new hepatic from South India. *Lindbergia* 9: 133–136.
- Van Leeuwen, W.M. (1936) Krakatau, 1883 to 1933. Hepaticae. *Annales du Jardin botanique de Buitenzorg* 46–47: 315–322.
- Váňa, J. (1972) Miscellaneous notes on the Asiatic Jungermannioideae. *Journal of the Hattori botanical laboratory* 35: 312–318.
- Váňa, J. (1973a) Studien über die Jungermannioideae (Hepaticae). 2. Jungermannia subg. Jungermannia. *Folia Geobotanica et Phytotaxonomica* 8: 255–309.
- Váňa, J. (1973b) Lebermoose aus Neuguinea. 10. *Jungermannia*. *Journal of the Hattori botanical laboratory* 37: 185–190.

- Váňa, J. (1973c) Miscellaneous notes on the Asiatic Jungermannioideae II. *Journal of the Hattori botanical laboratory* 36 "1972": 57–74.
- Váňa, J. (1974a) Miscellaneous notes on the Asiatic Jungermannioideae III. *Journal of the Hattori botanical laboratory* 38: 275–282.
- Váňa, J. (1974b) Lebermoose aus Neuguinea. 11. *Andrewsianthus*. *Journal of the Hattori botanical laboratory* 38: 639–649.
- Váňa, J. (1975a) Studien über die Jungermannioideae (Hepaticae). 8. *Jungermannia* subg. *Plectocolea* und *Solenostoma* in Australien, Neuseeland und Ozeanien. *Folia Geobotanica et Phytotaxonomica* 10: 277–323.
- Váňa, J. (1975b) The genus *Anastrophyllum* in New Guinea. *Miscellanea Bryologica et Lichenologica* 7: 25–27.
- Váňa, J. (1988) *Cephalozia* (Dum.) Dum. in Africa, with notes on the genus (Notes on some African hepatic genera 10). *Nova Hedwigia, Beiheft* 90: 179–198.
- Váňa, J. (1991a) The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mt. Kinabalu. XIII. Jungermanniaceae (Hepaticopsida, Jungermanniales). *Willdenowia* 20: 171–183.
- Váňa, J. (1991b) The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mt. Kinabalu. XV. Lophoziaeae (Hepaticae). *Willdenowia* 20: 199–219.
- Váňa, J. (1992) The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. XVI. Cephaloziellaceae and Jackiellaceae (Hepaticae). *Willdenowia* 22: 167–169.
- Váňa, J. (1999) Notes on the genus *Marsupella* s. lat. (Gymnomitriaceae, Hepaticae) 1–10. Infrageneric taxa. *Bryobrothera* 5: 221–229.
- Váňa, J. & Inoue, H. (1983) Studies in Taiwan Hepaticae. V. Jungermanniaceae. *Bulletin of the National Science Museum, Tokyo. Series B, Botany* 9: 125–142.
- Váňa, J. & Piippo, S. (1989a) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXIX. Jungermanniaceae and Gymnomitriaceae (Hepaticae). *Annales Botanici Fennici* 26: 107–125.
- Váňa, J. & Piippo, S. (1989b) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXI. Cephaloziaceae subfam. Allobolioideae, Cephaloziellaceae, Antheliaceae and Lophoziaeae (Hepaticae). *Annales Botanici Fennici* 26: 263–290.
- Váňa, J. & Watling, M.C. (2004) Bryophyte flora of Uganda. I. Jungermanniaceae. *Journal of Bryology* 26: 147–151.
- Verdoorn, F. (1928) Kritische Bemerkungen ueber ostasiatische und ozeanische *Frullania*-Arten aus dem subgenus *Homotropantha* (De Frullaniaceis III). *Revue Bryologique et Lichenologique* 1: 109–122.
- Verdoorn, F. (1929a) V Schiffner, Expositio plantarum in itinere suo indicō annis 1893–94 suscepto collectorum speciminibusque exsiccatis distributarum, adjectis descriptionibus novarum. Series tertia (no. 1473–2460). Frullaniaceas continens (De Frullaniaceis IV). *Annales Bryologici* 2 "1928": 117–154.
- Verdoorn, F. (1929b) Revision der von Java und Sumatra angeführten Frullaniaceae. De Frullaniaceis V. *Annales Bryologici* 1928 2: 155–164.
- Verdoorn, F. (1930) Die Frullaniaceae der Indomalesischen Inseln (De Frullaniaceis VII). *Annales bryologici supplement* 1: 1–187.
- Verdoorn, F. (1931a) Hepaticae selectae et criticae, series 1. *Annales Bryologici* 4: 123–129.
- Verdoorn, F. (1931b) Hepaticae selectae et criticae, series 2. *Annales Bryologici* 4: 140–150.
- Verdoorn, F. (1932a) Hepaticae selectae et criticae, series III et IV (1932). *Annales Bryologici* 5: 125–144.
- Verdoorn, F. (1932b) De levermosgeslachten van Java en Sumatra. *Nederlandsch Kruidkundig Archief. Verslagen en Mededelingen der Nederlandsche Botanische Vereeniging, n.s.* 2: 461–509.
- Verdoorn, F. (1933a) Die von V. Schiffner (1893–1894) und von Fr. Verdoorn (1930) auf den indomalesischen Inseln gesammelten Lejeuneaceae Holostipae. De Frullaniaceis XI. *Recueil des Travaux Botaniques Neerlandais* 30: 212–233.
- Verdoorn, F. (1933b) Hepaticae selectae et criticae, series V et VI. *Annales Bryologici* 6: 93–104.
- Verdoorn, F. (1933c) Revision der von Java und Sumatra angeführten Lejeuneaceae Holostipae. De Frullaniaceis XII. *Annales Bryologici* 6: 74–87.
- Verdoorn, F. (1934a) Die Frullaniaceis XIV. Revision der von Ozeanien, Australien und Neuseeland angeführten Lejeuneaceae Holostipae. *Blumea* 1: 216–240.
- Verdoorn, F. (1934b) Studien über Asiatische Jubuleae. *Annales bryologici supplement* 4: 1–231.
- Verdoorn, F. (1935) Hepaticae selectae et criticae, series VII (1934) et series VIII (1935) and Musci selecti et critici, series I (1934) et series II (1935). *Annales Bryologici* 8: 150–158.
- Verdoorn, F. (1938) Hepaticae Selectae et Criticae series IX (1936) et Series X (1937) and Musci Selectae et Criticae series IX (1936) et Series X (1937). *Annales Bryologici* 10 "1937": 124–130.
- von Konrat, M.J. & Briggins, J.E. (2001) Notes on five *Frullania* species from Australia, including typification, synonyms, and a new locality. *Journal of the Hattori botanical laboratory* 91: 229–263.
- von Konrat, M.J., Söderström, L. & Hagborg, A. 2010. Early Land Plants Today: Introduction — Phytotaxa [This issue]
- Wachowiak, W., Bączkiewicz, A., Chudzińska, E. & Buczkowska, K. (2007) Cryptic speciation in liverworts – a case study in the *Aneura pinguis* complex. *Journal of the Linnean Society, Botany* 155: 273–282.
- Wigginton, M.J. & Porley, R.D. (2001) British bryological Society expedition to Mulanje Mountain, Malawi. 14. Allisoniaceae, Arnelliaceae, Aytoniaceae, Geocalycaceae, Gymnomitriaceae, Pallaviciniaceae (Hepaticae). *Journal of Bryology* 23: 133–138.
- Yamada, K. (1974) Memoranda of the type specimens of *Radula* taxa from the Southeast Asia (1). *Journal of the Hattori botanical laboratory* 38: 489–497.
- Yamada, Y. (1975) Memoranda of the type specimens of *Radula* taxa from the Southeast Asia (2). *Journal of the Hattori botanical laboratory* 39: 71–84.
- Yamada, K. (1976) Memoranda of the type specimens of *Radula* taxa from the Southeast Asia (3). *Journal of the Hattori botanical laboratory* 40: 453–460.
- Yamada, K. (1979) A revision of Asian taxa of *Radula*, Hepaticae. *Journal of the Hattori botanical laboratory* 45: 201–322.
- Yamada, K. (1985) *Radula* collections made by Drs. Z. Iwatsuki and N. Kitagawa in New Caledonia. *Journal of the Hattori botanical laboratory*

- laboratory* 58: 111–130.
- Yamada, K. (2002) Notes on some *Radula* (Radulaceae, Hepaticae) species from Vanuatu. *Bryological Research [Sentairui Kenkyu]* 8: 102–103.
- Yamada, K. & Piippo, S. (1989) Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXII. *Radula* (Radulaceae, Hepaticae). *Annales Botanici Fennici* 26: 349–387.
- Yang, J.-D. & Lin, S.-H. (2008) *Cheilolejeunea falsinervis* (Marchantiophyta) newly recorded for Taiwan. *Bryological Research [Sentairui Kenkyu]* 9: 319–321.
- Yano, O. (2004) Novas ocorrências de briófitas para vários estados do Brasil. *Acta Amazonica* 34: 559–576.
- Yuzawa, Y. (1991) A monograph of subgen. *Chonanthelia* of gen. *Frullania* (Hepaticae) of the world. *Journal of the Hattori botanical laboratory* 70: 181–291.
- Zhang, Z., Li, X.-N., Peng, T. & Xhao, C.-H. (2004) New records of luminous liverworts from the karst caves of Guangxi province, P. R. China: *Cyatodium cavernarum* Kuntze and *C. smaragdium* [sic!] Schiffn. [sic!] ex Keissler (Cyathodiaceae, Hepaticae). *Carsologia sinica* 23: 154–157.
- Zheng, M., So, M.L. & Zhu, R.-L. (2005) Chromosomes and oil bodies of *Plagiochilion* (Plagiochiliaceae, Hepaticae). *Cryptogamie, Bryologie* 26: 109–115.
- Zhu, R.-L. (1995) Notes on some species of the genus *Cololejeunea* (Lejeuneaceae, Hepaticae) in China. *Journal of the Hattori botanical laboratory* 78: 83–109.
- Zhu, R.-L. (2005) *Cololejeunea aequabilis* (Sande Lac.) Schiffn. (Jungermanniopsida: Lejeuneaceae), the correct name for *Cololejeunea yulensis* (Steph.) Benedix. *Journal of Bryology* 27: 357–358.
- Zhu, R.-L. (2006a) Taxonomy and distribution of *Cheilolejeunea krakakammae* (Lejeuneaceae, Jungermanniopsida, Marchantiophyta), with a description and illustrations of *Cheilolejeunea laevicalyx* from Bolivia, Colombia and Ecuador. *Nova Hedwigia* 83: 187–198.
- Zhu, R.-L. (2006b) On *Cheilolejeunea tenella* (Jungermanniopsida: Lejeuneaceae), a poorly known species from Singapore. *Annales Botanici Fennici* 43: 484–487.
- Zhu R.-L. & Gradstein, S.R. (2005) Monograph of *Lopholejeunea* (Spruce) Schiffn. (Lejeuneaceae, Hepaticae) in Asia. *Monographs in Systematic Botany from the Missouri Botanical Garden* 74: 1–98.
- Zhu, R.-L. & Grolle, R. (2001) Notes on the taxonomy and distribution of *Acanthocoleus yoshinaganus* and *Lejeunea papilionacea* (Hepaticae, Lejeuneaceae). *Annales Botanici Fennici* 38: 329–336.
- Zhu, R.-L. & Grolle, R. (2004) Nomenclatural notes on *Cheilolejeunea inaequitexta* and *C. trapezia* (Lejeuneaceae, Hepaticae). *Annales Botanici Fennici* 41: 445–447.
- Zhu, R.-L. & Lai, M.-J. (2003) Epiphyllous liverworts from several recent collections from Taiwan, Thailand, and Vietnam. *Cryptogamie, Bryologie* 24: 265–270.
- Zhu, R.-L. & Lai, M.-J. (2005) *Cheilolejeunea decursiva* (Sande Lac.) R. M. Schust. and *C. ventricosa* (Schiffn.) X. L. He (Lejeuneaceae, Hepaticae) new to Australia. *Journal of the Hattori botanical laboratory* 98: 193–203.
- Zhu, R.-L. & So, M.L. (1997) A new record of the genus *Otolejeunea* (Hepaticae, Lejeuneaceae) in subtropical China. *Annales Botanici Fennici* 34: 285–289.
- Zhu, R.-L. & So, M.L. (1998) Two epiphyllous liverworts, *Cololejeunea dozyana* (Sande Lac.) Schiffn. and *Cololejeunea sigmoidea* Jovet-Ast & Tixier (Hepaticae, Lejeuneaceae), new to Taiwan. *Botanical Bulletin of the Academia Sinica* 39: 125–130.
- Zhu, R.-L. & So, M.L. (1999a) New records of *Cololejeunea* (Lejeuneaceae, Hepaticae) for China and Vietnam. *Botanical Bulletin of the Academia Sinica* 40: 165–171.
- Zhu, R.-L. & So, M.L. (1999b) Additions to the Lejeuneaceae taxa to the hepatic flora of Yunnan, China. *Annales Botanici Fennici* 36: 219–229.
- Zhu, R.-L. & So, M.L. (2000) Reappraisal of *Cololejeunea balansae* (Steph.) Mizut., *C. grushvitzkiana* Pócs, and *C. yoshinagana* (S.Hatt.) Mizut. (Hepaticae, Lejeuneaceae). *Journal of Bryology* 22: 279–282.
- Zhu, R.-L. & So, M.L. (2001) Epiphyllous liverworts of China. *Nova Hedwigia, Beiheft* 121: 1–418.
- Zhu, R.-L. & So, M.L. (2002b) Reappraisal of *Cololejeunea angustiflora*, *C. ciliata*, *C. flavicans*, *C. javanica*, and *C. mackeeana* (Hepaticae, Lejeuneaceae). *The Bryologist* 105: 431–438.
- Zhu, R.-L., Zheng, M., Nan, Z. & Shi, X.-Q. (2005) The genus *Ceratolejeunea* (Lejeuneaceae, Hepaticae) in China. *Cryptogamie, Bryologie* 26: 91–96.